

2016 RAM POCKET GUIDE



THE 2016 RAM WORKFORCE

REMARKABLE POWERTRAINS. OUTSTANDING PTO CAPABILITY. UPFIT-READY ENGINEERING. DESIGNED FOR LOW COSTS OF OWNERSHIP. THIS IS THE WORKFORCE OF CHOICE.

It's all here: phenomenal PTO capability on our Chassis Cabs, ingenious suspension technologies on our pickups and vans, with commercial-grade strengths across the board. With a portfolio that ranges from big Chassis Cabs to the city-friendly Ram ProMaster City[®] Tradesman[®] Cargo Van models, the Ram Commercial workforce stands out.

Here, quality, capability and fuel-efficient performance are at the top of the game. Occupant comfort rivals the luxury found in the private sector. Engineering and technology rank among the best.

Today, it's all about how well brains and brawn work together. For the industrial/commercial market—and the increasingly common personal recreational demands—the Ram Commercial team stands ready. We know how it works: you're measuring brutal assignments; the muscular and toned Ram team measures up. For more, visit us anytime at **RAMTRUCKS.COM/COMMERCIAL**

RAM QUALITY: EXCEPTIONAL WARRANTIES.

The business of a Ram truck is to carry it all, and with ironclad reliability. Whether you're moving people or steel, Ram delivers like no other.

Every diesel powertrain here features a 5-Year/100,000-Mile Powertrain Limited Warranty^{[1]*} Gas powertrains offer a 5-Year/60,000-Mile Powertrain Limited Warranty^[2] All vehicles back you with our inclusive 3-Year/36,000-Mile Bumper-to-Bumper Warranty^[3]

INTRODUCTION	2 - 3
RAM: AN OVERVIEW	4 - 7
POWERTRAINS	8 - 11
RAM 1500 LIGHT DUTY PICKUPS	
WHEELS	12 - 13
BUYER'S GUIDE	14 - 19
TRAILER WEIGHTS AND PAYLOADS	20 - 21
RAM 2500/3500 HEAVY DUTY PICKUPS	
WHEELS	24 - 25
BUYER'S GUIDE	26 - 33
TRAILER WEIGHTS AND PAYLOADS	34 - 35
RAM 3500/4500/5500 CHASSIS CABS	
WHEELS	36 - 37
BUYER'S GUIDE	38 - 43
TRAILER WEIGHTS AND PAYLOADS	44 - 45
RAM PROMASTER® VANS/CUTAWAYS/CHASSIS CABS	
DIMENSIONS	46
BUYER'S GUIDE	47 - 49
TRAILER WEIGHTS, PAYLOADS AND WHEELS	49
RAM PROMASTER CITY [®]	
WHEELS	50
BUYER'S GUIDE	51 - 52
TRAILER WEIGHTS AND PAYLOADS	53
RAM COMMERCIAL PORTFOLIO	
CONFIGURATIONS	54 - 55
EXTERIOR PAINT COLORS	56 - 57
INTERIOR SEAT FABRICS	58
SUPPORT FOR YOUR BUSINESS	
UPFITS/BODY BUILDERS/RESOURCES	59
BUSINESS <i>LINK/ON THE JOB</i> /CHRYSLER CAPITAL	60

POWERTRAINS

3500 CC

LIGHT DUTY

This Ram pickup knows where the work is. It's on deep-country farms and sprawling ranches. It's in gritty urban industrial parks, on suburban landscaping sites and literally everywhere in between.

One light-duty truck steps up where others step back: 2016 Ram 1500, with its no-nonsense attitude and can-do muscle. Here's what works: the groundbreaking available 3.0L EcoDiesel V6; the class-exclusive^[4] available Active-LevelTM Four-Corner Air Suspension System; the class-exclusive^[4] available RamBox[®] Cargo Management System; and, standard on every model, the comprehensive Electronic Stability Control (ESC)^[5] System and indispensable Tow/Haul Mode.

HEAVY DUTY

ΡΔΙΝΤ

Heavy-duty jobs demand heavy-duty support. The impressive list of best-in-class advantages of Ram Heavy Duty translates into never-sayno capability backed with exclusive, work-focused engineering.

Count on best-in-class^[7] gas horsepower and torque from the available 6.4L HEMI® V8; best-in-class^[7] towing* for gas and diesel engines; the best-in-class^[7] available diesel torque for Ram 3500; and the class-exclusive^[7] available Auto-Level Rear Air Suspension System for both models—the ideal comfort and control partner to match that top-tier towing and payload capability. Fact: few pickups out there measure up to the standards set by a 2016 Ram 2500/3500 Heavy Duty.



SELECT RAM 1500 HIGHLIGHTS

- THE 3.0L ECODIESEL V6. Count on Ram 1500 technology to set the stage for performance—and play a starring role. The available EcoDiesel V6 for Ram 1500 offers 420 lb-ft of torque backed with the best fuel economy of any full-size pickup.^[6]
- THE TORQUEFLITE® 8-SPEED AUTOMATIC TRANSMISSION. Ram 1500 makes it happen in ways most others don't. We pioneered the TorqueFlite 8-speed automatic with its innovative dashboard-mounted Rotary Shifter and invaluable Thermal Management System.
- 4x4 CAPABILITY WITH V6-POWERED EFFICIENCY. Combine the Pentastar® V6 or the EcoDiesel V6 with the TorqueFlite 8-speed automatic, and you're looking at impressive and efficient power backed with available 4x4 capability for tough jobs and tough terrains.
- THE CLASS-EXCLUSIVE^[4] ACTIVE-LEVEL FOUR-CORNER AIR SUSPENSION SYSTEM can replace the resilient and comfortable coil spring suspension. Operator-controlled, this available technology provides five operating levels, including automatic load-leveling and lower entry/exit heights.
- INTERIORS THAT EMPLOY BRILLIANT ELECTRICAL ARCHITECTURE give you technology that dazzles. The available full-color Driver Information Display relays tons of real-time vehicle/mechanical data.
- A DASHBOARD-MOUNTED SWITCH BANK puts functionality right at hand, with fingertip control of the standard ESC^[5] System, the Tow/Haul Mode and the available Active-Level Four-Corner Air Suspension System (if equipped). Additional switches handle more optional equipment.

SELECT RAM 2500/3500 HEAVY DUTY HIGHLIGHTS

- EXCEPTIONAL CAPABILITY FROM BEST-IN-CLASS^[7] MAXIMUM GROSS COMBINED WEIGHT RATINGS (GCWRs). Robust strength for the job is part of the Ram Heavy Duty package. The max GCWRs of the 2016 Ram Heavy Duty models equipped with the available 6.7-liter Cummins[®] Turbo Diesel are the highest in the class.^[7] Ratings like this give you unparalleled capability: up to 25,300 lb^{*} GCWR for Ram 2500, and up to 39,100 lb^{*} for Ram 3500.
- BEST-IN-CLASS^[7] TOWING* FOR GAS AND DIESEL ENGINES. For beyond-confident pulling and hauling, know this: Ram Heavy Duty pickups lead all others in the class^[7] A Ram 3500 powered by the available 6.4L HEMI V8 delivers towing capability up to 16,520 lb*; equip it with the available 6.7L Cummins High Output, and max towing achieves up to 31,210 lb*.
- IMPRESSIVE MAXIMUM GROSS VEHICLE WEIGHT RATINGS (GVWRs). Ram 2500 and 3500 pickups deliver serious GVWRs: up to 10,000 lb* for Ram 2500 and up to 14,000 lb* for Ram 3500.
- The available Cummins Turbo Diesel comes in THREE SEPARATE POWER RATINGS, maxing out with the HIGH OUTPUT CALIBRATION CHURNING OUT 385 HP and a best-in-class^[7] 900 LB-FT OF AVAILABLE TORQUE when mated to the AISIN® Heavy-Duty 6-speed automatic on Ram 3500. Every Cummins iteration features a CLASS-EXCLUSIVE^[7] "SMART" DIESEL EXHAUST BRAKE.
- TOP-TIER GAS POWER. When gasoline is the preferred fuel, the available 6.4L HEMI V8 stands out—and above, with its best-in-class^[7] gas-powered 410 horsepower and 429 lb-ft of torque.

*When properly equipped.

CHASSIS CABS

The 2016 Ram Chassis Cabs, with their exceptional upfit versatility and outstanding available Power Take-Off (PTO) access and output, deliver superb technology and comfort.

The standard engine for all models is the 6.4L HEMI® V8, delivering up to 410 hp* on 3500 SRW, and 366 hp on 4500/5500 models; 429 lb-ft of torque is standard for all. Advantages to these models are numerous: a max GVWR up to 12,000 lb⁺ on Ram 3500 SRW; an available heavyduty front suspension for 4500/5500; best-in-class^{[8][9]} available dual fuel tank capacity; and left- or right-side PTO availability. All models are designed for easy upfits, with the configurable Ram ProMaster[®] Cutaway/ Chassis Cab models offering a convenient frame height.

CARGO VANS AND WAGONS

ΡΔΙΝΤ

Our family of commercial-grade vehicles grew substantially when we added the Ram ProMaster® models...and beefed up even further with the urban-friendly Ram ProMaster City® Cargo Van and Wagon.

Each plays a distinctive role. The Ram ProMaster Cargo Van and Windowed Van offer all the right numbers: three wheelbases, multiple floor lengths, two roof heights (Cargo Van), numerous best-in-class features...and uncountable possibilities for upfits. Ram ProMaster City Tradesman[®] Cargo Van and Passenger Wagon are perfectly sized for cities and suburbs-and stand out with best-in-class^[11] payload, cargo capacity and GVWR (Cargo Van). All ProMaster City models ride on a class-exclusive^[11] bi-link rear suspension.



SELECT RAM AND PROMASTER CHASSIS CAB HIGHLIGHTS

- Ram 4500/5500 Chassis Cab models come to work with top-notch capability. BEST-IN-CLASS^{[10][9]} MAXIMUM GROSS COMBINED WEIGHT RATINGS (GCWRs) give you ample room for upfits.
- BEST-IN-CLASS^[9] AVAILABLE 6.7L DIESEL ENGINE FRONT GROSS AXLE WEIGHT RATINGS (GAWRs) for Ram 4500/5500 Chassis Cabs make these workers ideal for heavy-duty front-mounted attachments-and the go-to choice for snow plows.
- When equipped with the available Cummins® High Output Turbo Diesel, Ram 4500/5500 Chassis Cab models deliver BEST-IN-CLASS^[9] DIESEL TORQUE. The Cummins advantage includes available B20 capability and a state-of-the-art Diesel Exhaust Fluid (DEF) System.
- Standard on every 2016 Chassis Cab, the ELECTRONIC STABILITY CONTROL (ESC)^[5] SYSTEM is an invaluable advantage for exceptional maneuvering, road manners and trailering control.
- BEST-IN-CLASS^{[0][9]} AVAILABLE MAX DUAL ALTERNATOR OUTPUT. Put a total of 440 amps at your service, from a Ram Chassis Cab equipped with the Cummins Turbo Diesel.
- The RAM PROMASTER CHASSIS CAB MODELS substantially broaden the overall versatility of the Ram portfolio, with two cab-to-axle lengths, two wheelbases and three frame lengths, topped off by an impressive Gross Vehicle Weight Rating. Frame height makes these models ideal for applications that require frequent stops and loading. At only 24.4 inches from the ground, it's custom-made for landscaping services or the transport of items like ATVs.

*Only when the available IOK GVWR model is ordered on 3500 SRW with 66RFE automatic transmission. ¹When properly equipped.

SELECT RAM PROMASTER AND RAM PROMASTER CITY HIGHLIGHTS

- Ram ProMaster Cargo Van models lead the competition, with BEST-IN-CLASS^[12] FEATURES where they count the most; among them: width between wheel wells, shortest turning diameter (short wheelbase) and lowest load floor height. CLASS-EXCLUSIVE^[12] FRONT-WHEEL DRIVE excels in adverse weather conditions.
- · Ram ProMaster Cargo Van and Windowed Van offer two exceptional engines: the standard 3.6L PENTASTAR® V6 MATED TO THE 6-SPEED AUTOMATIC CHURNS OUT BEST-IN-CLASS^[2] STANDARD V6 HORSEPOWER backed with 260 lb-ft of torque. The AVAILABLE 3.0L ECODIESEL 14 IS PAIRED TO THE CLASS-EXCLUSIVE^[12] 6-SPEED DUAL ACTIVE DRIVE AUTOMATED CLUTCHLESS MANUAL TRANSMISSION.
- OUTSTANDING RETAINED VALUE: Ram ProMaster vaults to first-place consideration when you're measuring by quality with multiple honors for retained value.
- THE RAM PROMASTER CITY MODELS come to work with a CLASS-EXCLUSIVE^[II] NINE-SPEED AUTOMATIC TRANSMISSION. Factor in the 2.4L TIGERSHARK® MULTIAIR®2 INLINE FOUR-CYLINDER, and you're looking at BEST-IN-CLASS^[0] HORSEPOWER AND TORQUE with standard engine configuration. Zero-to-30 mph time is an astonishing 3.7 seconds.
- THE 2016 RAM PROMASTER CITY MODELS encapsulate efficient capability—and capacity. Count on best-in-class^[11] payload (Cargo Van models), cargo capacity and cargo width between wheel wells (enough to accommodate a standard pallet). Now add unsurpassed^[11] towing for Cargo Van-up to 2,000 lb.[†]

[†]When properly equipped.

RESOURCES



RAM PROMASTER CITY®

THE 2.4L TIGERSHARK® MULTIAIR®2 14: 178 HP / 174 LB-FT

Large, powerful and lightweight, the four-cylinder 2.4L MultiAir2 features a host of smart components and enhancements for combustion control, maximum fuel efficiency and reduced exhaust emissions. With its 10:1 compression ratio, individual piston oil squirters, precious-metal spark plugs and refined oil life monitoring system providing recommended oil change data, the 2.4L MultiAir2 ably steps up to the commercial rigors demanded of Ram ProMaster City models.



RAM 1500

THE 3.6L PENTASTAR® V6: 305 HP / 269 LB-FT

Standard powerplant of Ram 1500 pickups, the award-winning Pentastar V6 delivers an impressive 25 mpg highway* working with its standard partner, the innovative TorqueFlite® 8-speed automatic transmission. Count on built-in V6 efficiencies, V8-equivalent performance and tough available 4x4 capability to do the job-and do it right.



RAM PROMASTER[®] VAN/CHASSIS CAB/ **CUTAWAY**

THE 3.6L PENTASTAR V6: 280 HP / 260 LB-FT

The impressive and award-winning Pentastar V6 is the standard engine for the 2016 Ram ProMaster Vans. Light and efficient, with outstanding horsepower and torque, Electronic Throttle Control and a serious compression ratio of 10.2:1.

RAM 1500

THE 5.7L HEMI® V8 WITH MDS/FUEL SAVER TECHNOLOGY: 395 HP / 410 LB-FT

The resilient HEMI V8 for Ram 1500 reflects its

legendary heritage—but it's really the engineering that makes this the frequent engine of choice. Boasting smart technology that focuses on using every drop of fuel, look for dual spark plug technology and Variable Valve Timing (VVT) contributing to outstanding engine efficiency and torque levels. The Multi-Displacement System (MDS)/Fuel Saver Technology

transforms this tough V8 into a fuel-efficient 4-cylinder under many conditions. Standard on select Ram 1500 pickups; available for all models.







RAM 2500/3500

THE 5.7L HEMI® V8 WITH VVT: 383 HP / 400 LB-FT

ΡΔΙΝΤ

This iteration of the 5.7L HEMI V8 utilizes Variable Valve Timing (VVT), technology that 6-7-1-1 () () () () optimizes engine breathing. Output with VVT is

measurably better than that of comparable engines without it, as a major function of VVT is to increase torque. It gives these tough Ram models notable gas-powered towing strength. Standard on Ram 2500/3500 SRW pickups.

RAM 2500/3500

THE 6.4L HEMI V8 WITH MDS/FUEL SAVER TECHNOLOGY: 410 HP / 429 LB-FT

Count it all, and count on performance that includes VVT, MDS/Fuel Saver Technology, Individual

Cylinder Fuel Control and interactive Deceleration Fuel Shut-Off (iDFSO). The assets that come with this available engine for Ram Heavy Duty pickups translate into bottom-line superiority-namely, best-in-class^[7] gas horsepower and torque.

RAM 3500/4500/5500 CHASSIS CAB

THE 6.4L HEMI V8 WITH MDS/FUEL SAVER TECHNOLOGY: 370 HP (410 HP¹) / 429 LB-FT (3500); 366 HP / 429 LB-FT (4500/5500) The standard engine for all Ram Chassis Cab models provides outstanding gas-powered V8

performance-and using 87-octane unleaded gas. Mate the 6.4L HEMI V8 with the available AISIN® transmission, and you've got stellar available PTO capability that efficiently uses only four of its cylinders (static). Configurations: 3500 models mate the 6.4L HEMI V8 with the 66RFE 6-speed automatic, with the AISIN AS66RC available for increased payload and towing capability; Ram 4500/5500 models mate it solely to the AISIN Heavy Duty.

MDS/FUEL SAVER TECHNOLOGY

The Multi-Displacement System is exactly what business needs. The 5.7L HEMI V8 on Ram 1500 and the 6.4L HEMI V8 on Heavy Duty and 3500 Chassis Cab with the 66RFE automatic are tough 8-cylinders for the job-and transform seamlessly into efficient 4-cylinders for the cruise. The 6.4L HEMI V8 with the AISIN transmission on 3500/4500/5500 Chassis Cabs even utilizes MDS capability in stationary PTO mode.



A TRANSMISSION FOR EVERY NEED: THE GAS-DRIVEN PORTFOLIO.

THE 948TE 9-SPEED AUTOMATIC. This application reflects ideal engineering to propel the Ram ProMaster City models. The wide 9.79 ratio spread and 4.70:1 first-gear launch ratio ensure quick takeoffs, while the 7th - 9th gear transitions help enhance fuel efficiency. Standard: 2016 Ram ProMaster City Tradesman® Cargo Van and Passenger Wagon.

THE 8HP45 TORQUEFLITE 8-SPEED AUTOMATIC. Compact, durable, efficient: the 8HP45 transmission delivers exceptional stats, with adaptive shifting, fill-for-life fluid, a sophisticated Thermal Management System and dashboard-mounted Rotary Shifter. Standard with the 3.6L Pentastar V6 on Ram 1500 only.

THE 8HP70 TORQUEFLITE 8-SPEED AUTOMATIC. This larger, more robust version of the 8HP45 8-speed offers all of the features described above, but with the engineering to handle the power of the 5.7L HEMI V8. It's a very real contribution to the impressive Ram 1500 fuel efficiency. This transmission also features the dashboard-mounted Rotary Shifter. Available for Ram 1500 with the 5.7L HEMI V8.

THE 65RFE 6-SPEED AUTOMATIC. This commercial-grade component reflects made-for-industry engineering, with a super-low sixth-gear ratio of 0.67:1 that functions as an additional overdrive to help reduce engine speeds and mitigate engine wear. Ancillary benefits address reducing long-term ownership costs. Standard powertrain partner on Ram 1500 with the available 5.7L HEMI V8.

THE 66RFE 6-SPEED AUTOMATIC. Electronic Range Select (ERS) facilitates heavy towing and payload assignments, with an added sixth gear that contributes a crisp and efficient 0.63:1 gear ratio; the muscular Reverse gear ratio of 4.44:1 is ideal when moving larger trailers. Standard with the HEMI V8-powered Ram 2500 and 3500 pickups and Ram 3500 Chassis Cab.

THE 62TE 6-SPEED AUTOMATIC. Mated to the 3.6L Pentastar® V6 and refined for commercial demands, this long-proven component ensures effortless and economical shifting. Engine speeds change less with each shift, contributing to fuel efficiency. Standard on Ram ProMaster.®

THE AISIN AS66RC HEAVY-DUTY 6-SPEED AUTOMATIC. Developed with our colleagues at AISIN, it was specifically sized, packaged and calibrated to accommodate the output and relating axle ratios of its partner-the 6.4-liter HEMI V8 engine for Ram 3500 Chassis Cab (as available transmission) and 4500/5500 Chassis Cab models (as standard transmission). On Ram Chassis Cabs, the AS66RC provides prodigious available PTO capability: dual-sided configurability (available, 4x2 models), with the left side capable of handling hydraulic or higher-output functions; 60 hp and 250 lb-ft of torque; and efficient operation by operating PTO (static) using only four of the eight cylinders.





RAM 2500/3500

6.7L CUMMINS® TURBO DIESEL: 350 HP / 660 LB-FT

The Cummins Turbo Diesel for Ram Heavy Duty pickups is available in three separate calibrations. **All feature the class-exclusive**^[7] **"smart" diesel exhaust brake for improved braking and control, especially on downhill grades.** The 350 / 660 version of the Cummins Turbo Diesel churns out stunning torque backed with exceptional horsepower, in a powertrain configuration mated only to the class-exclusive^[7] 6-speed manual transmission. Available for Ram 2500/3500 pickups.

RAM 2500/3500

6.7L CUMMINS TURBO DIESEL: 370 HP / 800 LB-FT

This calibration translates into radically high torque output, giving Ram Heavy Duty models extra clout for the job. Like all Cummins engines, it features the "smart" diesel exhaust brake and offers **superb cold-start capability—unaided in temperatures as low as -20° F.** The 370 / 800 calibration is partnered with the dependable and trusted 68RFE 6-speed automatic transmission. It's available only on Ram 2500/3500 Heavy Duty pickups.

RAM 3500

6.7L CUMMINS HIGH OUTPUT TURBO DIESEL: 385 HP / 900 LB-FT The available High Output calibration is mated only to the AISIN® 6-speed automatic. With its **best-in-class**^[7] **available torque of 900 lb-ft**, it gives Ram 3500 pickup models indisputable mastery for the toughest towing and hauling assignments. All Cummins Turbo Diesels meet stringent Federal emissions standards with an ingenious Diesel Exhaust Fluid (DEF) System. Available only on Ram 3500 pickups.



RAM 1500

3.0L ECODIESEL V6: 240 HP / 420 LB-FT

Available for Ram 1500 is one more in a series of groundbreaking powerplants: the 3.0-liter EcoDiesel V6 engine, providing superior performance and breakthrough technology. Look for a standard oil cooler to help achieve time-saving best-in-class^[4] 10,000-mile oil change intervals, backed by the best-inclass^[14] combination of V6 fuel economy and torque.



RAM PROMASTER[®] VAN/ CHASSIS CAB/CUTAWAY

3.0L ECODIESEL 14: 174 HP / 295 LB-FT

Long proven and now in its sixth generation, the available 3.0L EcoDiesel I4 with its Variable Geometry Turbocharger and intercooler is an inline 4-cylinder calibrated for B5 compatibility. It's mated solely to the innovative 6-speed Dual Active Drive transmission. Offering clean-burning diesel technology that provides superb performance and impressive fuel efficiency, it is an option only on Ram ProMaster models.





RAM 3500/4500/5500 CHASSIS CAB

6.7L CUMMINS® TURBO DIESEL: 320 HP / 650 LB-FT

Two Cummins Turbo Diesel calibrations serve Ram Chassis Cabs with outstanding power. In the 320 hp / 650 lb-ft iteration, the Cummins is mated to the class-exclusive^{[8][9]} G56 6-speed manual transmission. Assets are extensive and include the "smart" diesel exhaust brake, a state-of-the-art and fully compliant DEF System, with unaided cold-start capability down to -20° F. Available for all Ram Chassis Cabs.

RAM 3500/4500/5500 CHASSIS CAB

6.7L CUMMINS HIGH OUTPUT TURBO DIESEL: 325 HP / 750 LB-FT Significant advantages come with the available Cummins High Output Turbo Diesel—starting with best-in-class^[9] available torque of 750 lb-ft for 4500/5500 models; max towing* for 4500/5500 is also best-in-class^{[10][15]} The 325 hp / 750 lb-ft Cummins is partnered solely to the single transmission designed to fluently handle this degree of output over the long term: the AISIN® AS69RC 6-speed automatic, with its Chassis Cabfriendly PTO capability. Available for all Ram Chassis Cabs.

A TRANSMISSION FOR EVERY NEED: THE DIESEL-DRIVEN FAMILY.

THE G56 6-SPEED MANUAL. This class-exclusive^{[7][8][9]} component features engineering that's totally up-to-spec; after all, it has to handle the incredible output of the Cummins Turbo Diesel engine on a daily basis. The G56 features an ultra-low first-gear ratio to facilitate heavy hauling/payload/towing* requirements; it's also designed for convenient Power Take-Off (PTO) access, simplifying upfits on Ram Chassis Cab models. Available on Cummins equipped Ram pickups and Chassis Cab models.

THE 68RFE 6-SPEED AUTOMATIC. This component employs Electronic Range Select (ERS)—which translates into phenomenal towing control.* Designed to fluently handle the 800 lb-ft of torque generated by the Cummins, the 68RFE features a beyond-tough torque converter to capably manage that output. Available with the 6.7L Cummins on Ram 2500/3500 pickups.


THE ZF 8HP70 8-SPEED AUTOMATIC: RAM 1500. Opting for the available 3.0L EcoDiesel V6 in Ram 1500 also gives you a unique standard powertrain partner: the innovative and pioneering TorqueFlite® 8-speed automatic transmission, providing an outstanding combination of power and fuel efficiency.

THE AISIN AS69RC 6-SPEED AUTOMATIC: RAM 3500 PICKUP. Extensive assets of the world-class AISIN work with the Cummins High Output, with its best-in-class^[7] 900 lb-ft of torque helping vault Ram 3500 pickup to the top. AISIN AS69RC business-specific advantages include a Shift Control System with efficient shifting algorithm; an industrial-grade case; wide overall gear ratios; a geartrain with three efficient clutches and two brakes: here, braking response rivals a manual. Available only on Ram 3500 pickups with the available 6.7L Cummins High Output Turbo Diesel (385 hp / max 900 lb-ft of torque).

THE AISIN AS69RC 6-SPEED AUTOMATIC: RAM CHASSIS CABS. This design is all about enhancing PTO capability, and the engineering enables premium levels of on-the-job versatility. The AISIN 6-speed automatic, featuring all of the assets described above, but paired with the 325 hp / 750 lb-ft Cummins, takes Ram Chassis Cab left- or right-side PTO capability, ease-of-installation and access to benchmark levels. PTO advantages include impressive numbers (60 horsepower and 250 lb-ft of torque, both static and mobile), along with split-shaft capability for multiple PTO use. Left-side capability (4x2 models only) can handle hydraulic and high-output applications; there's even packaging space for aftermarket units.

THE 6-SPEED DUAL ACTIVE DRIVE. Exclusive to Ram ProMaster® models, this component is all about business, allowing driver-operated (manual) shifting of gears when needed or desired—but with no clutch pedal at all. In automated mode, it delivers all the conveniences of an automatic. Manual or automated control is entirely up to the operator. Mated to the available 3.0L EcoDiesel I4 on Ram ProMaster models only.

*When properly equipped.



RAM 1500



17-inch Argent Steel Wheel Standard on Tradesman® (WFP)



17-inch Painted Aluminum Wheel Standard on SLT, Outdoorsman® and Gas HFE Optional on Tradesman (WFE)



20-inch Chrome-Clad

Aluminum Wheel

Standard on Laramie (WRG)

17-inch Chrome-Clad Aluminum Wheel Optional on Big Horn®/ Lone Star* and Laramie® (WFJ)



17-inch Aluminum Wheel with Matte Black Pockets Standard on Rebel (WFK)



20-inch Painted Aluminum Wheel Standard on Ram I500 Express and EcoDiesel HFE Optional on Outdoorsman® (WHE)



20-inch Chrome-Clad Aluminum Wheel **Optional on Express** (WR2)



Lone Star* (WRK)



20-inch Black Painted Aluminum Wheel Aluminum Wheel Standard on Big Horn®/ Optional on Outdoorsman and Express (WHN)



20-inch Polished Aluminum Wheel with Painted Pockets Standard on Sport (WRF)



20-inch Semi-Gloss Painted Aluminum Wheel Packaged with Black Sport Group (WRL)



20-inch Aluminum Wheel with Polished Face and Gold-Clad Inserts Standard on Two-Tone Laramie Longhorn[®] (WRH)



20-inch Aluminum Wheel with Polished Face and Silver-Clad Inserts Standard on Laramie Longhorn[®] with available Monotone Paint (WRJ)





20-inch Painted Aluminum Wheel with Chrome Inserts Standard on Limited (WRA)

20-inch Polished



22-inch Polished Forged Aluminum Wheel Aluminum Wheel Standard on Regular Cab R/T **Optional on Monotone** Laramie Longhorn and Limited (WRT) Optional on Crew Cab Sport (WPZ)

6	OVERVIEW	POWERTRAINS	1500	2500				350	0			350	IO CC			45	500 (
B	D16 RAM UYER'S (CKUP		- GASHFE REG	ECODIESEL HEE		↔ TRADESMAN® REG/QUAD/CREW	C RAM 1500 EXPRESS REG/QUAD/CREW	BLT SLT REG/QUAD/CREW	S BIG HORN®/LONE STAR			- SPORT REG/QUAD/CREW	± LARAMIE® QUAD/CREW	→ LARAMIE LONGHORN® CREW	< LIMITED CRFW
	GINE / TRANSMISS	ION				-			-	-				_			
_		-	9 anoad automatia		220			220	220	220	22	0.0T	2014		2011		
3.0L	Pentastar® Flex Fuel	240 001 007 00740	o-speeu automatic		22P	_		ZZB	220	226	22 S/R	221	22W	_	22H	_	-
3.0L	EcoDiesel V6 / 8HP7	0 8-speed automatic			—	28E	28F	28B	-	28G	28 S/R	28T	-	—	28H	28K	28\
5.7L	HEMI® V8 with VVT a	and Fuel Saver Techn	ology / 65RFE					250	250		0/11						
<u>6-sp</u>	eed automatic				_	-		ZOR	200	_	_	_	_	_	_	_	
	HEMI V8 with VVT an eed automatic (Regu				—	-	—	26B	26C	26G	26 S/R	26T	26W	26L	26H	26K	26\
	HEMI V8 with VVT an							270	070	270		077		071	0711		
8-sp	eed automatic (Quad	l Cab® only)			_	-		Z/B	27C	2/6	27 S/R	27T	_	Z/L	27H	_	_
ME	CHANICAL FEATUR	ES				_	_		_	_				_			
ACTI	VE GRILLE SHUTTERS (included with 8-spee	ed automatic transm	ission)	S	S	S	Р	Р	S	S	S	_	S	S	S	S
ALTE	RNATOR — 160-amp				—		_	S	S	S	S	S	S	S	S	S	S
	220-amp (requires S	<u> </u>			S	_	—	—	_	—	_	—	_	—	_	—	_
	230-amp (included v				—	S	S	Р	_	Р	Р	Р	_	—	Р	Р	P
	— 3.21 ratio (not av				S	_	—	S	0	S	S	S	0/S	S	S	S	S
	3.55 ratio (included V6; not available wit Trailer and Traction	h HEMI V8 with 8-sp			-	S	S	0/P	S	0/P	0	0	-	_	0	0	0
	3.92 ratio (included w equipped with HEMI V if equipped with EcoD	/8 or EcoDiesel V6; inc			_	_	_	0	0	Р	0	0/P	0/S	0/S	0	0	0
_	Antispin rear differe	ntial (included with F r and Traction Group)		man 4x4;	_	-	_	0	0	Р	0	0/S	0	0/S	0	0	0
BATT	ERY — 730-amp				—	-	—	S	S	S	S	S	S	S	S	S	S
=	800-amp (included v	with EcoDiesel V6)			S	S	S	Р	—	Р	Р	Р	—	—	Р	Р	Р
	Engine block heater EcoDiesel V6)	(included with Cold \	Weather Group if equ	ipped with	0	Р	Р	0/P	0	0/P	0/P	0/P	0	0	0/P	0/P	0/1
	NE COOLING — Heavy				—	-	—	Р	Р	Р	Р	Р	Р	S	Р	S	S
	Maximum-duty (opti				—		—	0	_	0	0	0	_	—	0	0	0
	TANK — 26-gallon (S	S	S	S	S	S	S	Р	S	S	S	Р	P
	32-gallon (included	with 8'-box model; n t-box models; option			_	_	—	0/P	0	Р	0	S	0	0	0	S	S
	CK ABSORBERS — Fro			box models)	S	S	S	S	S	S	S	S	_	S	S	S	S
	Rear, heavy-duty	int, nouvy duty			S	S	S	S	S	S	S	S	_	S	S	S	S
	Rear, extra heavy-du	ity (included with Ou	tdoorsman 4x4 only)		_	_	_	_	_	_	_	P	_	_	_	_	_
	Front, Bilstein® Perfo	-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		_	-	_	_	-	_	_	_	S	_	_	_	-
_	Rear, Bilstein Perfor	mance			_	-	_	—	-	—	_	_	S	—	_	_	-
STAB	ILIZER BAR — Front				S	S	S	S	S	S	S	S	S	S	S	S	S
_	Rear (not available or	n Regular Cab 4x2 8'-	box models; included	with 3.6L V6	S	S	S	S	S	S	S	S	S	S/P	S	S	S
	-	"4" box; included with	i Regular Cab R/T 4x2	6'4" box)													
	RING — Electronic ra				S	S	S	S	S	S	S	S	S	S	S	S	S
	VSTART SYSTEM — Ga				S	-			-				-			-	-
	PENSION — Front, up	•	, , ,	UDE SHOCKS	S	S	S	S	S	S	S	S	-	S	S	S	0
	Rear, five-link, coil s Active-Level [™] Four-C			ant unnar	S	S	S	S	S	S	S	S	-	S	S	S	0
	and lower A-arms, a air compressor, dual	ir springs, twin-tube closed-loop system vailable for Crew Ca	shocks, rear five-lin storage tanks (Quad	k suspension, Cab and	-	-	_	0	0	0	0	0	S	0	0	0	S
TRAI	LER HITCH — Class I ¹ e Group)			,	—	-		S	0/P	Р	S	S	S	0/P	S	S	S
TRAN	ISFER CASE — Electro	onic part-time (4x4 n	nodels only)		—	-	—	S	S	S	—	S	S	—	—	—	-
_	Electronic on-deman	id (4x4 models only)			—	-	—	—	—	—	S	—	—	S	S	S	S
WINC	CH — Tire carrier				S	S	S	S	S	S	S	S	S	S	S	S	S
	TERIOR FEATURES																
Ram	RAILS — Chrome, tu Box® System, tonnea	bular, for 5'7" and 6' u cover or Mossy Oak	4" bed sides (not av «® Package)	ailable with	—	-	—	—	-	0	0	0	0	0	0	0	0
BEDL	.INER — Spray-in				0	-	—	S	0	-	0	0	0	0	0	S	S
	LIGHTING — LED. inc	luded with RamBox S	System and Luxury G	roup	-	-	—	0/P	0/P	Р	S	S	Р	S	0/P	S	S
			, ,		100												
BOD	/ MODEL — Regular (Cab 6'4" box			S	-	—	0	0	0	0	_	_	0	—	_	-
BODY		Cab 6'4" box	· · ·		S 	— — S		0 0 0	0	0 0 0	0 0 0	— — 0		0	 0		-

$$\label{eq:standard} \begin{split} S = Standard \ 0 = Optional \ P = Part of Package \ \longrightarrow = Not \ available \\ NOTE: \ some \ features \ and/or \ applications \ may \ be \ late \ availability. \end{split}$$

[†]Lone Star model available only in Texas.

5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS		PAIN	١T			F/	BRI	CS		R	esou	IRCE	S	15
CPOS PACKAG				GAS HEE	_	ECODIESEL HFE	TH QUAD		C RAM 1500 EXPRESS REG/QUAD/CREW	SLT REG/QUAD/CREW	S BIG HORN®/LONE STAR ⁺ REG/QUAD/CREW	- OUTDOORSMAN®		- SPORT REG/QUAD/CREW	= LARAME® QUAD/CREW	➤ LARAMIE LONGHORN [®] CREW	<pre> UMMTED CREW </pre>
	FEATURES (continu	ied)		_				0	0	0		0		0	0	0	
Crew Ca				-	-	_		0	0	0	0	0	S	0	0	0	0
Crew Ca	ID 6'4" DOX ILDINGS — Chrome (c	antional with manata	a paint	-		_	-	0	—	0	0	0	-	0	0	0	0
	porsman and Laramie		ie paliti	(0 -	-	—	—	—	0	0	0	-	—	0	-	S
BUMPERS —	Front and rear, Black	k			S	S	—	S	—	—	—	—	S	—	—	—	_
	id rear, painted lower			_	-	_	_	_	_	_	_	S	—	_	_	S	_
	id rear, chrome (inclu		earance Group; ted Appearance Group	- (_	_	Р	_	S	S	Р	_	_	S	Р	Р
	Rear, body-color	it; included with Linin			_	_	S	_	S	_	_	_		S	_	_	S
	S — Black (included	l with low-volume pai	nt colors)		S	S	S	S	S	Р	Р	S	_	_	_	_	
— Body-co				-		_	—	_	—	—	—	—	S	S	—	—	_
— Chrome	with body-color bezel			-		_	—	—	—	S	S	—	—	—	S	S	S
	Single rear (included				S	S	S	S	S	S	S	S	Р	—	S	—	_
	ar (included with HEM	11® V8 or EcoDiesel V6	5)	-	-	_	—	—	Р	—	Р	—	Р	S	Р	S	S
	ont upper, Black				S	S	—	S	—		-		—	_	_	-	
	per, body-color (inclu	ided with Limited App	bearance Group)	_		_		-		S	S	S	—		S	S	P
FOG LAMPS	ll, body-color			_	-	_	S S	_	S S	_				S S			S S
	ack surround, Black I	hev_link			S	S	3	S		_	<u> </u>		<u> </u>		5	<u> </u>	
	nique Rebel grille					_					_		S		_	_	
		link (included with Ex	terior Appearance Gr	oup) —		_		Р	_	S	_	_	_	_	_	_	_
	lor surround, Black h			-	-	_	S	_	S		-	S	—	Р	—	—	_
— Body-co	lor surround, chrome	billet-perf		-		_	—	—	—	—	—	—	—	S	—	—	_
— Chrome	surround, chrome bil	llet-perf		-		_	—	—	—	—	S	—	—	_	—	—	_
	surround, chrome wa			-		_	—	—	—	—	_	—	—	—	S	—	
	surround, chrome wa					_	-	-	_	_	_	_	—	_	_	S	
Chrome HEADLAMPS	unique Limited grille	1		-	— - S	S						 S					S S
Quad-ha				_	_	s S	s S	s S	s S	S S	S	s S	3	3	3	3	3
	alogen with Black-out	t look (included with	Black Express Group)	_		_			P				_	_	_	_	_
	ack-out look bifunctio			-	T							_	S	S	-		
	ining lights						_	_	_	_	_	_	3	3	_	_	
-	n bifunctional haloge			-	-	_		-	—		-		—	— Р	S P	S P	S
	gh-Beam Headlamp C Manual, Black, 6 x 9-			-	 S -	_	_			_	_	_	_	P	P	P	S
	neated, folding, Black					_	_			_	-	_	_		_		
	Entry Group on Regul					S	S	P/S	P/S	S	-	_	S	—	-	—	_
		Black, 7 x 11-inch (in	cluded with Trailer-To	w _		_	_	Р	Р	_	_	_	_	_	_	_	_
	Regular Cab only) eated_auto-dimming_	nower-folding Black f	3 x 9-inch; includes exte	erior		_		_									
			luded with Luxury Grou			_		_	—	_	S	S	Р	—	-	—	
	neated, power-folding s exterior courtesy lan					_	_	_	_	_	_	_	_	S	_	_	_
	railer-tow, manual fo		-	-	t.			_				_					
exterior Trailer-1	courtesy lamps and s fow Mirrors and Brake nan or Express models	supplemental turn sig e Group; not available	nals (included with		-	-	—	Ρ	Р	Ρ	Р	Ρ	Ρ	Р	-	-	_
6 x 9-in	ultifunction, heated, ch; includes position 1ental turn signals	auto-dimming, powe memory, exterior cour	r-folding, chrome, rtesy lamps and	-		_	_	_	_	_	_	_	_	_	S	S	S
chrome, supplem	7 x 11-inch, with pos ental turn signals (inc	sition memory, exterio cluded with Trailer-Tow	nming, manual foldin or courtesy lamps and Mirrors and Brake Gro	Ē —			_	—		_	_	—	_	_	Ρ	Р	Р
	RDS — Accent-color			-		_	-	-	_	-	—	-			-	S	_
	 Front suspension, 4 		· · · · · · · · · · · · · · · · · · ·	-		_	-	Р	—	-	P	S	P		P	P	_
	r case, 4x4 only (inclu RomPox® Correct Man		Group) ludes pickup box with	-		_	-	Р	—		Р	S	Р		Р	Р	_
integrated bi bed rails witl	ns which are weather	proof, LED	g, lockable and draina se bed divider/extend	able,	-	_	—	0	0	_	0	0	0	0	0	0	0
TAILLAMPS —	- Incandescent			3	S	S	S	S	S	S	S	S	—	-	—	—	_
	ED turn signals/stop	1 0 0		-	-	_	-	-	—	-	-	-	S	S	-	-	_
— Premiun	n (LED turn signals/s	top lamps/running lig	ghts)	-	-	_	-	-	—	-	-	-	-	-	S	S	S
ti ono Stor mo	ndel available only in Te	2220															

[†]Lone Star model available only in Texas.

	OVERVIEW	POWERTRAINS	1500	2500				350	0			350	10 CC			45	500
Bl		1500 PIC GUIDE (cor			- GASHE	ECODIESEL HEF	QUAD	œ TRADESMAN [®] REG∕OUAD/CREW	C RAM 1500 EXPRESS REG/QUAD/CREW	SLT REG/QUAD/CREW	BIG HORN®/LONE STAR [†] BIG/QUAD/CREW		REBEL CREW	- SPORT REG/QUAD/CREW	IARAMIE®	→ LARAMIE LONGHORN® CREW	
	FRIOR FEATURES	(continued)					1	D		u	- 5/IX	1		L		T.	-
	S — P265/70R17 BSV	· /			S	_		S	_	S	_		_				-
		I-Season (included wi	ith 17_inch		3	-	-	3	-	3	-	_	-	_	-	_	H
	aluminum chrome-c		1111 17-111011		-	-	-	—	-	—	P	—	-	-	Р	—	Ŀ
	LT265/70R17E OWL				_	-	_	0	-	_	-	S	-		-		Ŀ
_	LT285/70R17E BSW	All-Terrain			_	-	_	—	-	_	-	_	S		-		Ŀ
_	P275/60R20 BSW AI	I-Season			—	S	S	—	S	_	S	_	-		S	S	F
_	P275/60R20 OWL AI	I-Season (included wi	ith WR2 and WHE 20-	inch wheels)	-	0	0	—	Р	—	0	Р	-	S	0	0	Γ
_	P285/45R22 BSW AI	I-Season (Regular Ca	b R/T 4x2 model only)	-	-	—	—	-	—	-	—	-	S	-		ŀ
_	Spare, full-size				S	S	S	S	S	S	S	S	S	S	S	S	
ONN	IEAU COVER — Soft,	tri-fold (available wit	h or without RamBox	® System)	S	S	S	0	0	0	0	0	0	0	0	0	Г
OW	HOOKS — Included v	with Protection Group			—	-	—	Р	-	—	Р	S	S	—	0/P	S	
/HEI	ELS — Steel spare				S	S	S	S	S	S	S	S	S	S	S	S	
_	17 x 7-inch styled st	teel, painted Argent (\	WFP)		—		_	S	_	—	_	—	_	_	_	_	Ŀ
		cast aluminum (inclu	ided with Exterior App	bearance	S	_	_	Р	_	S	_	S	_	_	_		
	Group) (WFE)				-	-			-	-		-	-				H
		clad aluminum (WFJ)			-	-	-	-	-	-	0	_	-	_	0	_	F
_		m with Matte Black p			-	-	-	_	-	_	-		S	_	-	_	Ľ
		Silver, aluminum (WH			-	S	S	_	S	_	-	0	-	_	-	_	ŀ
		oss Black painted, alu « Express Group) (WHI			—	-		—	Р	—	-	0	-	—	-	—	Ŀ
		clad aluminum (WHK					_	_	-	_	S	_	_	_	-		t.
		clad aluminum (WR2					_	_	0	_	_	_	_	_	-		t.
		m, polished face, pai		VRF)			_	_	_	_	0	_	_	S	-		t.
		m, semi-gloss Black		-							<u> </u>			Р			t
	Black Sport Group) ((WRL)			_	_		_	_	_	_	_	_	Р	-	_	ľ
		clad aluminum (WRG	-		—	<u> </u>	-	—	-	—	<u> </u>	—	-	—	S	—	ŀ
		m, polished, with Gold			—	_	—	—	-	—	_	—	-	_	-	S	Ŀ
	20 x 9-inch aluminu monotone paint) (WI	m, polished with Silv	er-clad inserts (inclu	ded with	_	_		_	-	_	-	_	-	_	_	Р	
		m, Satin Carbon paint	ed with chrome-clad i	nsorts (WRA)						_		_					t
	20 x 9-inch polished		ca with childhic claut						_	_		_	_			0	t
		l forged aluminum (st	tandard on Regular C	ah R/T 4x2		-			-		-		-	0.0			t
	model) (WPZ)				—	-	-	_	-	_	-	_	-	S/0	-	_	ľ
INT	ERIOR FEATURES																
IR C	CONDITIONING — Ma	nual			S	S	S	S	S	S	S	S	S	S	-	—	F
		ture Control; included	with Comfort Group						_		Р	Р	_	S	S	S	
	(Quad Cab® and Cre		(-			-		<u> </u>	•	-				H
	mation Display	with 3.5-inch screen	tor Driver		S	S	S	S	S	S	-	—	S	-	-	—	Ŀ
		t, with 7-inch Thin Fil	m Transistor (TFT) pr	ogrammable								_					t
		ormation Display (incl			—	-	-		-	-	S	S	-	S	S	_	ľ
	D 1 1 1 D	rument, with 7-inch T	FT programmable mu	ltiview	_	_	_	_	_	_	_	_	0	_	_	_	
	Driver Information D		th 7 inch TFT and an			-			-		-		-				H
	multiview Driver Info	onghorn instrument, v ormation Displav	vith 7-inch iff progra	ammable	-	-		—	-	—	-	—	-	-	-	S	ŀ
		strument, with 7-inch	TFT programmable n	nultiview													T
	Driver Information D	isplay			_	-	_	_	_	_	-	_	-	_	-		
		r (included with front b			—	_	—	—	-	—	P	S	S	S	Р	_	Ŀ
		oor with leather-wrap			-		-	—	-	—		—	-	-	-	S	L
		with Uconnect® 5.0 s	· ·			-	-	Р	Р	S	-	-	S		-		ŀ
	,	ersal Garage Door Op		uxury Group)		-	-		-		S	S	Р	S	S	S	Ŀ
	I R MATS — Front, ca Ilar Equipment Grou	rpeted (Regular Cab;	included with			-	-	Р	S	S	S	_	-	S	_		-
	Front, rubber (Regul				0			0	0					0	-		F
		eted (Quad Cab and (Crew Cab, included w	ith	0	-	-		-		-		_		-		f
	Popular Equipment	Group)	sion oub, moluucu w		-	-	S	Р	S	S	S	-	-	S	S	-	ŀ
	Front and rear, rubbe	er (Quad Cab and Crev	v Cab)		-	-	—	0	0	-	0	S	S	0	0	-	F
_						-	-	-	-		-		_		_	0	1
	Front and rear, luxu	ry .			-	-	-	-	-	-	-	-	-		-	S	

빞 ECODIESEL H CPOS PACKAGE Н E F B С S/R W **INTERIOR FEATURES** (continued) MEMORY SYSTEM — Seats, mirrors, pedals, radio presets S PEDALS — Non-adjustable S S S S S S S Power adjustable - Power adjustable with memory S S SEATS — Manual adjusting driver and front-passenger seats S S S - Seat belt, front, shoulder height-adjustable S S S S S S S S S - Power 10-way driver S S S - Power 10-way driver and power 6-way passenger (included with *CJ seats) - Power 10-way driver with memory and power 6-way passenger S S - Power 2-way lumbar adjuster (driver's seat only) S S S S S Heated, driver and front-passenger, includes heated steering wheel Ρ S S S P S (included with Comfort Group) Ventilated front (included with *CJ seats) S S — Heated, 2nd-row, Crew Cab only (included with *GJ bucket seats) Ρ S - Vinyl 40/20/40 split-bench front seat with folding front armrest/cup S S S holder, floor-mounted storage tray on Crew Cab (Quad Cab® and Crew Cab models include folding rear bench seat trimmed in vinyl) (*TX) - Cloth 40/20/40 split-bench front seat, front armrest with cup holder Р (Quad Cab and Crew Cab models include cloth folding rear bench seat; included with Popular Equipment Group)(*V9) - Premium cloth-trimmed 40/20/40 split-bench front seat, front armrest with cup holder, power 10-way driver's seat, power lumbar adjuster, front center seat cushion storage, 115-volt auxiliary power outlet (Quad Cab S 0 and Crew Cab models include 60/40 split-folding rear bench seat with underseat storage and fold-flat load floor storage) (*M9) Premium cloth-trimmed low-back bucket seats, power 10-way driver's seat, power lumbar adjuster, full-length floor console, 15-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth with underseat storage and fold-flat 0 load floor storage) (*MJ) - Premium cloth/vinyl-trimmed high-back heated bucket seats with embossed tread pattern, power 10-way driver and 6-way passenger, power lumbar adjuster, full-length floor console 115-volt auxiliary power outlet (includes 60/40 split-folding rear bench seat trimmed in cloth/vinyl S with underseat storage and fold-flat load floor storage) (*N7) Premium cloth/vinyl-trimmed high-back heated bucket seats, power 10-way driver's seat, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth/vinyl with underseat storage and fold-flat load floor storage) (*AJ) - Leather-trimmed high-back, ventilated and heated bucket seats, includes power 10-way driver and power 6-way passenger, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in vinyl with underseat storage and fold-flat load floor storage; not available on Regular Cab) (*CJ) - Leather-trimmed 40/20/40 split-bench heated and ventilated front with power 10-way/memory for driver and power 6-way passenger, power lumbar adjuster, front center seat cushion storage and folding center armrest with S auguster, non-callenter sear cosmon storage and locating other annual models cup holder, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in vinyl with underseat storage and fold-flat load floor storage) (*VL) - Leather-trimmed high-back, ventilated and heated bucket seats, includes power 10-way driver and power 6-way passenger, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet and heated 0 2nd-row on Crew Cab models (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in vinyl with underseat storage and fold-flat load floor storage) (*GJ) - Premium leather with laser-etched design, high-back ventilated and heated bucket seats, includes power 10-way driver and power 6-way passenger, power lumbar adjuster, premium full-length floor console, 115-volt auxiliary power outlet, heated 2nd-row seats; includes 60/40 split-folding premium leather with laser-etched design rear bench seat with underseat storage (available only in Canyon Brown) (*XJ) - Premium leather high-back, ventilated and heated bucket seats, includes power 10-way driver and power 6-way passenger, power lumbar adjuster, premium full-length floor console, 115-volt auxiliary power outlet, heated 2nd-row seats; includes 60/40 split-folding premium leather rear bench seat with underseat storage and fold-flat load floor storage (available in

[†]Lone Star model available only in Texas.

Canyon Brown or Cattle Tan) (*DJ)

PROMASTER

PROMASTER CITY CONFIGURATIONS

PAINT

FABRICS

RESOURCES

17

3	OVERVIEW	POWERTRAINS	1500	2500				350	0			350	O CC			45	500
B		I 1500 PIC GUIDE (cor				TH ECODIESEL HFE		TRADESMAN® REG/QUAD/CREW	C RAM 1500 EXPRESS REG/QUAD/CREW	으 SLT REG/QUAD/CREW	S BIG HORN®/LONE STAR ⁺ REG/QUAD/CREW			- REG/QUAD/CREW	- LARAMIE® QUAD/CREW	➤ LARAMIE LONGHORN [®] CREW	
INT	ERIOR FEATURES	(continued)															
_	power 10-way driv premium full-leng 2nd-row seats; inc	igh-back, ventilated ar er and power 6-way pa :h floor console, 115-vc ludes 60/40 split-foldi it storage and fold-flat	ssenger, power lumb olt auxiliary power ou ng premium leather	ar adjuster, tlet, heated rear bench													
STEE	RING WHEEL — Ure				S	S	S	S	S	S	_	—	—	—	_	-	-
_		vith audio control butto			-	_	-	—	_	-	S	S	S	S	S	-	-
		genuine wood, heated,	with audio control b	uttons	_	_	_	—	-		_	-	-	_	_	S	Ľ
		vith Comfort Group)	ad with antianal CD		_	-	-	—	-	_	Р	Р	S	S	S	S	1
inclu	ided with *M9 and	center cushion (includ *VL seats)	ed with optional CD	prayer,	Р	P	P	Р	P	Р	S	Р	—	—	S	-	-
	Front, behind the s	eats (Regular Cab only	/)		S	-	—	S	S	S	S	_	_	S	_	—	-
_	Rear, in-floor bins,	two with removable line	ers (Crew Cab only)		—	-	—	S	S	S	S	S	S	S	S	S	1
=	Rear, underseat co	mpartment (Quad Cab	® and Crew Cab mod	lels only)	—	S	S	S	S	S	S	S	S	S	S	S	1
_	Dual glove boxes w	ith closing doors			—	_	_	—	_	S	S	S	S	S	S	S	1
		ad Cab and Crew Cab i	models only)		—	_	_	—	_	_	0	0	0	0	0	0	1
	DOWS — Manual (F	<u> </u>			S	_	_	S	S	_	_	_	—	_	—	=	-
—	Power, front with d with Power Remote	river's one-touch down	(Regular Cab only; i	ncluded	—	-	-	Р	Р	S	S	_		S	_	—	-
		ar with driver's one-to	uch down and up (Qu	iad Cab	—	S	S	S	S	S	S	S	S	S	S	S	:
_	Rear backlight, fix	ed (standard on Regula	ar Cab models)		S	S	S	S	S	S	S		_	S	_	—	-
_	Rear backlight, sli	ding (Regular Cab only)		—	-	—	0	0	0	0	_	—	0	—	—	-
Ξ	Rear backlight, po	wer sliding (Quad Cab	and Crew Cab model	s only)	—	—	—	—	—	S	S	S	S	S	S	S	
_	Rear defroster (wit	h fixed glass or power	sliding rear backligh	t only)	—	_	—	—	_	—	0	0	0	0	0	0	1
UC	ONNECT® AND M	JLTIMEDIA															
		ary input jack for mobil	le devices		S	S	S	S	S	S	S	S	S	S	S	S	
	USB 1.5-amp fully				S	S	S	S	S	S	S	S	S	S	S	S	1
_	Uconnect 5.0 syste	ging-only port (include m) with Uconnect 8.4 and		J seats and	Р	_	_	Р	Р	S P	S S	S S	S P	S S	S S	S S	1
	OS — 3.0 AM/FM	with oconnect 6.4 and	0.4 INAV Systems)		S	S	S	S	S	r	3	3	r	3	3	3	Ľ
		M/Bluetooth® (include	d with Black Express	Group)				0	0/P	S	_	_	S	_	_		1
		M/Bluetooth/ACCESS ^{[16}		aroup/	_	-	_	_		0	S	S	0	S	S		-
		AM/FM/Bluetooth/ACCE			_	-	—	_	-	_	0	0	0	0	0	S	
leath	her-wrapped steerii	ering wheel-mounted a ng wheel)	audio controls (inclue	led with	_	_	—	—	—	_	S	S	S	S	S	S	1
	LE-DISC CD PLAYER				0	0	0	0	0	0	0	0	0	0	0	0	1
		DIO ^[17] — Included with		Group	0	_	-	Р	Р	S	S	S	S	S	S	S	Ľ
		Included with Uconnec			-	-	-	—	-	_	P	P	P	P	P	S	Ľ
		¹ — Included with Uco	nnect 8.4 NAV system	n		-	-		-	-	P S	P	P S	P	Р	S	Ľ
	KER SYSTEM — Six	,	unnal amplifiar (Page	lor Cob only)	2	S	S	S	S	S	3	S	2	S S	_	_	-
		peakers and eight-cha akers including a subv				-	-		_		_						F
		rt Premium Group; Qua				-	-	-	-		0	0	0	Р	S	S	1
		Requires Uconnect 8.4			_	-	_	-	-	Р	S	S	Р	S	S	S	
UCO Strea Ucor	NNECT BLUETOOTH C aming Audio, Voice nnect 5.0, 8.4 or 8.4	ONNECTIVITY — Includ Command ^[18] and Text NAV systems)	es hands-free phone Message Reader ⁽¹⁹⁾ (requires	Р	_	_	Р	Р	S	S	S	S	S	S	S	:
SAI	FETY AND SECUR	ТҮ															
	BAGS ^[20] — Advance				S	S	S	S	S	S	S	S	S	S	S	S	
_	Supplemental side	-curtain			S	S	S	S	S	S	S	S	S	S	S	S	3
_	Supplemental fron	t-seat side-mounted			S	S	S	S	S	S	S	S	S	S	S	S	3
		ted 4-wheel antilock d			S	S	S	S	S	S	S	S	S	S	S	S	1
FLEC	TRONIC STABILITY C	ONTROL (ESC) ^[5] — Incl rol, Rain Brake Suppor	t, Ready Alert Brakin	rake Assist, g, Electronic	S	s	S	S	s	S	S	S	S	S	S	S	:
AII-S	Mitigation. Hill Sta	rt Assist and Trailer Sw	ay Damping ⁽⁵⁾														

5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS		PAIN	TΝ			F/	BRI	CS		R	ESOL	IRCES	5	19
				GAS HFE	REG	ECODIESEL HFE	QUAD	TRADESMAN [®] REG/QUAD/CREW	RAM 1500 EXPRESS REG/QUAD/CREW	AC	BIG HORN®/LONE STAR ⁺ REG/QUAD/CREW	OUTDOORSMAN® QUAD/CREW	REBEL CREW	SPORT REG/QUAD/CREW	LARAMIE® QUAD/CREW	LARAMIE LONGHORN [®] CREW	LIMITED
CPOS PACKA	GE			1	P	Ε	F	В	С	G	S/R	T	W	L	H	К	V
	ND SECURITY (conti REAR PARK ASSIST ^[21] - sist Group)	,	cluded with Rear Can	nera _		_			_	_	_	_	Р		_	_	_
PARKVIEW [®]	REAR BACK-UP CAMERA th 3.0 radio)	⁽²¹⁾ — With dynamic	grid lines (grid lines	not _		_	_	0	0	0	S	0/P	0/P	S	S	S	S
tailgate and panic alarm	LESS ENTRY WITH ALLSI RamBox® System (wh ; includes two transm 'ower and Remote Entr	nen equipped), illumi itters (included with l	nated entry system,	-	_	_	_	Р	Р	S	s	S	s	S	S	S	S
REMOTE STAF	RT SYSTEM — Included	d with Remote Start a	nd Security Group	-	-	_	—	—	—	—	S	S	Р	Р	0	S	S
	ARM — Included with			-	-	_	_	—	—	-	S	S	Р	Р	S	S	S
	KE CONTROL — Fully i 1 Group; included with			r (0 -	-	-	0/P	0/P	Р	0/P	0/P	0/P	0/P	0/P	0/P	0/P
PACKAGES	S/EQUIPMENT GROU	IPS															
Remote Entr	ESS GROUP — Include y Group, Black badges 5.0 system and 20-inc	s, Black Bezel headla	mps, Black painted g	grille, –	-	_	_	_	_	0	-	_	_	_	_	—	—
Black badge	T GROUP — Includes S es, premium 9-speake num 20-inch wheels			is –	-	_	_	_	_	_	_	_	_		0	_	_
CHROME BUN front and rea	IPER PACKAGE — Incl ar bumpers	udes body-color whee	el flares and chrome		-	_	—	—	—	—	-	—	—	—	—	—	0
cover (requi	ER GROUP — Includes res EcoDiesel V6)				_	0	0	0	0	_	0	0	0	_	_	0	0
wipers, Auto	E GROUP — Includes P High-Beam Headlamp	'assive Entry/Keyless E o Control	nter 'n Go,™ rain-sens	itive _		-	—	—	-	—	-	—	-	—	0	0	S
EXTERIOR AP chrome grill	PEARANCE GROUP — e surround and 17-inc	Includes chrome fron ch painted aluminum	t and rear bumpers, wheels	-	-	_	—	—	0	—	-	—	-	—	—	—	_
heated steer	'S AND STEERING WHEE ing wheel and Dual-Zo n models when equipp	one ATC for Big Horn/L	one Star [†] and			_	—		—	—	_	0	0	—	S	—	_
lamp, glove mirror, exter Universal Ga	UP — Includes switch box lamp, underhood la ior mirrors with signal arage Door Opener, lea orogrammable Driver la	amp, illuminated vani I and puddle lamps, o ither-wrapped steerin	ty mirror, auto day/ni overhead console with ig wheel, full-color	ght			_		_	_	_	S	S	0	S	_	—
pattern on e center stack	PACKAGE — Includes xterior bed rail caps, t and door panel insert tem (requires Canyon only)	ailgate caps, interior ts; includes spray-in l	instrument panel bedliner if equipped v	with -	_						_		0		_		_
flooring, rem	UIPMENT GROUP — In note keyless entry, floo	or mats and SiriusXM [®]	[®] Satellite Radio ^[17]		-	_	—	—	0	0	-	—	—	—	—	—	_
keyless entry	REMOTE ENTRY GROUP y, fold-away Black, po own and power door lo	wer heated mirrors, p	ower windows with fi		-	_	-	_	0	0	-	_	-	_	-	—	—
skid plates (GROUP — Includes to (4x4 models only)						—	—	0	—	_	0	S	0	—	0	_
Park Assist ¹²	A AND PARK ASSIST GR and ParkView Rear	Back-Up Camera ^[21]			-	_	_	_	_	_	_	_	0	0	_	_	
REMOTE STAF Start System	RT AND SECURITY GROU	I P — Includes securi	ty alarm and Remote			_	—	—	-	—	-	S	S	0	0	—	—
BSW All-Sea	— Includes 3.92 axle son tires, 22 x 9-inch e hood (Regular Cab 4	forged polished alum	inum wheels and Sp	R22 ort –	-	_	_	_	_	_	-	_	_	_	S	—	_
(Quad Cab®	IUM GROUP — Include and Crew Cab only)			em _	-	_	_	—	_	—	-	_	_	—	0	—	_
Group, 3.92 Pentastar®		V8 or EcoDiesel V6,	or 3.55 axle ratio wi	_		_	_	—	_	-	0	—	_	—	_	-	_
controller, C	V MIRRORS AND BRAKE lass IV hitch receiver and Traction Group)				-	_	—	_	0	0	Р	0	0	0	0	0	0

20 OVERVIEW POWERTRAINS 1500 2500 3500 3500 CC 4500 CC 5500 CC PROMASTER PROMASTER CITY CONFIGURATIONS PAINT FABRICS R	RESOURCES	2
--	-----------	---

RAM 1500 TOWING AND PAYLOAD

MAXIMUM LOADED TRA	AILER WEIGHT	FS (when properly ed	uipped)				SAE	J2807 COMF	PLIANT			
				REGUL	AR CAB		QUAD	CAB [®]		CREV	V CAB	
			6'4'	' BOX	8'1	BOX	6′4″	BOX	5′7″	BOX	6′4″	' BOX
POWERTRAIN	AXLE RATIO	GCWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
	3.21	9,850	4,990	4,760	4,770	4,580	4,610	4,410	4,480	4,170		
3.6L PENTASTAR® V6 /	3.55	12,200	7,290	7,050								
8-SPEED AUTO	3.55	12,400			7,270	7,080						
	3.55	12,900					7,610	7,400	7,470	7,160		
	3.55	13,750			8,240	8,030	7,990	7,750	7,870	7,610		7,540
3.0L ECODIESEL V6 /	3.92	13,750			8,240	8,030	7,990	7,750	7,870	7,610		7,540
8-SPEED AUTO	3.92	14,550										8,340
	3.92	14,750			9,210	9,030	8,990	8,750	8,870	8,610		
	3.21	12,350	7,220		7,040		6,790		6,760		6,730	
5.7L HEMI® V8 / 6-SPEED AUTO	3.92	14,325	9,200	8,990								
5.7L HEMI [®] V8 / 6-5PEED AUTU	3.55	14,400		9,060	9,090	8,850	8,840	8,710	8,810	8,640	8,780	8,540
	3.92	15,950			10,640	10,400	10,390	10,260	10,360	10,190	10,330	10,090
	3.92	10,250	5,030									
	3.21	13,800	8,610	8,420	8,470	8,260	8,210	8,050	8,150	8,010	8,080	7,780
5.7L HEMI V8 / 8-SPEED AUTO	3.92	14,350	9,160	8,970								
	3.92	15,950			10,620	10,410	10,360	10,200	10,300	10,160	10,230	9,830

MAXIMUM PAYLOAD CA	PACITIES (when	properly equipped)									
			REGUL	AR CAB		QUAD) CAB®		CREV	/ CAB	
		6′4′	BOX	8' I	BOX	6′4″	' BOX	5′7″	BOX	6′4″	BOX
POWERTRAIN	GVWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
	6,010	1,440									
	6,025	1,500									
3.6L PENTASTAR [®] V6 / 8-speed Auto	6,300		1,560								
U UI LLD AUTU	6,600			1,880	1,690						
	6,800					1,890	1,710	1,830	1,640		
	6,600			1,510	1,290			Ì			
3.0L ECODIESEL V6 / 8-SPEED AUTO	6,945					1,510					
0 01 LLD NOTO	6,950					1,600	1,390	1,540	1,330		1,260
	6,350	1,600	1,400								
5.7L HEMI [®] V8 / 6-speed auto	6,600			1,700	1,470						
	6,900					1,800	1,590	1,700	1,540	1,690	1,500
	6,200	1,350									
	6,350	1,590	1,390								
5.7L HEMI V8 / 8-SPEED AUTO	6,600			1,690	1,480						
	6,900					1,760	1,580	1,690	1,520	1,650	1,460

Numbers in Black boxes reflect max ratings. I. Payload and Max Trailer Weights are estimated values. 2. All weights are shown in lb unless otherwise stated. 3. Payload and Max Trailer Weight values are rounded to the nearest IO lb. 4. Payload and Max Trailer Weight Rating and Tow Vehicle Trailering Weight are calculated as specified in SAE J2807. 6. Payload and Trailer Weight Rating are mutually exclusive. 7. GAWRs, GVWRs and GCWRs should never be exceeded. 8. The recommended tongue weight for a conventional hitch is IO percent of the gross trailer weight. The maximum tongue weight for Class IV hitch receiver is limited to 1,100 lb. 9. A weight-distributing hitch is recommended for trailers over 5,000 lb.

HEAVY DUTY MUSCLE 2500

3500

4500 CC

3500 CC

18-inch Chrome-Clad Steel Wheel

Standard on SLT

Optional on Tradesman (WBH)

18-inch Polished Alu

Wheel with Silver Pockets

with Monotone Paint (WBA)

Standard on Laramie Longhorn

ninum

PROMASTER

25

RAM 2500



17-inch Polished Aluminum Wheel 17-inch Painted Steel Wheel Standard on Tradesman® (WDA)





18-inch Polished Aluminum Wheel Standard on Big Horn®/Lone Star* and Outdoorsman[®] Optional on SLT (WBE)



18-inch Polish

Aluminum Wheel

Standard on Laramie® (WBL)

20-inch Painted Satin Carbon Aluminum Wheel with Chrome Inserts Optional on SLT, Big Horn/Lone Star,* Included with Black Appearance Group Outdoorsman and Laramie (WRJ)

20-inch Black Painted Aluminum Wheel



18-inch Full-Face Steel Wheel

18-inch Polished Aluminum Wheel

with White Gold Pockets

with Two-Tone Paint (WBM)

Standard on Laramie Longhorn®



20-inch Polished Aluminum Wheel with Silver Pockets Optional on Laramie Longhorn with available Monotone Paint (WRA)

20-inch Painted Aluminum Wheel with Chrome Inserts Standard on Limited (WH3)

RAM 3500 DUAL REAR WHEEL



17-inch Steel Wheel with Argent Painted Finish Standard on 3500 DRW Tradesman (WFU)



17-inch Polished Aluminum Wheel 17-inch Steel Wheel with Chrome Finish Standard on 3500 DBW Standard on 3500 DRW SLT and Laramie and Limited Big Horn/Lone Star,* Optional on 3500 DRW Tradesman (WD4) Optional on 3500 DRW SLT and Big Horn/Lone Star* (WF7)



17-inch Polished Aluminum Wheel with Unique Laramie Longhorn Center Cap Standard on 3500 DRW Laramie Longhorn (WF9)



PAINT

RAM 3500 SINGLE REAR WHEEL



Wheel with Argent Painted Finish

Standard on 3500 SRW

Tradesman[®] (WBN)

Standard on 3500 SRW SLT

Optional on 3500 SRW

Tradesman (WBH)





18-inch Chrome-Clad Steel Wheel 18-inch Polished Aluminum Wheel 18-inch Polished Aluminum Wheel Standard on Big Horn®/Lone Star* and Outdoorsman® Optional on SLT (WBE)





20-inch Painted Satin Carbon Aluminum Wheel with Chrome Inserts Optional on 3500 SRW Black Appearance Group and SLT, Big Horn/Lone Star,* Outdoorsman and Laramie (WRJ)





with Chrome Inserts Standard on Limited (WH3)







18-inch Polished Aluminum Wheel with White Gold Pockets Standard on 3500 SBW Laramie Longhorn® with Two-Tone Paint (WBM)



20-inch Polished Aluminum Wheel with White Gold Pockets Optional on 3500 SRW Laramie Longhorn with Two-Tone Paint (WRK)

18-inch Polished Aluminum Wheel with Silver Pockets Standard on 3500 SRW Laramie Longhorn with available Monotone Paint (WBA)

20-inch Polished Aluminum

Wheel with Silver Pockets

Optional on 3500 SRW

Laramie Longhorn with available

Monotone Paint (WRA)

6	OVERVIEW	POWERTRAINS	1500	2500			3500			350	O CC		4	1500 CC
	016 RAM JYER'S	2500/3 GUIDE	500 PIC	KUP	TRADESMAN [®] REG/CREW	POWER WAGON® TRADESMAN CREW	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR ⁺ CREW/MEGA	OUTDOORSMAN® CREW	POWER WAGON CREW	LARAMIE® CREW/MEGA	POWER WAGON LARAMIE CREW	LARAMIE LONGHORN® CREW/MEGA	LIMITED CREW/MEGA
CPO	S PACKAGE				2TA	2TB	2TG	2TZ/ 2TY	2TT	2TP	2TH	2TJ	2TK	2TM
2500					Х	Х	Х	X	Х	Х	Х	Х	Х	X
3500	SRW/DRW (6'4" box	not available with C	rew Cab DRW)		X/X	-	X/X	X/X	—	—	X/X	-	X/X	X/X
EN	GINE/TRANSMISSI	DN												
(66R	FE; 2500 Regular an	NG engine / 6-speed a Id Crew Cab 8' box on	ly) 383 hp / 400 lb-f	t of torque	27A	_	27G	_		—	_	_	—	_
	HEMI V8 gas engine hp / 400 lb-ft of torq	/ 6-speed automatic ue	(66RFE; SRW only)		26A	-	26G	26 Z/Y	26T	-	26H	-	26K	26M
6.4L 410	HEMI V8 gas engine hp / 429 lb-ft of torq	with MDS / 6-speed a ue (367 hp on Mega	automatic (66RFE) Cab®)		22A	22B	22G	22 Z/Y	22T	22P	22H	22J	22K	22M
	Cummins® Turbo Di hp / 660 lb-ft of torq	esel engine / 6-speed jue	manual (G56)		2EA	-	2EG	2E Z/Y	2ET	-	2EH	-	—	—
	Cummins Turbo Die: hp / 800 lb-ft of torq	sel engine / 6-speed a jue	utomatic (68RFE)		2FA	-	2FG	2F Z/Y	2FT	—	2FH	-	2FK	2FM
6.7L (350	Cummins Turbo Dies 0 only) 385 hp / 900	sel engine / 6-speed / lb-ft of torque	NSIN® Heavy-Duty at	utomatic	28A	-	28G	28 Z/Y	—	_	28H	-	28K	28M
		⁻) System (standard v	vith diesel engine)		Р	-	P	P	Р	-	Р	-	Р	Р
ME	CHANICAL FEATUR	ES												
ALTE	RNATOR — 160-amp) (standard with gas (engine)		S	—	S	S	S	—	S	—	S	S
_		on diesel; included wi op or Snow Chief Group			0/P	S	0/P	0/P	0/P	S	0/P	S	0/P	0/P
		with Snow Plow Prep gas-equipped models			0/P	_	0/P	0/P	0/P	_	0/P	_	0/P	0/P
_	Dual-rated at 380 a 220-amp alternators	mps (6.4L gas V8 onl; s)	; includes 160-amp	and	0	0	0	0	0	0	0	0	0	0
_	Dual-rated at 440 a 220-amp alternators	mps (6.7L diesel only s)	includes two		0	_	0	0	0	_	0	_	0	0
AXLE	s — Antispin rear di	ifferential (standard (on 3500)		0/S	—	0/S	S	S	—	0/S	—	0/S	0/S
_	Electronically locking	g front and rear diffe	entials		—	S	—	—	—	S	—	S	—	_
	3.42 ratio (standard				0	_	0	0	0	_	0	_	0	0
		for gas; available for			S/0	-	S/0	S/0	S	_	S/0	-	S/0	S/0
		for gas; available for	3500 DRW diesel)		0	S	0	0	0	S	0	S	0	0
	11.5-inch rear axle (ad with 6 /1 gas and	ing discol/CEC	S	S	S	S	S	S	S	S	S	S
	manual transmissio axle ratio)	3500 DRW only; includ n, diesel/68RFE or die	sel/AISIN transmiss	ion with 3.42	Р	_	P	Р	_	_	Р	_	Р	Р
	11.8-inch rear axle (with 3.73 and 4.10 a	(3500 DRW only; inclu axle ratios)	ded with diesel/AISI	N transmission	Р	-	Р	Р	—	_	Р	-	Р	Р
		aintenance-free (two			S	S	S	S	S	S	S	S	S	S
		- With "smart" functi		<u> </u>	Р	_	Р	Р	Р	_	Р	_	Р	P
	CERTIFIED SAFETY KI Red flags and spare	r — Includes fire exti fuses	nguisher, three refle	cting triangles,	0	0	0	0	0	0	0	0	0	0
ELEC	TRONIC UPFITTER MO	DULE — Not availabl	e with premium spea	akers	0	0	0	0	0	0	—	-	—	_
	NE BLOCK HEATER — pped models	Included with Cold V	leather Group on die	sel-	0/P	0	0/P	0/P	0/P	0	0/P	0	0/P	0/P
		PREP PACKAGE — In with RamBox® System		narness	0	-	0	0	0	-	0	-	0	0
FUEL	TANKS — 8-gallon t	ank (included with C	NG engine)		Р	—	Р	—	—	—	—	—	—	_
	18.2-G.G.E. (gasolin CNG engine)	e gallon equivalent) (lual CNG tanks (incl	uded with	Р	-	Р	_	—	_	—	-	—	_
_	28-gallon tank (incl	uded with Regular Ca	b models equipped v	with diesel)	Р	_	Р	—	—	_	—	_	—	_
	31-gallon tank (incl				S	S	S	S	S	S	S	S	S	S
	-	uded with 8' box; ava	ilable with CNG engi	ne)	S/0	_	S/0	S	S	_	S	_	S	S
	KS — Front, heavy-	duty			S	-	S	S	S	-	S	-	S	S
	Rear, heavy-duty				S	-	S	S	S	-	S	-	S	S
	Bilstein [®] gas-charg	ed monotube nsfer case (included v	ith Protection Crown	and Snow Playe	-	S	_	—	_	S	_	S	-	
Prep	Group)				Р	S	Р	Р	S	S	Р	S	Р	P
	Fuel tank				-	S	-	—	-	S	-	S	-	

5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT			FAB	RICS		RE	SOUR	CES	2
				TRADESMAN [®] REG/CREW	POWER WAGON® TRADESMAN CREW	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR ⁺ CREW/MEGA	OUTDOORSMAN [®] CREW	POWER WAGON CREW	LARAMIE® CREW/MEGA	POWER WAGON LARAMIE CREW	LARAMIE LONGHORN® CREW/MEGA	LIMITED CREW/MEGA
CPOS PACK	AGE			2TA	2TB	2TG	2TZ/ 2TY	2TT	2TP	2TH	2TJ	2TK	2TM
	CAL FEATURES (con	tinuod)			<u> </u>		211						
	- Power recirculating I			S	S	S	S	S	S	S	S	S	S
· · · · ·	— Front, three-link c			S	S	S	S	S	S	S	S	S	S
	lectronic disconnectir		•		S	_	_	_	S		S		
	tabilizer bar	is orabilizor bar		S	_	S	S	S	_	S	_	S	S
	ve-link coil spring sus	spension (2500 only)		S	S	S	S	S	S	S	S	S	S
	otchkiss leaf spring s)	S	_	S	S	_	_	S	_	S	S
	uto-Level dual-mode a			0	-	0	0	0	_	0	_	0	0
	— On diesel-equipped		,	S	-	S	S	S	_	S	_	S	S
	engine-equipped moc n 4x4; standard on 35		included with Protection	0/P/S	S	0/P/S	0/P/S	S	S	0/P/S	S	S	S
TRAILER TOW	— 4-/7-pin trailer h	arness plug (combina	ition receptacle)	S	S	S	S	S	S	S	S	S	S
— Class V	hitch receiver			S	S	S	S	S	S	S	S	S	S
TRANSFER CA	SES (4x4 MODELS ONL)	Y) — Manual shift-oi	1-the-fly	S	S	—	-	—	S	—	S	—	_
— Electror	nic shift-on-the-fly			0	-	S	S	S	-	S	-	S	S
WINCH W	ARN,® front, electric, 1	12,000-lb capacity		—	S	—	—	—	S	—	S	—	_
— Tire car	rier			S	S	S	S	S	S	S	S	S	S
EXTERIOR	FEATURES												
BEDLINER —	- Spray-in (not availal	ble with Ram 2500 Cl	VG model)	0	0	0	0	0	0	0	0	S	S
BED LIGHTIN	G — LED, included wi	ith RamBox® System	or Luxury Group	0/P	0/P	Р	Р	S	Р	0/P	0/P	S	S
BODY MODEL	AND BOX — Regular	Cab 8' box		0	-	0	-	—	-	—	-	—	_
— Crew Ca	ab 6'4" box (SRW only)		0	S	0	0	0	S	0	S	0	0
— Crew Ca	ab 8' box			0	-	0	0	0	_	0	_	0	0
— Mega C	ab® 6'4" box			—	-	0	0	—	-	0	-	0	0
BUMPERS —	- Painted Black			S	-	—	-	—	-	—	-	—	—
	(included in Chrome ind with monotone pa		id Limited Appearance	Р	S	S	S	Р	S	S	S	Р	Р
— Painted	body color (included	with Black Appearan	ce Group)	—	_	—	P	S	_	Р	_	S	S
CLEARANCE L	AMPS — Cab (includ	ed on DRW)		0/P	0	0/P	0/P	0	S	0/P	0	0/P	0/P
— Box and	l rear fender (included	d on DRW)		Р	_	Р	Р	—	_	Р	_	Р	Р
DOOR HANDL Appearance	ES — Black (included Group)	l with low-volume pai	nt or Black	S	S	Р	Р	S	S	Р	_	_	_
— Chrome	1			_	_	S	S	—	_	S	S	S	S
FOG LAMPS				_	S	0	S	S	S	S	S	S	S
			h Black Appearance Group) S	S	—	P	—	-	Р	-	—	_
Appeara	surround with Black ance Group)		with Chrome	Р	_	S	_	_	_	_	_	_	_
	olor surround with Bla			_	_	—	-	S	-	-	-	—	_
	surround with chrom			_	_	—	S	-	S	-	-	—	_
	surround with chrom	•		_	-	—	_	_	_	S	S		_
	surround with chrom	ie wave-mesn inserts		_	-	—	_	_	_	—	_	S	
	Limited grille	Participation of the second			-								S
-	TAILLAMPS — Automa			S	S S	S S	S S	S S	S	S	S	S	S
	alogen headlamps/ind			5	5	2	5	2	-	-	-	-	
	n projector headlamp ab Room Hoodlamp (-	-		_		S	S P	S P	S P	S
	gh-Beam Headlamp C I LLER PANEL — Black			0		0	0			r	r	r	S
-Body-co		(included with specia	ar-order paint)	S	3	S	S		3				
		70 6 v Q inch menu	I (Black, Regular Cab and	_	_	3	3	2	_	2	3	3	3
	2500 — Standard si ieated (Black; include		II (Black; Regular Cab on te Entry Group on	2.	-		_		_		_		
	nan Regular Cab)	su ni rower and kemo	נפ בוונוץ פוטעף טוו	P/S	S	S	S	-	S	-	-	-	—
	-	/turn/auto-dim (Blac	k; included in Luxury Grou	ıp) —	-	Р	Р	S	Р	-	-	-	_
	olding/heated/puddle			_	-	-	-	_	-	S	S	S	S
- Power-f	olding/heated/puddle	e/turn/auto-dimming/	memory (chrome)	_	_		-	_	-	S	S	S	S

 $\label{eq:second} \begin{array}{l} S = Standard \quad 0 = Optional \quad P = Part \mbox{ of Package } & --- = Not \mbox{ available} \\ NOTE: \mbox{ some features and/or applications may be late availability.} \end{array}$

[†]Lone Star model available only in Texas.

3	OVERVIEW	POWERTRAINS	1500	2500			3500			350	0 CC			4500
		i 2500/3 GUIDE (cor		KUP	TRADESMAN [®] REG/CREW	POWER WAGON [®] TRADESMAN CREW	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR ⁺ CREW/MEGA	OUTDOORSMAN® CREW	POWER WAGON CREW	LARAMIE® CREW/MEGA	POWER WAGON LARAMIE CREW	LARAMIE LONGHORN® CREW/MEGA	LIMITED
CPO	IS PACKAGE				2TA	2TB	2TG	2TZ/ 2TY	2TT	2TP	2TH	2TJ	2TK	2T
EX	TERIOR FEATURES	(continued)												
2500 man) — Available size, "	7 x 11-inch, two-positi ors (Black; Regular Ca	ion fold-away with co b only)	nvex edge,	0	0	_	-	_	-	_	-	_	-
		lle/turn (Black; require		Entry Group on	0	0	0	0	0	0	_	_	_	-
_	Power/heated/pudd	lle/turn/memory (chror	ne)		—	-	—	—	—	—	0	0	0	(
		7 x 11-inch, two-positi ors (Black; Regular Ca		nvex edge,	S	_	—	—		—	—	—	—	-
_	Power/heated/pudd	lle/turn (Black; include	ed in Power and Rem	ote Entry Group)	Р	_	S	S	_	_	—	_	—	Ŀ
_	· · ·	lle/turn/memory (chror			—	_	—	_	—	_	S	_	S	5
bins Carg	on both bed sides; go Rail System with	EMENT SYSTEM — With stowable bed divider/e adjustable cleats (6'4 eyless entry; not availe	extender; LED Bed Lig " box only; SRW only;	hting and Tradesman	0	0	0	0	0	0	0	0	0	3
	NING BOARDS				—	_	—	_	—	_	—	_	S	-
		cab-length; included v		-	0	-	0	0	0	-	0	_	0/P	-
	,	vheel; not available or ailable with Ram 2500	0		0	-	0	0	0	0	0	0	0	(
	EL FLARES — Black		CNG model)		0	0 S	0	0	0	S	0	0	0	-
		d with monotone pain	1)		_	<u> </u>	_	_			S	S		-
	Lower body-color	a with monotone pain	.,		_	-	_	_	S	_	0		S	<u> </u>
		Variable/intermittent			S	S	S	S	S	S	S	S	S	3
	Rain-sensitive (inc	luded with Conveniend	e Group)		_	-	_	-	_	_	Р	Р	Р	5
INT	TERIOR FEATURES													
AIR	CONDITIONING — Ma	anual			S	S	S	S	S	S	—	-	—	-
		EMPERATURE CONTROL ed with Uconnect® 8.4		y Group or	_	-	Р	Р	Р	Р	S	S	S	3
		PANEL SWITCHES — No ect 5.0 system (late av		fort Group or	0	-	0	0	0	_	0	_	0	(
BEZI	EL, CENTER STACK —	- Black			S	S	—	_	—	_	—	_	—	-
_	Color-keyed				—	_	S	S	S	S	—	_	-	-
_	Woodgrain				—	_	—	_	—	-	S	S	_	-
	Real wood				-	-	-	-		-	-	-	S	
		l with Smoker's Group)			P	P	P	P	Р	P	Р	Р	Р	F
		iver Information Displa nation Display (includ	,	1	S	S	S P	S P		S P		S	_	-
		nation Display (with La					-	-		-			S	
_		nation Display (with u		1007	_	-	_	_	_	_	_	_		5
CON		included with 6-speed	1	n or manual	Р	S	Р	Р	Р	S	Р	S	—	-
_	Full-size floor (inclu	uded with bucket seats	5)		—	-	Р	Р	Р	—	Р	—	S	0
_	Overhead				_	_	S	_	_	S	_	_	_	-
_		versal Garage Door Ope	ener (included with L	uxury Group)	-	_	Р	Р	S	Р	S	S	S	3
DOO	R LOCKS — Manual				S	_	_	_	_	_	—	_	-	-
_	Regular Cab)	th Power and Remote E	entry Group on Trade:	sman	P/S	S	S	S	S	S	S	S	S	5
	Keyless Enter 'n Go		on Mora Cab®)		-	-	0				0	0	0	3
r LUL		ck vinyl (not available Popular Equipment G	-		S P	S P	S	0 S	0 S	0 S	S	S		-
FLOC Equi	DR MATS — Front, ca	arpeted (Regular Cab o res carpet floor coverir	only; included in Trad	esman Popular	P	-	S	_	_	_	_	_	_	-
		peted (included in Pop	-	p; requires	Р	Р	S	S	_	S	S	S	_	-
_	Front, rubber (Regu	llar Cab only; requires	carpet floor covering)	0	_	0	_	_	_	_	_	_	-
_	Front and rear, rubl	hor			0	0	0	0	S	0	_	_	_	-
_	from and real, rub	DEI					-	-		_		_		-

	1			-						
	TRADESMAN [®] REG/CREW	POWER WAGON [®] TRADESMAN CREW	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR ⁺ CREW/MEGA	OUTDOORSMAN [®] CREW	POWER WAGON CREW	LARAMIE® CREW/MEGA	POWER WAGON LARAMIE CREW	LARAMIE LONGHORN® CREW/MEGA	LIMITED CREW/MEGA
CPOS PACKAGE	2TA	2TB	2TG	2TZ/ 2TY	2TT	2TP	2TH	2TJ	2TK	2TM
INTERIOR FEATURES (continued)										
MIRRORS — Rearview day/night	S	S	S	_	_	S	_	_	_	_
 Rearview day/night with microphone (included with 3.0 radio, Uconnect® 5.0, 8.4 and 8.4 NAV systems, without Luxury Group) 	-	-	Р	S	—	-	—	-	—	_
	_	-	Р	Р	S	Р	S	S	S	S
— Rearview auto-dimming with video display (included with Cargo-View Camera ^[21] in combination with ParkView [®] Rear Back-Up Camera ^[21] or with 3.0 radio and ParkView Rear Back-Up Camera ^[21])	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р
	—	-	Р	Р	Р	Р	S	S	S	S
PEDALS — Non-adjustable	S	S	S	S	S	S	S	S	—	—
— Power-adjustable (requires automatic transmission)	—	—	0	0	0	0	—	—	—	_
- Power-adjustable with memory (requires automatic transmission)	—	-	—	—	—	—	0	0	S	S
POWER SUNROOF (not available with Regular Cab)	—	-	0	0	0	0	0	0	0	0
SEATS — Manually adjustable driver and front-passenger seat (included with *TX and *V9 seats)	S	S	S	_	_	S	_	_	_	_
 — 10-way power driver's seat and manual front-passenger seat (included with *M9 and *MJ seats) 	-	_	Р	S	S	Р	—	_	_	_
 — 10-way power driver's seat with memory and 6-way power front-passenger seat (included with *VL, *GJ, *XJ, *DJ and *UL seats) 	-	_	_	_	_	_	S	S	S	S
— 2-way power lumbar support (included with *M9 and *MJ seats)	—	_	Р	S	S	P	S	S	S	S
— Heated front seats (included in Comfort Group)	—	_	_	Р	Р	Р	S	S	S	S
— Heated rear seats (Crew Cab and Mega Cab® only; included with *GJ seats)	—	_	—	_	—	_	Р	_	S	S
— Ventilated front seats	—	-	—	-	_	-	S	S	S	S
 Vinyl 40/20/40 split-bench front seat with folding front armrest/cup holder, floor-mounted storage tray on Crew Cab (Crew Cab models include folding rear bench seat trimmed in vinyl) (*TX) 	S	S	-	-	-	-	-	-	-	-
— Ram Work Grade Vinyl 40/20/40 split-bench front seat with folding front armrest/cup holder, floor-mounted storage tray on Crew Cab models include folding rear bench seat trimmed in vinyl) (*SX)	0	0	_	_	_	_	_	_	_	_
 Cloth 40/20/40 split-bench front seat, front armrest with cup holder (Crew Cab and Mega Cab models include cloth folding rear bench seat; included with Popular Equipment Group) (*V9) 	0	0	S	_	—	S	—	_	—	—
 Premium cloth-trimmed 40/20/40 split-bench front seat, front armrest with cup holder, power 10-way driver's seat, power lumbar adjuster, front center seat cushion storage, 115-volt auxiliary power outlet (Crew Cab and Mega Cab models include 60/40 split-folding rear bench seat) (*M9) 	_	_	0	s	0	0	_	_	_	_
 Premium cloth-trimmed low-back bucket seats, power 10-way driver's seat, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Crew Cab and Mega Cab models include 60/40 split-folding rear bench seat trimmed in cloth) (*MJ) 	_	-	0	0	S	_	_	_	—	_
— Leather-trimmed 40/20/40 split-bench heated and ventilated front with power 10-way/memory for driver and power 6-way passenger, power lumbar adjuster, front center seat cushion storage and folding center armrest with cup holder, 115-volt auxiliary power outlet (Crew Cab and Mega Cab models include 60/40 split-folding rear bench seat trimmed in vinyl) (*VL)		_		_		_	S	S		—
— Leather-trimmed high-back, ventilated and heated bucket seats, includes power 10-way driver and power 6-way passenger, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet and heated 2nd-row on Crew Cab models (Crew Cab and Mega Cab models include 60/40 split-folding rear bench seat trimmed in vinyl) (*GJ)		_		_		_	0	_		—
— Premium leather with laser-etched design, high-back ventilated and heated bucket seats, includes power 10-way driver and power 6-way passenger, power lumbar adjuster, premium full-length floor console, 115-volt auxiliary power outlet, heated 2nd-row seats; includes 60/40 split-folding premium leather with laser-etched design rear bench seat (available only in Canyon Brown) (*XJ)	_	_							S	
— Premium leather high-back, ventilated and heated bucket seats, includes power 10-way driver and power 6-way passenger, power lumbar adjuster, premium full-length floor console, 115-volt auxiliary power outlet, heated 2nd-row seats; includes 60/40 split-folding premium leather rear bench seat (available in Canyon Brown or Cattle Tan) (*DJ)	_	_	_	_	_	_	_	_	0	_
— Premium Natura leather high-back, ventilated and heated bucket seats, includes power 10-way driver and power 6-way passenger, power lumbar adjuster, premium full-length floro console, 115-volt auxiliary power outlet, heated 2nd-row seats, includes 60/40 split-folding premium leather rear bench seat (available only in Black) (*UL)	_	_	_	_		_	_	_	_	S

 $\label{eq:second} \begin{array}{l} S=Standard \ 0=Optional \ P=Part \ of \ Package \ \hdots = Not \ available \\ NOTE: \ some \ features \ and/or \ applications \ may \ be \ late \ availability. \end{array}$

5500 CC

PROMASTER

PROMASTER CITY CONFIGURATIONS

PAINT

FABRICS

RESOURCES

29

	OVERVIEW	POWERTRAINS	1500	2500			3500			350	O CC			45
20 B	016 RAM UYER'S	2500/3 GUIDE (cor	500 PIC	KUP	TRADESMAN [®] REG/CREW	POWER WAGON® TRADESMAN CREW	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR ⁺ CREW/MEGA	OUTDOORSMAN [®] CREW	POWER WAGON CREW	LARAMIE® CREW/MEGA	POWER WAGON LARAMIE CREW	LARAMIE LONGHORN® CREW/MEGA	1 MITTO
CPO	IS PACKAGE				2TA	2TB	2TG	2TZ/ 2TY	2TT	2TP	2TH	2TJ	2TK	2
	FERIOR FEATURES ((continued)				-								-
	RING WHEEL — Uret	· /			S	S	S	_	_	S	_	_	_	Γ
		n audio controls (includ	led in Luxury Group)			_	P	S	S	Р	_	-	_	t
	Leather-wrapped, he	eated with audio cont	rols (included in Cor	nfort Group)	—	-	—	Р	Р	Р	S	S	—	t
_	Leather-wrapped, he	eated, with real wood	and audio controls		—	_	—	—	—	_	_	—	S	
STOP	RAGE — Behind the s	eat (Regular Cab and	l Mega Cab®)		S	_	S	S	S	_	S	_	S	L
	Front center seat cu with *VL and *M9 se	shion storage (includ eats)	ed with remote CD p	layer and	Р	Р	Р	Р	Р	Р	Р	Р	_	l
_		mpartment (Crew Cal	o onlv)		S	S	S	S	S	S	S	S	S	t
	,	e boxes (Crew Cab on			S	S	S	S	S	S	S	S	S	t
_	Flat-folding load flo	or (Crew Cab only; inc	luded in *M9 seats	and above)	_	-	Р	S	S	Р	S	S	S	t
VISO	I RS — Passenger-sid	le, with vanity mirror			—	-	S	S	—	S	—	—	—	
_		er-side, with illuminat	ed vanity mirror (inc	luded with	_	_	Р	Р	S	Р	S	S	S	Γ
WIN	Luxury Group)	dows (Regular Cab o	alv)		S	-						-		⊦
		t one-touch down (Reg		Power and		-				<u> </u>		-	_	ł
	Remote Entry Group)		,ului oub, moluuou n		P	_	S	_	_	_	_	_	_	L
		t one-touch up/down (Crew Cab and Mega	Cab)	S	S	S	S	S	S	S	S	S	L
	Rear fixed window				S	S	—	—	—	-	—	_	-	L
		manual (Regular Cab)			0	-	S	_	_	-	_	-	-	L
	, o	power (Crew Cab and			—	-	S	S	S	S	S	S	S	ŀ
_		er (requires rear slidi	ng window)			_	0	0	0	0	0	0	0	L
	ONNECT® AND MUI				0	0	0	0	0	0	0	0	0	F
	NECTIVITY — 12-volt	(included with *M9 an	d *MI spate)		S	S	S P	S S	S S	S P	S S	S S	S S	╞
	,	SB port (included with		nd 8.4 NAV	P	P	P	P	S	P	S	S	S	t
		ully functional USB po and Uconnect 5.0 syst		mobile devices	S	S	S	S	—	S	_	_	—	
and	SD card slot (include	ully functional USB po ed with Uconnect 8.4	ort, auxiliary jack for and 8.4 NAV systems	mobile devices s)	_	-	Р	Р	S	Р	S	S	S	
	IOS — 3.0 AM/FM				S	S		_	—	_	_	_	-	ł
	Uconnect 5.0 AM/FM	I/SAT/Bluetooth® I/SAT/Bluetooth/NAV-i	roady/Jaioo Commar	d[18]	0	0	S O	S O		S 0			_	⊦
		W/FM/SAT/Bluetooth/N	,				0	0	0	0	0	0	S	╀
		ring wheel-mounted a			_	-	Р	S	S	P	S	S	S	t
RCA	LL/ECALL (packaged v	vith Uconnect 8.4 and	8.4 NAV systems)		—	-	Р	Р	S	Р	S	S	S	
	LE-DISC CD PLAYER				0	0	0	0	0	0	0	0	0	L
		10 ^[17] (included in Trac			Р	P	S	S	S	S	S	S	S	L
	USXM TRAFFIC ^[17] AND NAV system)	SIRIUSXM TRAVEL LIN	⁽¹⁷⁾ (included with U	connect	—	-	—	Р	Р	Р	Р	P	S	l
	AKER SYSTEMS — 6 s	peakers			S	S	S	S	S	S	_	-	_	t
	6 premium speakers	(Regular Cab only)			—	-	0	—	—	-	—	-	—	t
_	9 amplified speakers or higher seat)	s with subwoofer (Sur	round Sound require	s ADA and *M9	—	-	0	0	0	0	S	S	S	
	NNECT VOICE COMMAN and 8.4 NAV systems	ID ^[18] WITH BLUETOOTH)	(included with Ucon	nect 5.0,	Р	Р	S	S	S	S	S	S	S	Ī
TIR	RES AND WHEELS													
TIRE	S 2500 — LT245/70F	R17E BSW All-Season	tires		S	-	_	—	—	-	—	-	_	ſ
_	LT285/70R17D OWL	All-Terrain tires			—	S	-	—	—	S	—	S	-	ĺ
		All-Season tires (inclu		1.1	Р	-	S	S	-	-	S	-	S	l
_	Popular Equipment (On-/Off-Road tires (in Group; optional with C	Chrome Appearance	Group)	0	-	P/0	0	S	-	0	-	0	ļ
_	LT285/60R20E OWL 20-inch wheels)	On-/Off-Road tires (in	ncluded with optiona	1			Р	Р	Р	_	Р		Р	1

$$\label{eq:Section} \begin{split} S = Standard \ 0 = Optional \ P = Part of Package \ \longrightarrow = Not available \\ NOTE: some features and/or applications may be late availability. \\ \ ^1Lone Star model available only in Texas. \end{split}$$

5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAIN	-		FAB	RICS		RE	SOURO	CES	A-4	31
				TRADESMAN [®] REG/CREW	POWER WAGON® TRADESMAN CREW	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR [†] CREW/MEGA	OUTDOORSMAN [®] CREW	POWER WAGON CREW	LARAMIE [®] CREW/MEGA	POWER WAGON LARAMIE CREW	LARAMIE LONGHORN® CREW/MEGA	LIMITED CREW/MEGA	
CPOS PACK	AGE			2TA	2TB	2TG	2TZ/ 2TY	2TT	2TP	2TH	2TJ	2TK	2TM	
TIRES AND	WHEELS (continue	d)												
— Full-size	e spare tire			S	S	S	S	S	S	S	S	S	S	
	-size spare tire (requ			0	_	0	0	—	—		—	_		
		5/70R18E BSW All-Sea		S	_	S	S	_	_	S	—	S		
and Pop	ular Equipment Grou	p; optional with Chron	vith Snow Chief Group ne Appearance Group)	0	_	P/0	0	_	—	0	—	0	_	
	wheels)	Road tires (included v	vitn optional	-	-	0	0	—	-	0	-	0	S	
3500 DUAL RE	AR WHEEL — LT235/	80R17E BSW All-Seaso	on tires	S	-	S	S	—	—	S	_	S	S	
		Road tires (included v	vith Popular	0	_	0/P	0	_	_	0	_	0	0	
	ent Group) — 17 x 7.5-inch stee	l painted		S	<u> </u>									
	nch polished forged a	-			S		_	_	S	_	S			
	nch steel painted	iuminum		0	_		_	_	-	_	_	_		
		d (included with Chro	me Appearance Group)	P	-	S	_	_	_		_	_		
	nch polished aluminu			_	-	0	S	S	_		_	_		
— 18 x 8-i	nch polished aluminu	IM		_	-	_	-	_	_	S	_	_		
— 18 x 8-i	nch polished aluminu	ım with White Gold po	ckets	_	-	—	-	—	—	_	_	S	_	
— 18 x 8-i Monotor		im with Silver pockets	(included with	—	-	—	_	—	—	_	_	Р	_	
	nch aluminum painte Ince Group)	d Black wheel (includ	led with Black	—	_	—	Р		—	Р	—	—	_	
— 20 x 8-i	nch aluminum painte	d Satin Carbon with d	chrome inserts	—	—	0	0	0	—	0	—	—	_	
		ım with White Gold po		_	_	_	_	_	_	_	_	0		
— 20 x 8-i Monotor		im with Silver pockets	; (optional with	_	_	_	_	_	_		_	0	_	
		um painted with chro	me inserts				_	_					S	
— Steel sp			110 11130113	S	S	S	S	S	S	S	S	S	S	
·	REAR WHEEL - 18 x 8	8-inch steel painted		S	_						_			
		d (included in Chrome	Appearance Group)	P	-	S	_	_	_		_	_		
	nch polished aluminu		11	_	-	0	S	_	_		_	_		
	nch polished aluminu			_	-		_	_	_	S	_	_		
— 18 x 8-i	nch polished aluminu	ım with White Gold po	ckets	_	-	_	_	_	_			S	_	
— 18 x 8-i Monotor		m with Silver pockets	(included with	-	-	_	-	_	—	_	_	Р	_	
— 20 x 8-i	nch aluminum painte	d Black (included wit	h Black Appearance Group) —	-	_	Р	—	_	Р	_	_		
— 20 x 8-i	nch aluminum painte	d Satin Carbon with (chrome inserts	—	-	0	0	—	—	0	_	_	_	
— 20 x 8-i	nch polished aluminu	ım with White Gold po	ckets	—	-	—	—	—	—	_	—	0	_	
	nch polished aluminu 1e paint)	m with Silver pockets	optional with	—	_	_	_	_	—	—	—	0	_	
— 20 x 8-i	nch aluminum premii	um painted with chro	me inserts	—	_	_	—	—	—	_	—	_	S	
— Steel sp	are wheel			S	_	S	S	—	—	S	—	S	S	
	EAR WHEEL — 17 x 6-			S	_	—	_	—	—		—	_		
			hrome Appearance Group)	Р	_	S	S	—	—	_	_	_		
	nch polished aluminu			-	_	0	0	—	—	S	—		S	
		im with Laramie Long	horn center cap	-	_	_	_	_	_		_	S		
	steel spare (included	l with DRW)		S	_	S	S	—		S	_	S	S	
	D SECURITY													
	 Multistage front ar 	id knee bolsters		S	S	S	S	S	S	S	S	S	S	
	nental side-curtain			S	S	S	S	S	S	S	S	S	S	
	nental front-seat side			S	S	S	S	S	S	S	S	S	S	
-	our-wheel antilock di		10\(S	S	S	S	S	S	S	S	S	S	
ELECTRONIC	STABILITY CONTROL ^[5] -	Jconnect® 8.4 or 8.4 I — Includes Brake Ass Brake Support, Ready	sist, Electronic Roll			0 S	0 S	0 S	0 S	0 S	0 S	0 S	0 S	
-	trol and Trailer Sway		Alert Braking, All-Speed	0	0	S	S	S S	S	S S	S S	S S	s S	
LLUIKUNIU	INALLA DAARE GONIK	ULLIN		-0		3		3	5	3	3			

32	OVERVIEW	POWERTRAINS	1500	2500			3500			350	0 CC		4	1500 CC
20 B	016 RAM UYER'S	2500/3 GUIDE (cor	500 PIC	KUP	TRADESMAN [®] REG/CREW	POWER WAGON® TRADESMAN CREW	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR ⁺ CREW/MEGA	OUTDOORSMAN [®] CREW	POWER WAGON CREW	LARAMIE® CREW/MEGA	POWER WAGON LARAMIE CREW	LARAMIE LONGHORN® CREW/MEGA	LIMITED CREW/MEGA
CPO)S PACKAGE				2TA	2TB	2TG	2TZ/ 2TY	2TT	2TP	2TH	2TJ	2TK	2TM
SA	FETY AND SECURIT	Y (continued)												
_		available with Keyles	s Enter 'n Go™)		0	0	0	0	0	0	0	0	0	0
PARI	KSENSE® FRONT AND F	REAR PARK ASSIST			—	-	0	0	0	0	S	S	S	S
PARI	KSENSE REAR PARK AS	SIST ^[21]			0	0	0	0	0	0	_	-	_	_
PARI with	KVIEW® REAR BACK-UI 1 3.0 radio or on-scret	P CAMERA ^[21] — Video en with Cargo-View C	displayed in rearviev amera ^[21] with other s	v mirror systems	0	0	0	0	0	0	S	S	S	S
tailg	gate, RamBox® Syster	/ITH ALLSECURE® — C m, illuminated entry s pment Group or Power	ystem, panic alarm	(included in	Р	Р	S	S	S	S	S	S	S	S
REM	OTE START (requires a	automatic transmissi	on)		—	-	0	S	S	0	0	0	S	S
SECI	URITY ALARM — Dete	cts break-in			—	-	0	0	S	0	S	S	S	S
SENT	TRY KEY® THEFT DETER	RRENT SYSTEM — Eng	ine immobilizer		S	S	S	S	S	S	S	S	S	S
TIRE	PRESSURE MONITORI	NG (TPM) WITH EVIC I	DISPLAY AND ALERT	(2500 only)	S	S	S	S	S	S	S	S	S	S
TIRE	PRESSURE INFORMAT	TION SYSTEM WITHOUT	ALERT (3500 models	only)	S	_	S	S	—	_	S	_	S	S
PA	CKAGES/EQUIPMEI	NT GROUPS												
Blac Blac	ck Ram tailgate badg	P — Includes Black d (e, Black 4x4 badge (4 rear bumpers, Black g RW models only)	x4 only), blacked-ou	t headlamps,	_	_	_	0		_	_	_	_	_
BOX	DELETE — Regular C	ab, Crew Cab, with 5	7L gas engine		0	-	0	0	—	-	—	-	—	_
surro	OME APPEARANCE GRI ound and steel chrom sh (DRW)	DUP — Includes chror e-clad wheels (SRW) o	ne bumpers, chrome ; r steel wheels with ch	grille rome	0	_	_	_	_	_	_	_	_	_
CHR	OME BUMPER PACKAG	E — Includes chrome	front and rear bum	oers	_	-	_	_	_	-	_	_	_	0
COLE		- Includes engine bloc			0	-	0	0	0	-	0	-	0	0
CON wipe	VENIENCE GROUP — A	Auto High-Beam Head h Cargo-View Camera	llamp Control and ra	in-sensitive	_	-	_	—	_	-	0	0	0	_
refle	ecting triangles, two	SAFETY KIT — Includ Red vinyl flags and sj	oare fuses	·	0	0	0	0	0	0	0	0	0	0
DUAI (incl	L REAR WHEEL GROUP ludes clearance lamp	— 3500 only; not av os for the cab, box an	ailable with Crew Ca 1 fenders)	b 6'4" box	0	-	0	0	—	-	0	-	0	0

 $\label{eq:second} \begin{array}{l} S=Standard \quad 0=0ptional \ P=Part of Package \ \longrightarrow = Not available \\ NOTE: some features and/or applications may be late availability. \\ \end{tabular} ^t \end{tabular} \begin{tabular}{l} I \end{tabular} \end{tabular} \end{tabular} \end{tabular} \end{tabular}$

Lone Star model available only in texas.

500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	P	PAINT			FAB	RICS		RE	SOUR	CES	
					TRADESMAN [®] REG/CREW	POWER WAGON [®] TRADESMAN CREW	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR ⁺ CREW/MEGA	OUTDOORSMAN® CREW	POWER WAGON CREW	LARAMIE® CREW/MEGA	POWER WAGON LARAMIE CREW	LARAMIE LONGHORN® CREW/MEGA	LIMITED CREW/MEGA
CPOS PACK	AGE				2TA	2TB	2TG	2TZ/ 2TY	2TT	2TP	2TH	2TJ	2TK	2TM
PACKAGES	/EQUIPMENT GROU	IPS (continued)												
	/GOOSENECK TOWING In nector and mounting			hes	0	_	0	0	0	_	0	—	0	0
HEATED SEATS leather steer Dual-Zone A	S AND STEERING WHEE ing wheel and, if equ TC (requires *M9 or *	L GROUP — Includes ipped with Uconnect [®] MJ seats; included wi	heated cloth seats, h 8.4 or 8.4 NAV syste ith Luxury Group)	neated em,	_	_	_	0/P	0	0	_	_	_	_
switchable d mirror, exteri console with or 8.4 NAV sy	IP — Includes 7-inch iome lamp, ashtray la ior power folding mirr Universal Garage Dou ystem, Dual-Zone ATC udio controls, glove b Jp	mp, illuminated vani ors with signal and p or Opener and, if equi s; for 2TG/2TP only: le	ty mirror, auto day/ni uddle lamps, overhea pped with Uconnect® ather-wrapped steeri	ght ad 8.4 ng			0	0	S	0				_
	JIPMENT GROUP TRADE				0	0	_	_	_	_	_	_	_	_
	JIPMENT GROUP SLT — egular Cab only)	– Premium cloth 40/2	0/40 bench seat, fog l	amps,	_	_	0	_	_	_	_	_	_	_
	REMOTE ENTRY GROUP ss entry, power heate o only)				0	_	_	_	_	_	_	_	_	_
PROTECTION	GROUP — Includes to	w hooks and transfe	r case skid plate (4x4	only)	0	—	0	0	S	—	0	—	0	0
SMOKER'S GR	OUP — Includes rem	ovable ashtray and c	igar lighter		0	0	0	0	0	0	0	0	0	0
for 6.4L V8 or	GROUP — Includes 18 r 6.7L Cummins [®] Turb ary switches, clearanc iodels only)	o Diesel), antispin dif	ferential, transfer cas	e skid	0	—	0	0	0	_	0	_	0	0
SNOW PLOW I case skid pla	PREP GROUP — 180- ate (4x4 models only)	amp alternator (gas),	220-amp (diesel), tr	ansfer	0	_	0	0	0	_	0	_	0	0
Black exterio blacked-out painted front	RANCE GROUP — Inc r mirrors, Black Ram projector headlamps t and rear bumpers, b d wheels with OWL tir	tailgate badge, Blac and blacked-out LED ody-color grille with l	k 4x4 badge (4x4 only taillamps, body-colo Black insert and 20-i	/), r	_	_	_	_	_	_	0		_	_

[†]Lone Star model available only in Texas.



34	OVERVIEW	POWERTRAINS	1500	2500	3500	3500 CC	4500 CC	5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FABRICS	RESOURCES	35
----	----------	-------------	------	------	------	---------	---------	---------	-----------	----------------	----------------	-------	---------	-----------	----

RAM 2500/3500 PICKUP TOWING AND PAYLOAD

M	AXIMUM LOADED TRAILER WEIGHTS (wi	hen properly equ	lipped)														
	2500 — SAE J2807 STANDARD COMPLI	ANT			REGULAF	R CAB				CRE	N CAB				M	EGA CAB®	
	2500 — SAE J2607 STANDARD COMPLI	ANI			8' BO	Х			5'4" BOX			8' BO)	<			6'4" BOX	
	POWERTRAIN	AXLE RATIO	GCWR	4x2		4x4		4x2		4x4	4x2		4x4		4x2		4x4
	5.7L HEMI® V8 CNG / 66RFE 6-speed	3.73	15,000	12,52		9,980					9,19		6,960				
	5.7L HEMI V8 / 66RFE 6-speed	3.73	18,300	11,89		11,510		11,520		11,200	11,39		11,030		11,040		10,780
AT		4.10	20,300	13,89		13,510		13,520		13,190	13,39		13,020		13,040		12,780
1		3.73	19,800	13,32	0	12,930		12,940		2,630	12,81	0	12,460		12,520		12,240
	6.4L HEMI V8 / 66RFE 6-speed	4.10	17,500							0,030							
		4.10	22,800	16,32		15,930		15,940		5,630	15,81		15,460		15,520		15,240
	6.7L CUMMINS® TURBO DIESEL I-6 / 68RFE 6-SPEED	3.42	25,300	17,98		17,540		17,510		17,210	17,37		17,030		17,170		15,540
MI	6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEED	3.42	24,300	16,89		16,450		16,450		16,140	16,30	0	15,960		16,100		14,870
	3500 — SAE J2807 STANDARD COMPLI	ΔΝΤ				ILAR CAB					N CAB				MEGA		
					BOX		X DRW		BOX		BOX		DX DRW		<u>1" BOX</u>		BOX DRW
	POWERTRAIN	AXLE RATIO	GCWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
	5.7L HEMI® V8 / 66RFE 6-SPEED	3.73	18,400	11,910	11,560			11,520	11,200	11,410	11,020			11,270	10,990		
		4.10	20,400	13,910	13,560			13,520	13,200	13,410	13,020			13,270	12,990		<u> </u>
		3.73	19,900	13,370	12,970	13.020	12,640	12,970	12,640	12,830	12,470	12,450	12,100	12,710	12,400	12,210	12,020
	6.4L HEMI V8 / 66RFE 6-SPEED	4.10	22,900	16,370	15,970	10 200	10.110	15,970	15,640	15,830	15,470	15.050	(7.000	15,710	15,400	15 510	17.700
		4.10	23,400	17.010	(7.500	16,520	16,140	17.400	17.000	17.000	17.010	15,950	15,600	17.000	10.000	15,710	15,520
AT	6.7L CUMMINS [®] TURBO DIESEL I-6 / 68BFE 6-SPEED	3.42	25,300 27,300	17,910	17,560	17,550	17,180	17,490	17,200	17,360	17,010	17,000	16,660 18.660	17,160	16,800	16,770 18,770	16,460 18,460
	6.7L GUMMINS TURBU DIESEL I-6 / 68KFE 6-SPEED	4.10	30.300			22,550	22,180					19,000 22.000	21.660			21.770	21.460
		3.42	25,300	17.770	17.420	22,000	22,180	17.350	17.050	17.210	16.860	22,000	21,000	17.020	16.660	21,770	21,400
		3.42	29,300	11,110	17,420	21,410	21.030	11,300	17,050	11,210	10,860	20.860	20.510	11,020	10,000	20,620	20.320
	6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 / AISIN® 6-SPEED	3.73	33.800			25.910	25.530	1				25.360	25.010			25.120	24.820
		4.10	39,100			31,210	30.830					30.660	30.310			30.420	30.120
		3.42	24,300	16.870	16.520	16.510	16.130	16.450	16.160	16.320	15.960	15.960	15.610	16.120	15.760	15.720	15.420
MT	6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEED	3.73	26,300	10,070	10,320	18.510	18,130	10,40	10,100	10,320	10,000	17.960	17.610	10,120	10,700	17.720	17.420

AT = Automatic Transmission | MT = Manual Transmission | DRW = Dual Rear wheel | Weights given in lb. | Numbers in Black Dozes reflect max ratings. 1. Payload and Max Trailer Weights are ESTIMATED values and rounded to the nearest 10 lb. 2. Payload = GWR = Dase Weight. 3. Payload and Trailer Weight Rating are mutually exclusive. 4. GAWRs, GWRs and GGWRs should never be exceeded. 5. Trailer Weight Rating and Tow Vehicle Trailering Weight are calculated as specified in SAE 12807. Passenger Weight = 300 lb. Options Weight = 100 lb. Trailering Equipment Weight. 75 lb for conventional hitch, 70 lb for gooseneck hard 250 lb for 51h-wheel. Tongue weight: 50. Detroit of the gross trailer weight for conventional hitch, 15 percent of the gross trailer weight for conventional hitch. To percent of the gross trailer weight for Canventional hitch, 15 percent of the gross trailer weight for Canventional hitch. Payload and GAWR should never be exceeded and must account for all of the above weight. 50. Detroit of the gross trailer weight for Canventional hitch, 15 percent of the gross trailer weight for Canventional hitch. To be rown to mongue weight account for all of the above weight for Canventional hitch. Payload and GAWR should never be exceeded and must account for all of the above weight account for all of the above weight for Canventional hitch. Payload and for ever be exceeded and must account for all of the above weight for Canventional hitch. Payload and for ever be exceeded and must account for all of the above weight for Canventional hitch. Payload and for ever be exceeded and must account for all of the above weight for Canventional hitch. Payload and for the canve for the gross trailer weight for Canventional hitch. Payload and for the canve for the gross trailer weight for Canventional hitch. Payload and for the canve for the gross trailer weight for Canventional hitch. Payload and for the canve for the gross trailer weight for Canventional hitch, average and to a the serve for trailer sequelyment and togue wei

	XIMUM PAYLOAD CAPACITIES	(inten prope	(inj oquippou)	REGULAR	CAD				CDE	W CAB				N	/EGA CAB®	
	2500			8' BOX				6'4" BOX	UNE		8' BOX				6'4" BOX	
	POWERTRAIN	GVWR	4x2		4x4		4x2		4x4	4x2		4x4		4x2		4x4
	5.7L HEMI [®] V8 CNG / 66RFE 6-SPEED	9.000	2,350		1,970		4X L	_	474	1,85		1,630		475		484
	5.7L HEMI V8 / 66RFE 6-SPEED	9.000	3.060		2.680		2.690		2,370	2.56		2,200		2.210		1,960
1	6.4L HEMI V8 / 66RFE 6-SPEED	8,510							1,510							
ļ		10,000	3,990		3,600		3,610		3,300	3,48		3,130		3,190		2,910
	6.7L CUMMINS® TURBO DIESEL I-6 / 68RFE 6-SPEED	10,000	3,160		2,720		2,690		2,380	2,54		2,200		2,340		2,030
AT I	6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEED	10,000	3,060		2,630 LAR CAB		2,630		2,310	2,47	0	2,130		2,280	4.0400	1,960
	3500		0/ 0			VDDW	0/4//	DOV		W CAB	0/ 00	VDDW	0/4		A CAB®	
	DOMEDTRAIN	01000	8' E 4x2	4x4	4x2	X DRW	6'4"	<u>4x4</u>	4x2	BOX 4x4	4x2	X DRW	4x2	"BOX	4x2	BOX DRW
ł	POWERTRAIN	GVWR 10.100	4x2 4.080	4X4	4XZ	4x4	4x2	4X4	4X2	4X4	4X2	4x4	4X2	4x4	4X2	4x4
		10,100	4,000	3,930												
		10,500		0,000			4.090									
	5.7L HEMI [®] V8 / 66RFE 6-SPEED	10,700						3,970								
		11,000							4,480				4,340			
ļ		11,300	1110							4,390				4,360		
		10,200	4,140	3,940			_									
		10,400		3,940			4.040									+
		10,300					4,040	4,010								-
		11.100						4,010	4.500							
		11,200										1	4,480			
	6.4L HEMI V8 / 66RFE 6-SPEED	11,400								4,440				4,370		
	-	13,300			6,890	6,510					6,320	5,970			6,080	5,890
		13,700			7,290	6,910										4
πЦ		13,800 13,900			7,390		_								6.680	+
"		13,900				-					7.020	6,670			0,080	6.590
ł		11.100	4.180								1,020	0,070				0,000
		11,500		4,230			4,160									
		11,600											3,930			
	6.7L CUMMINS® TURBO DIESEL I-6 /	11,700						4,070								4
	68RFE 6-SPEED	12,000					_		4,530	4.400						4
		12,300					_			4,480				4.270		
		14,000			6,720	6,350					6,170	5,830		4,270	5,940	5,630
ł		11.100	4.040		0,120	0,000					0,110	0,000			0,010	0,000
		11,500		4,090			4,020									
		11,600											3,790			
	6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 /	11,700						3,920								-
	AISIN [®] 6-SPEED	12,000							4,380	4.000						
		12,300								4,330				4.130		
		12,400			6.580	6.200					6.030	5.680		4,130	5.790	5.490
		14,000	4.140		0,000	0,200					0,000	3,000			0,700	0,430
		11,500		4,190			4,120									
		11,600											3,890			
π	6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEED	11,700						4,030								4
		12,000							4,490	4.400						
		12,300								4,430				4.230		
														47.50		

AT = Automatic Transmission | MT = Manual Transmission | DRW = Dual Rear Wheel | Weights given in Ib. | Numbers in Black boxes reflect max ratings. 1. Weights are rounded to the nearest 10 lb. 2. Payload = GVWR minus Base Weight. 3. Payload and Trailer Weight Rating are mutually exclusive. 4. GAWRs, GVWRs and GCWRs should never be exceeded. 5. 3500 Regular Cab, 4x2, 6.4 L V8 with 4.10 axle ratio, GWWR of 13,800 lb applies to Tradesman package only. All other price classes for this configuration (Regular Cab, 4x2, 6.4 L V8 with 4.10 axle ratio, GWWR is 13,700 lb.

2500

POWERTRAINS

RAML3500

3500

4500 CC 5500 CC

PROMASTER

37

RAM 4500 / 5500 CHASSIS CAB

PAINT

Properly secure all cargo.



17-inch Argent Steel Wheel Standard on 3500 DRW Tradesman[®] (WFU)



17-inch Chrome Steel Wheel Standard on 3500 DRW SLT Optional on 3500 DRW Tradesman (WD4)



17-inch Polished Aluminum Wheel Standard on 3500 DRW Laramie® Optional on 3500 DRW SLT (WF7)

RAM 4500/5500



19.5-inch Steel Wheel with Argent Finish Standard on 4500/5500 DRW Tradesman® and SLT (WP3)



19.5-inch Forged Aluminum Wheel Standard on 4500/5500 DRW Laramie® Optional on 4500/5500 DRW Tradesman and SLT (WP4)



18-inch Painted Steel Wheel Standard on 3500 SRW Tradesman (WBN)



18-inch Chrome-Clad Steel Wheel Standard on 3500 SRW SLT Optional on 3500 SRW Tradesman (WBH)



18-inch Polished Aluminum Wheel Standard on 3500 SRW Laramie Optional on 3500 SRW Tradesman and SLT (WBL)



38	OVERVIEW	POWERTRAINS	
----	----------	-------------	--

3500



SALES CODE A

4500 CC	

PROMASTER

PROMASTER CITY CONFIGURATIONS

PAINT

FABRICS

39

RESOURCES

2016	RAM 3500/4500/5500 CHASSIS	
CAB	BUYER'S GUIDE	

CAB BUTER 3 GUIDE		SALES CODE	A	G	п
ENGINE	TRANSMISSION				
6.4L HEMI® V8 (ESB)	6-speed automatic (3500 only) (DFP)		22A	22G	22H
6.4L HEMI V8 (ESB)	AISIN® AS66RC 6-speed automatic (DF	3)	27A	27G	27H
6.7L Cummins® Turbo Diesel (ETK) (320 hp / 650 lb-ft)	6-speed manual (DEG)		2EA	2EG	2EH
6.7L Cummins Turbo Diesel (ETK) (325 hp / 750 lb-ft)	AISIN AS69RC 6-speed Heavy-Duty aut	omatic (DF2)	29A	29G	29H
MECHANICAL FEATURES					
ALTERNATORS — 180-amp		BAD	S	S	S
— 220-amp (included on 3500/4500/5500 models with Hea with Ambulance Prep Group)	vy-Duty Snowplow Prep Group; included	BAJ	0/P	0/P	0/P
— 380-amp (dual 220-amp and 160-amp; requires 6.4L en	gine)	XF5	0	0	0
— 440-amp (dual 220-amp; requires 6.7L engine)		XF7	0	0	0
AXLES, 3500 — Front, 6,000-Ib GAWR (included with SRW mod	lels)	DJN	Р	Р	Р
— Rear, antispin differential		DSA	S	S	S
— Rear, 3.42 ratio (diesel models only)		DMR	0	0	0
— Rear, 3.73 ratio (included with diesel models only)		DME	S	S	S
— Rear, 4.10 ratio (standard with gas models; available wit	th diesel)	DMF	S	S	S
	nsmission)	DMK	Р	Р	Р
— Rear, 11.5-inch (included with SRW models)		DRQ	Р	Р	Р
— Rear, 11.5-inch (DRW models only)		DRX	S	S	S
AXLES, 4500 AND 5500 — Front, 10.8-inch, 7,000-Ib GAWR		DJP	S	S	S
Front, 10.8-inch, 7,250-lb GAWR (available on 4500 and	5500 only; includes taller springs)	_	0	0	0
— Rear, antispin differential		DSA	S	S	S
 — Rear, 4.10 ratio (included with 4500 diesel and 5500 diesel available on 5500 diesel with AISIN transmission) 	sel models with manual transmission;	DMF	Р	Р	Р
— Rear, 4.44 ratio (standard on 4500/5500 models; optional	with 6.7L engine and manual transmission)	DMK	S/0	S/0	S/0
— Rear, 4.88 ratio (optional on 4500; requires 6.4L engine; Upgrade Packages on 5500)	included with Max Tow and Payload	DMS	0/S	0/S	0/S
	-Ib GAWR)	DRT	S	S	S
B20 BIODIESEL COMPATIBILITY — Requires diesel engine		XXJ	0	0	0
BATTERY — 730-amp (one per vehicle with gas engine; two pe	er vehicle with diesel)	BCN	S	S	S
DIESEL EXHAUST BRAKE — "Smart" exhaust brake (packaged v	vith 6.7L engine)	NEN	Р	Р	Р
UPFITTER ELECTRONIC MODULE (VSIM) — Over 50 inputs and ou	tputs (packaged with Ambulance Prep Group)	XXS	0/P	0/P	0/P
$\label{eq:engine} \textbf{ENGINE BLOCK HEATER} \begin{tabular}{lllllllllllllllllllllllllllllllllll$	with Cold Weather Group with diesel)	NHK	0/P	0/P	0/P
ENGINE COOLING — Heavy-duty		NMC	S	S	S
ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines: 5 minutes; d	ealer programmable, from $1-60$ minutes	XCL	0	0	0
EXTRA BASE KEYS (2) (not available with Power and Remote En	try Group, Remote Keyless or Fleet Key Alike)	GXJ	0	—	—
FUEL TANK — 52-gallon, rear-mounted (not available on DF 33	500 SRW 10K GVWR models)	NFH	S	S	S
	/ 10K GVWR models)	NFA	S/0	S/0	S/0
 — 74-gallon dual-tank capacity: 52- and 22-gallon tanks (r with 6.4L engine) 	not available on 3500 SRW 60-inch CA	NLL	0	0	0
MAXIMUM SPEED SETTINGS — 60 mph, 65 mph, 70 mph, 77 m	ph	JJ3, JJ4, JJ5, JJ9	0	0	0
PTO PREP PACKAGE — Available with AISIN automatic or 6-specapability with 6.7L engine)	eed manual (includes split-shaft	LBN	0	0	0
 — Alternate left-side with AISIN transmission only (4x2 only with 6.7L engine) 	; includes split-shaft capability	LBV	0	0	0
PTO, SPLIT-SHAFT CAPABILITY — Packaged with Power Take-Of	ff Prep when equipped with 6.7L engine	LBX	Р	Р	Р
SHOCK ABSORBERS — Front, heavy-duty		SFB	S	S	S
— Rear, heavy-duty		SGB	S	S	S
SKID PLATE — Transfer case (4x4 only; included with Heavy-D	uty Snowplow Prep Group)	XEF	0/P	0/P	0/P
STABILIZER BAR — Front		SHA	S	S	S
STEERING — Power, recirculating ball		SBE	S	S	S

		TRADESMAN [®] REG/CREW	SLT REG/CREW	LARAMIE®
	SALES CODE	А	G	Н
MECHANICAL FEATURES (continued)				
TOW HOOKS — Available with gas engine, included with diesel engine on 3500; standard on 4500/5500	XEA	0/P/S	0/P/S	0/P
TRANSFER CASE — Manual shift, part-time, 4x4 only	DK1	S	S	_
— Electric shift, part-time, 4x4 only	DK3	0	0	S
VOLTAGE MONITORING AUTO IDLE UP SYSTEM (included with Ambulance Prep Group and Rollback Carrier Group)	XF6	0/P	0/P	0/1
EXTERIOR FEATURES				
BADGING — SLT	MTD	—	S	-
— Laramie	MTE	—	_	S
BODYSIDE MOLDINGS — Chrome	MJB	0	0	0
BUMPERS — Front, Black	MB1	S	-	-
— Front, chrome (included with Chrome Appearance Group)	MCT	Р	S	S
FASCIA — Front, headlamp filler, Black (standard on 4500 and 5500 models; included on 3500 models when special paint tracking is ordered)	MCJ	S	S	S
— Front, headlamp filler, body-color (3500 only)	MCM	S	S	S
FOG LAMPS — Available with Chrome Appearance Group on Tradesman model	LNJ	Р	0	S
GRILLE — Black insert and surround	MFF	S	-	-
Chrome surround with Black insert (packaged with Chrome Appearance Group on Tradesman)	MFD	Р	S	-
— Chrome surround, chrome insert	MF1	—	-	S
HEADLAMPS — Automatic	LMG	S	S	S
— Halogen, quad	LME	S	S	-
— Halogen, bifunctional projector	LMC	—	—	S
— Daytime running headlamps	LM1/LM5	0	0	C
KEY-ALIKE FEATURE — Allows a single key to start multiple trucks (not available with Extra Base Keys)	GRB, GRC, GRA, GRD	0	0	-
LAMPS — Cab-clearance	LNC	S	S	S
MIRRORS — Folding trailer-tow, manual, Black (Regular Cab only)	GPD	S	-	-
 — Power trailer-tow, heated, manual-folding, Black; includes exterior courtesy lamps and supplemental turn signal (standard on Crew Cab models; packaged with Power Accessory Group or Power and Remote Entry Group) 	GPG	Р	S	-
 Power multifunction trailer-tow, heated, manual-folding, chrome; includes position memory, exterior courtesy lamps and supplemental turn signal 	GPC	_	-	S
TUBULAR SIDE STEPS — Chrome	MRT	0	0	C
WHEEL FLARES — Black (4500/5500 only)	MMZ	S	S	S
— Body-color (3500 only)	MML	0	0	0
WINDSHIELD WIPERS — Variable/intermittent	JHA	S	S	S
— Rain-sensitive (available with Convenience Group)	JHC	—	—	F
TIRES AND WHEELS				
TIRES, 3500 — LT265/70R18E BSW On-/Off-Road (standard with SRW models only)	TTV	S	S	S
— LT235/80R17E BSW All-Season (DRW models only)	TV2	S	S	S
LT235/80R17E OWL On-/Off-Road (4x4 DRW models only)	TV3	0	0	0
— Spare, full-size	TBB	0	0	0
TIRES, 4500/5500 — 225/70R19.5G BSW All-Position (4x2 models only)	TUV	S	S	5
— 225/70R19.5G BSW All-Position front, rear Traction (standard on 4x4; available for 4x2 models)	TUY	S/0	S/0	S/
— 225/70R19.5G BSW All-Traction (4x4 models only)	TUZ	0	0	C
— Spare, full-size	TBB	0	0	0
WHEELS, 3500 — 18 x 8-inch styled steel, painted Argent (standard with SRW models only)	WBN	S	-	-
- 18 x 8-inch chrome-clad steel (SRW models only; packaged with Chrome Appearance Group)	WBH	Р	S	
— 18 x 8-inch polished aluminum (SRW models only)	WBL	0	0	5
— 17 x 6-inch steel, painted Argent (DRW models only)	WFU	S	-	
	WD4	0/P	S	
— 17 x 6-inch aluminum (DRW models only)	WF7		0	S

2016 RAM 3500/4500/5500 CHASSIS		TRADESMAN® REG/CREW	SLT REG/CREW	LARAMIE®
CAB BUYER'S GUIDE (continued)	SALES CODE	A	G	Н
TIRES AND WHEELS (continued)				
VHEELS, 4500/5500 — 19.5 x 6-inch steel	WP3	S	S	_
— 19.5 x 6-inch polished aluminum	WP4	0	0	S
IRE PRESSURE MONITORING — Packaged with DF 3500 SRW 10K GVWR models only	XGM	S	S	S
— Selective Tire Pressure Display (available on 3500 models over 10K GVWR only)	XBT	0	0	0
INTERIOR FEATURES				
IR CONDITIONING	HAA	S	S	S
 — Dual-Zone temperature control (included with Comfort Group on Crew Cab models equipped with Uconnect[®] 8.4 or 8.4 NAV system) 	HAF	_	Р	S
SSIST HANDLES — Driver and passenger-side (A-pillar-mounted)	CSP	S	S	S
UXILIARY SWITCHES — Five, standard	LHL	S	S	S
IEZEL — Center stack, Black	JBF	S	_	-
Center stack, color-keyed	JBY	-	S	
— Center stack, woodgrain insert	JBB	-	-	S
SIGAR LIGHTER — Packaged with Smoker's Group	JJA	Р	Р	P
LUSTER — Instrument, with tachometer (120-mph speedometer on 3500, 87-mph speedometer on 500/5500), with 3.5-inch Driver Information Display	JAT	S	S	_
— Instrument, with 7-inch Driver Information Display (included with Luxury Group)	JA6		P	S
CONSOLES — Full-size, floor, center (included with front bucket seats)	CUP	-	P	P
- Overhead with map lights (included with Uconnect 5.0 system)	CUN	Р	S	
— Overhead with Universal Garage Door Opener (packaged with Luxury Group)	CV2	_	Р	S
100R LOCKS — Manual, Regular Cab only	JE8	S	-	_
— Power (included in Power Accessory Group and Power and Remote Entry Group; standard on Crew Cab Tradesman)	JPB	P/S	S	S
LOOR COVERING — Heavy-duty vinyl	CKJ	S	0	0
— Carpet	CKE	0	S	S
LOOR MATS — Front, carpeted (Regular Cab; included with carpet on Tradesman models)	CLA	P	S	
— Front and rear, carpeted (Crew Cab; included with carpet on Tradesman models)	GNA	P S	S S	S
IIRRORS — Day/night manual — Auto-dimming rearview day/night and Uconnect Phone ⁽¹⁸⁾ (included with Convenience Group on	GINA	3	3	_
Crew Cab models)	GN5	—	-	Р
— Rearview mirror with microphone (packaged with Uconnect 5.0, 8.4 and 8.4 NAV systems)	GR4	Р	Р	S
 Auto-dimming rearview day/night with camera display (packaged with ParkView[®] Rear Back-Up Camera⁽²¹⁾ if 3.0 radio or Uconnect 3.0 system is included) 	GN4	Р	Р	_
— Passenger-side visor with mirror	GNM	S	S	-
— Illuminated visor, driver and passenger-side (included with Luxury Group)	GNC	-	Р	S
PEDALS — Power-adjustable (requires automatic transmission)	XAP	-	0	
— Power-adjustable with memory (requires automatic transmission)	XAM	-	-	0
POWER ACCESSORY DELAY	JKY	S	S	S
POWER OUTLETS — Two 12-volt auxiliary]]]	S	S	S
— 115-volt auxiliary (included with *M9,*MJ,*GJ,*VL seats)	JKV		P	S
EAT BELTS — Front shoulder height-adjustable	CGD	S	S	S
- Red, Regular Cab models only (not available on DF 3500 SRW 10K GVWR models)	CGQ	0	0	
EATS — 10-way power driver (included with *M9, *MJ seats)	JRT	-	Р	-
— 10-way power driver with memory and 6-way power passenger seats (*GJ,*VL)	JRF	-	-	S
Heated, driver and front-passenger, includes heated steering wheel in Crew Cab models (included in Comfort Group)	CMA		Р	S
	JPZ	-	-	Р
Front Center Seat delete (included with Rear Interior Trim Delete Group) Vinyl 40/20/40 split-bench front seat with folding center armrest/business console (Crew Cab	CJT *TX	0/P S	0/P	
models include folding rear bench seat trimmed in vinyl)	IA			

3500 CC

3500

4500 CC

5500 CC

PROMASTER

UCONNECT ACCESS^[16] — Included with 8.4 or 8.4 NAV system

PROMASTER CITY CONFIGURATIONS

PAINT

FABRICS

RS7

P S

40

OVERVIEW

POWERTRAINS

1500

2500

		TRADESMAN® REG/CREW	REW	E®
		RADE:	SLT REG/CREW	ARAM
	SALES CODE	A	G	
INTEDIOD FEATURES (continued)	SALLS GODL	R	u	
INTERIOR FEATURES (continued)				
 Cloth-trimmed 40/20/40 split-bench front seat with folding center armrest/business console (Crew Cab models include folding rear bench seat trimmed in cloth) 	*V9	0	S	
 Premium cloth-trimmed 40/20/40 split-bench front seat, power 10-way driver's seat, power lumbar adjuster, folding center armrest/business console with center seat cushion storage, 115-volt auxiliary power outlet (Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth) 	*M9	_	0	_
 Premium cloth-trimmed low-back bucket seats, power 10-way driver's seat, power lumbar adjuster, fixed center console, 115-volt auxiliary power outlet (Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth) 	*MJ	-	0	_
 Leather-trimmed 40/20/40 split-bench heated/ventilated front seats with power 10-way/memory for driver and power 6-way passenger seat, power lumbar adjuster, front center seat cushion storage and folding center armest/business console, 115-volt auxiliary power outlet (Crew Cab models include 60/40 split-folding rear bench seat trimmed in vinyl) 	*VL	-	-	S
 Leather-trimmed low-back, ventilated and heated/ventilated bucket seats, includes power 10-way driver and power 6-way passenger, power lumbar adjuster, fixed center console, 115-volt auxiliary power outlet, heated second-row seats on Crew Cab models (Crew Cab models include 60/40 split-folding rear bench seat trimmed in vinyl) 	*GJ	—	_	0
— Rear Seat delete (Crew Cab models only)	CF8	0	0	—
TEERING — Tilt column	SUA	S	S	S
TEERING WHEEL — Four-spoke, urethane	SCF	S	S	S
Leather-wrapped with remote audio control buttons (packaged with Luxury Group and Comfort Group)	SCV	—	Р	S
— Heated (packaged with heated front seats and/or Comfort Group)	NHS	—	Р	S
tORAGE — Front center seat cushion (included with *VL and *M9 seats; packaged with optional CD layer on *TX, *SX and *V9 seats)	CVH	Р	Р	S
— Front, behind seat (Regular Cab only)	CU3	S	S	_
— Flat-folding load floor (Crew Cab only; included with *M9 seats and above)	CVN	—	Р	S
IP START — Included with automatic transmissions	XBN	Р	Р	Р
URN SIGNALS — One-touch three-blink lane-change feature		S	S	S
VINDOWS — Manual (Regular Cab only)	JF8	S	_	_
 Power, front with driver's one-touch down (Regular Cab only; included with Power Accessory Group and Power and Remote Entry Group) 	JPY	Р	S	-
— Power, front and rear with driver's one-touch down-and-up (Crew Cab models only)	JP3	S	S	S
— Rear backlight, fixed	GJD	S	S	_
— Rear backlight, sliding	GFD	0	0	_
— Rear backlight, power-sliding (Crew Cab models only; included with Luxury Group)	GFE	—	Р	S
— Rear defrost (not available with manual-sliding backlight)	GFA	—	0	0
UCONNECT [®] and multimedia				
ONNECTIVITY — 12-volt, one battery and one ignition-fed]]]	S	S	S
— 2.5-amp charge-only USB port (included with Uconnect 5.0, 8.4 and 8.4 NAV systems)	RS3	Р	Р	S
— Auxiliary jack for mobile devices	RSU	S	S	S
— SD card slot (included with Uconnect 8.4 and 8.4 NAV systems)	RS1	—	Р	S
ADIO CONTROLS — Steering wheel-mounted audio controls (included with leather-wrapped steering heel, Luxury Group and Comfort Group)	RDZ	-	Р	S
ADIOS — 3.0 AM/FM with media hub (with USB and auxiliary input)	RA1	S	S	_
— Uconnect 3.0 AM/FM with media hub (with USB and auxiliary input), includes rearview mirror with microphone and Bluetooth $^{\otimes}$	UA1	0	0	_
— Uconnect 5.0 AM/FM with 5-inch touchscreen display, media hub (with USB and auxiliary input), Uconnect with Bluetooth, ⁽¹³⁾ SiriusXM Satellite Radio ⁽¹⁷⁾	RA2	0	0	_
— Uconnect 8.4 AM/FM with 8.4-inch touchscreen display, media hub (with SD, USB and auxiliary input), Uconnect with Bluetooth, ¹⁸¹ SiriusXM Satellite Radio, ¹⁷¹ Rcall/Ecall (required with Comfort Group)	RA3	-	0/P	S
 Uconnect 8.4 NAV AM/FM with 8.4-inch touchscreen display, media hub (with SD, USB and auxiliary input), GPS navigation, Uconnect with Bluetooth,¹⁸¹ SiriusXM Satellite Radio,¹⁷¹ Rcall/Ecall and HD radio 	RA4	-	0	0
INGLE-DISC REMOTE CD PLAYER	RH1	0	0	0
IRIUSXM® SATELLITE RADIO ^[17]	RSD	0	S	S
PEAKER SYSTEM — 2 standard	RCB	S	-	-
— 6 standard	RCG	—	S	S
 Premium speakers (requires either Uconnect 8.4 or 8.4 NAV system; not available with Upfitter Electronic Module (VSIM)) 	RCK	_	0	0
	0.07		-	-

41

RESOURCES

2	OVERVIEW	POWERTRAINS	1500	2500	3500	3500 C	C		4500 CC	5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FA		
20 C/	16 RAM 3	3500/450 R'S GUIDI	00/5500 E (continued)	CHASSIS		SALES CODE	TRADESMAN® REG/CREW	ے SLT REG/CREW	± LARAMIE®								
SAF	ETY AND SECURIT	γ								PACKAGES	/EQUIPMENT GROU	JPS (continued)					
AIR B	AGS ^[20] — Multistag	e front				CG3	S	S	S			ed cloth front seats (*					
_	 Driver air bag only (i	not available on DF 3	500 SRW 10K GVWR I	models)		CGT	0	0	_		and Dual-Zone temperature control on Crew Cab models (requires Uconnect® 8.4 or 8.4 NAV sys						
BRAK	ES — Power-assiste	ed 4-wheel antilock d	isc			BRT	S	S	S	CONVENIENC rain-sensing	E GROUP — Includes wipers, remote proxi	Auto High-Beam Hea mity keyless entry an	dlamp Control, auto- d Kevless Enter 'n Go ¹	dimming rearview m ™ (not available with	1irror, h		
	CERTIFIED ROADSIDE e fuses and two Red		es DOT fire extinguis	her, three reflecting t	riangles,	ACL	0	0	0	manual tran	rain-sensing wipers, remote proximity keÿless entry and Keyless Enter 'n Go™ (not available w manual transmission) HEANY-DUTY FRONT SUSPENSION GROUP — Packaged with Heavy-Duty Snow Plow Prep Group (
Tract	ion Control, Ready A	lert Braking, Brake A	ssist, Hydraulic Boos	ic Brake-Force Distrit t Compensation, Rair on and Hill Start Assi	n Brake Support,	BNB	S	S	S	models only) HEAVY-DUTY	models only) HEAVY-DUTY SNOWPLOW PREP GROUP — Includes 220-amp alternator and transfer case skid heavy-duty front suspension on 4500/5500 models (requires 4x4 on 3500 models)						
PARK	SENSE® REAR PARK A	st System ^[21])	XAA	0	0	0		LUXURY GROUP — Includes sun visors with illuminated vanity mirrors, glove box lamp, underho									
	SENSE FRONT AND RE adesman or fog lam		EM ^[21] (requires Chron	ne Appearance Group	and fog lamps	XAG	0	0	0	rear dome la Garage Door	rear dome lamp with on-/off-switch, 7-inch Driver Information Display, overhead console with U Garage Door Opener, leather-wrapped steering wheel with audio controls and power rear sliding on Crew Cab models (requires Uconnect 5.0. 8.4 or 8.4 NAV system)						
	VIEW® REAR BACK-UI m screen	P CAMERA ^[21] — Displ	ays in rearview mirro	r with Uconnect® 3.0;	all others on	XAC	0	0	0	MAX TOW PAG	MAX TOP PACAEE — Includes underbody thermal protection; 4.88 axle ratio and transmissio calibration on 4500/5500 models; includes dual transmission oil cooler, underbody thermal p 4.10 axle ratio, transmission software calibration and aluminum rear differential cover on 35 (requires diesel engine with automatic transmission and Trailer Brake Controller: not availab						
RCAL	L/ECALL — Package	d with Uconnect 8.4 a	and 8.4 NAV systems			RSR	—	Р	S	4.10 axle rat							
REMO two t	TE KEYLESS ENTRY – ransmitters (include	– Controls for power ed with Power and Re	door locks, illuminate mote Entry Group on I	ed entry system, pani Regular Cab models)	c alarm; includes	GXM	P/0	S	S	SRW models)						
REMO trans	TE START SYSTEM — mission on Laramie	- Requires automatic models	transmission; packag	ed with available auto	omatic	XBM	_	0/P	Р	120-inch CA	, 4.88 axle ratio and	cludes 19K GVWR wit 26K GCWR (5500 mod	lels; requires 6.4L en	gine)			
SECU	RITY ALARM					LSA	_	0	S	POWER ACCE power-foldin	ssory group — Incl g exterior trailer-tow	udes premium vinyl o mirrors (Regular Cab	loor trim, power wind only)	ows, power door lock	ks and		
SENT	RY KEY® THEFT DETER	RRENT SYSTEM — Eng	gine immobilizer			GXX	S	S	S		0	— Includes premiun	. ,,	er windows, power do	oor locks.		
TRAIL	ER BRAKE CONTROLL	ER — Fully integrate	d electronic			XHC	0	0	0	power-foldin	g exterior trailer-tow	mirrors and remote k	eyless entry (Regular	Cab only)			
PAC	KAGES/EQUIPMEN	NT GROUPS								REAR INTERI and Cab-ba	OR TRIM DELETE GROU	P — Includes Front C Regular Cab only)	enter Seat delete, Re	ar Floor Storage Tray	y delete		
	ILANCE PREP GROUP ter electronic module		p alternator, voltage	monitoring auto idle-	up system and	AH2	0	0	0	ROLLBACK CA	RRIER GROUP Inc	udes voltage monitor s PTO Prep Package, 3	ing auto idle-up syst 220-amp alternator a	em (5500 Regular Ca Ind 22-gallon fuel ta	ab ank)		
CHRC (chro	ME APPEARANCE GRO me-clad wheels only	DUP — Includes chro y on 3500 models)	me front bumper, chr	rome grille and chrom	ie-clad wheels	AMP	0	_	—		500 10K GVWR model	0					
COLD	WEATHER GROUP —	Includes engine block	heater and winter fron	t grille cover (requires	diesel engine)	ADE	0	0	0		,	tray and cigar lighter					

 $S = Standard \ 0 = Optional \ P = Part \ of Package \ --- = Not \ available \ NOTE: some features and/or applications may be late availability.$

RAM 3500 CHASSIS CAB MAX JOB RATING INFORMATION*

	POWE	RTRAIN		Regular Cab 60″ CA (4x2 / 4x4) SRW	Crew Cab 60″ CA (4x2 / 4x4) SRW
			MAX GVWR	10,000	10,000
		66RFE 6-SPEED	MAX PAYLOAD	4,200 / 3,960	3,760 / 3,440
	6.4L HEMI® V8	AUTOMATIC	MAX GAWR FRONT	5,500	5,500
		TRANSMISSION	MAX GAWR REAR	6,800	6,800
		INANSINISSIUN	MAX TOWING	15,050 / 14,810	14,610 / 14,290
			MAX GCWR	21,000	21,000
			MAX GVWR	10,000	10,000
	6.4L HEMI V8	AISIN [®] HEAVY-DUTY	MAX PAYLOAD	4,070 / 3,830	3,630 / 3,310
		6-SPEED AUTOMATIC TRANSMISSION	MAX GAWR FRONT	5,500	5,500
3500 DF			MAX GAWR REAR	6,800	6,800
IOK GVWR		INANSINISSIUN	MAX TOWING	17,920 / 17,680	17,480 / 17,160
SRW			MAX GCWR	24,000	24,000
onn			MAX GVWR	10,000	10,000
			MAX PAYLOAD	3,430 / 3,350	2,990 / 2,670
	6.4L CUMMINS® Turbo Diesel	G56 6-SPEED MANUAL	MAX GAWR FRONT	6.000	6.000
		TRANSMISSION	MAX GAWR REAR	6.800	6,800
			MAX TOWING	17,280 / 17,200	16,840 / 16,520
			MAX GCWR	24,000	24,000
			MAX GVWR	10,000	10,000
		AISIN HEAVY-DUTY	MAX PAYLOAD	3,270 / 3,180	2,830 / 2,510
	6.7L CUMMINS	6-SPEED AUTOMATIC	MAX GAWR FRONT	6,000	6,000
	TURBO DIESEL	TRANSMISSION	MAX GAWR REAR	6,800	6,800
		I NAMON/12210N	MAX TOWING	17,120 / 17,030	16,680 / 16,360
			MAX GCWR	24.000	24.000

Weights given in Ib. *Maximum tow job rating numbers are for a properly equipped vehicle with a 150-Ib allowance for the driver. Additional upfits, options, equipment, passengers and cargo weights must be subtracted from tow/payload weight. Please see your dealer for additional information. CA = Cab-to-Axle length. SRW = Single Rear Wheel.



43

RESOURCES

G/CRFW

G Α

0

0

0

0

0/P 0/P

0 0 0

0

0 0 0

0

0

0 0

0 0

S/0

0 0

S/0 S/0

0

0/P

FABRICS

SALES CODE

AGF

ADC

AZB

AHD

ADA

AHQ

AH5

AJW

AJH

AS8

AH1

AR9

AWS

|--|

RAM 3500/4500/5500 CHASSIS CAB JOB RATING INFORMATION

POW	ERTRAIN		Regular Cab 60" CA (4x2 / 4x4) SRW	Regular Cab 60″ CA (4x2 / 4x4) DRW	Regular Cab 84″ CA (4x2 / 4x4) DRW	Crew Cab 60" CA (4x2 / 4x4) SRW	Crew Cab 60" CA (4x2 / 4x4) DRW
		MAX GVWR	10,700 / 11,000	13,500	13,500	10,700 / 11,000	13,500
	66RFE 6-SPEED	MAX PAYLOAD	4,900 / 4,960	7,350 / 7,120	7,270 / 6,990	4,460 / 4,440	6.880 / 6.600
6.4L HEMI [®] V8	AUTOMATIC	MAX GAWR FRONT	5,500	5,500	5,500	5,500	5,500
0.4L FILIVII VO	TRANSMISSION	MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
	INANSWISSIUN	MAX TOWING	15,050 / 14,810	14,700 / 14,470	14,620 / 14,340	14,610 / 14,290	14,230 / 13,950
		MAX GCWR	21,000	21,000	21,000	21,000	21,000
		MAX GVWR	10,700 / 11,000	14,000	14,000	10,700 / 11,000	14,000
	AISIN [®] HEAVY-DUTY	MAX PAYLOAD	4,770 / 4,830	7,720 / 7,490	7,640 / 7,360	4,330 / 4,310	7,240 / 6,970
6.4L HEMI V8 6-SPEED AUTOMATIC TRANSMISSION	MAX GAWR FRONT	5,500	5,500	5,500	5,500	5,500	
		MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
	TRANSIVISSION	MAX TOWING	17,920 / 17,680	17,570 / 17,340	17,490 / 17,210	17,480 / 17,160	17,090 / 16,820
		MAX GCWR	24,000	24,000	24,000	24,000	24,000
		MAX GVWR	11,600 / 12,000	14,000	14,000	11,600 / 12,000	14,000
	G56 6-SPEED	MAX PAYLOAD	5,030 / 5,180	7,080 / 6,840	6,990 / 6,710	4,590 / 4,670	6,600 / 6,320
6.7L CUMMINS®	MANUAL	MAX GAWR FRONT	6,000	6,000	6,000	6,000	6,000
TURBO DIESEL		MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
	TRANSMISSION	MAX TOWING	19,280 / 19,030	18,930 / 18,690	18,840 / 18,560	18,840 / 18,520	18,450 / 18,170
		MAX GCWR	26,000	26,000	26,000	26,000	26,000
		MAX GVWR	11,600 / 12,000	14,000	14,000	11,600 / 12,000	14,000
6.7L CUMMINS	AISIN HEAVY-DUTY	MAX PAYLOAD	4,870 / 5,020	6,920 / 6,680	6,830 / 6,550	4,430 / 4,510	6,440 / 6,160
		MAX GAWR FRONT	6,000	6,000	6,000	6,000	6,000
HIGH OUTPUT	6-SPEED AUTOMATIC	MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
TURBO DIESEL	TRANSMISSION	MAX TOWING	19,120 / 18,870	22,770 / 22,530	22,680 / 22,400	18,680 / 18,360	22,290 / 22,010
		MAX GCWR	26,000	30,000	30,000	26.000	30,000

Weights given in Ib. *Maximum tow job rating numbers are for a properly equipped vehicle with a 150-lb allowance for the driver. Additional upfits, options, equipment, passengers and cargo weights must be subtracted for not wipayload weight. Please see your dealer for additional information. CA = Cab-to-Axle length. SRW = Single Rear Wheel. DRW = Dual Rear Wheel.

RAM 4500 CHASSIS CAB MAX JOB RATING INFORMATION*

POWERTRAIN		Regular Cab 60" CA (4x2 / 4x4)	Regular Cab 84" CA (4x2 / 4x4)	Regular Cab 108″ CA (4x2 / 4x4)	Regular Cab I20" CA (4x2 / 4x4)	Crew Cab 60" CA (4x2 / 4x4)	Crew Cab 84" CA (4x2 / 4x4)
	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.4L HEMI [®] V8 WITH	MAX PAYLOAD	9,660 / 9,270	9,500 / 9,120	9,350 / 9,000	9,210 / 8,940	9,080 / 8,730	8,940 / 8,640
AISIN® HEAVY-DUTY	MAX GAWR FRONT	6,500	6,500	7,000	7,000	7,000	7,000
6-SPEED AUTOMATIC	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
TRANSMISSION	MAX TOWING	19,010 / 18,620	18,850 / 18,470	18,700 / 18,350	18,560 / 18,290	18,430 / 18,080	18,290 / 17,990
	MAX GCWR	26,000	26,000	26,000	26,000	26,000	26,000
	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.7L CUMMINS® TURBO	MAX PAYLOAD	8,920 / 8,560	8,730 / 8,350	8,640 / 8,230	8,560 / 8,170	8,310 / 7,960	8,170 / 7,870
DIESEL WITH G56	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
6-SPEED MANUAL	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
TRANSMISSION	MAX TOWING	20,270 / 19,910	20,080 / 19,700	19,990 / 19,580	19,910 / 19,520	19,660 / 19,310	19,520 / 19,220
	MAX GCWR	28,000	28,000	28,000	28,000	28,000	28,000
	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.7L CUMMINS HIGH	MAX PAYLOAD	8,800 / 8,400	8,570 / 8,190	8,480 / 8,070	8,400 / 8,010	8,150 / 7,800	8,010 / 7,710
OUTPUT TURBO DIESEL WITH AISIN HEAVY-DUTY	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
6-SPEED AUTOMATIC	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
TRANSMISSION	MAX TOWING	24,650 / 24,250	24,420 / 24,040	24,330 / 23,920	24,250 / 23,860	24,000 / 23,650	23,860 / 23,560
THANGAIISSIUN	MAX GCWR	32,500	32,500	32,500	32,500	32,500	32,500

Weights given in Ib. * Maximum tow job rating numbers are for a properly equipped vehicle with a 150-b allowance for the driver. Additional upfits, options, equipment, passengers and cargo weights must be subtracted from tow/payload weight. Please see your dealer for additional information. CA = Cab-to-Axle length. SRW = Dual Rear Wheel. DRW = Dual Rear Wheel.

RAM 5500 CHASSIS	CAB MAX JOB RA	TING INFORMATION*					
POWERTRAIN		Regular Cab 60″ CA (4x2 / 4x4)	Regular Cab 84″ CA (4x2 / 4x4)	Regular Cab 108" CA (4x2 / 4x4)	Regular Cab I20" CA (4x2 / 4x4)	Crew Cab 60" CA (4x2 / 4x4)	Crew Cab 84" CA (4x2 / 4x4)
	MAX GVWR	19,000	19,500	19,500	19,500	19,000	19,500
6.4L HEMI [®] V8 WITH	MAX PAYLOAD	12,110 / 11,740	12,480 / 12,100	12,310 / 11,960	12,260 / 11,880	11,600 / 11,220	11,910 / 11,550
AISIN [®] HEAVY-DUTY	MAX GAWR FRONT	6,500	6,500	7,000	7,000	7,000	7,000
6-SPEED AUTOMATIC	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
TRANSMISSION	MAX TOWING	18,960 / 18,590	18,830 / 18,450	18,660 / 18,310	18,610 / 18,230	18,450 / 18,070	18,260 / 17,900
	MAX GCWR	26,000	26,000	26,000	26,000	26,000	26,000
	MAX GVWR	19,000	19,500	19,500	19,500	19,000	19,500
6.7L CUMMINS® TURBO	MAX PAYLOAD	11,390 / 10,990	11,790 / 11,360	11,700 / 11,220	11,610 / 11,140	10,830 / 10,480	11,140 / 10,810
DIESEL WITH G56	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
6-SPEED MANUAL	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
TRANSMISSION	MAX TOWING	20,240 / 19,840	20,140 / 19,710	20,050 / 19,570	19,960 / 19,490	19,680 / 19,330	19,490 / 19,160
	MAX GCWR	28,000	28,000	28,000	28,000	28,000	28,000
0.71.0000000000000000000000000000000000	MAX GVWR	19,000	19,500	19,500	19,500	19,000	19,500
6.7L CUMMINS HIGH	MAX PAYLOAD	11,250 / 10,830	11,630 / 11,200	11,540 / 11,060	11,450 / 10,980	10,670 / 10,320	10,980 / 10,910
OUTPUT TURBO DIESEL WITH AISIN HEAVY-DUTY	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
6-SPEED AUTOMATIC	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
TRANSMISSION	MAX TOWING	29,600 / 29,180	29,480 / 29,050	29,390 / 28,910	29,300 / 28,830	29,020 / 28,670	28,830 / 28,760
Thatomoord	MAX GCWR	37,500	37,500	37,500	37,500	37,500	37,500

Weights given in Ib. *Maximum tow job rating numbers are for a properly equipped vehicle with a 150-b allowance for the driver. Additional upfits, options, equipment, passengers and cargo weights must be subtracted from tow/payload weight. Please see your dealer for additional information. C4 = Cab-to-Axle length. SRW = Single Rear Wheel. DRW = Dual Rear Wheel.



PROMASTER VAN ROOF OPTIONS

46

OVERVIEW

POWERTRAINS

1500

2500

3500

3500 CC

4500 CC


5500 CC

PROMASTER


PROMASTER CITY CONFIGURATIONS

PAINT

FABRICS



HIGH ROOF (H2)





MAX CARGO AREA Meets SAE J1100 requirements.

and the second s		and the local division of			-
2016 RAM PROMASTER 1500/2500/3500 VAN	ЭE			AB	
AND 2500/3500 CUTAWAY/CHASSIS CAB	SALES CODE		VIND OWED	CHASSIS CAB	NAY
BUYER'S GUIDE	ALES	VAN	IND (HAS	CUTAWAY
ENGINES AND TRANSMISSIONS	S	>	>	0	0
3.0L EcoDiesel I4 with 6-speed Dual Active Drive transmission	EXG	0	0	0	0
	ERB	-	0	0	S
3.6L Pentastar® V6 with 6-speed automatic transmission	EKB	S	S	S	2
SUSPENSIONS					
LIGHT-DUTY — 1500 118-inch wheelbase	SDA	S	—	-	
MEDIUM-DUTY — 1500 136-inch wheelbase	SDJ	S	—	—	-
HEAVY-DUTY — 2500/3500	SDB	S	0	S	S
TOURING	SDC	-	S	—	_
RV/MOTORHOME SUSPENSION — 3500 models only	SDD	0	0	0	0
MECHANICAL FEATURES					
4- AND 7-PIN WIRING HARNESS (included with Trailer-Tow Group on Cargo Van and Windowed Van)	XF2	Р	Р	0	0
ADDITIONAL KEY FOBS — 2	GXK	0	0	0	0
AUXILIARY BATTERY PREP — Includes upfit interface connectors	BC1	0	0	0	0
ALTERNATOR — 180-amp	BAD	S	S	—	
— 220-amp (packaged with 3.0L EcoDiesel I4)	BAJ	0/S	0/S	S	S
BATTERY — 95-amp	BCY	S	S	S	S
— 100-amp (packaged with 3.0L EcoDiesel I4)	BDC	Р	Р	Р	Р
CRUISE CONTROL	NHM	0	0	0	0
ELECTRONIC PARKING BRAKE — Requires 3.0L EcoDiesel 14 (late availability)	XC4	0	0	0	0
ELECTRONIC STABILITY CONTROL (ESC) ⁽⁵⁾	BNB	S	S	S	S
ELECTRONIC VEHICLE TRACKING SYSTEM	AES	0	0	0	0
ENGINE BLOCK HEATER — 3.0L EcoDiesel 14 includes transmission heater	NHK	0	0	0	0
FUEL TANK — 24-gallon	NFE	S	S	S	S
POWER STEERING	SBA	S	S	S	S
SPEED LIMITER — 60-mph, 65-mph, 70-mph and 77-mph (dealer-activated)	NHR	S	S	S	S
TEMPORARY SPARE TIRE MOUNTING	TBA	-	—	0	0
EXTERIOR FEATURES					
CHROME GRILLE — Included with Premium Appearance Group	MFE	Р	Р	Р	Р
CUSTOM VINYL GRAPHICS PACKAGE A	MPT	0	_	_	
CUSTOM VINYL GRAPHICS PACKAGE B	MPU	0	_	_	
DAYTIME RUNNING LIGHTS	LMK	0	0	0	0
DOORS, REAR — 260-degree-opening with fixed glass	GLB	0	S		
— 260-degree-opening with no glass	GLF	S	—	_	

47

RESOURCES

OVERVIE	W POWERTRAINS	1500	2500	3500	350	0 CC		4	450
VAN AN	M PROMAST	O CUTA	0/2500/3 Way/Cha	500 \SSIS	SALES CODE	VAN	WINDOWED	CHASSIS CAB	CLITANALAV
EXTERIOR FEAT	URES (continued)					-	-		
	eft-side with fixed glass (not				GKD	0	—	—	-
	h no glass (not available on 1	18-inch wheelbas	e)		GKE	0		—	
- Right-side w					GKB	0	S	—	
— Right-side w					GKA XGF	S			-
EXTENDED WIRING	— Tamamps — Included with Premium A	ppograpoo Croup			LNJ	<u> </u>		S P	
ALOGEN HEADLAM		ppearance droup			LIND	S	S	S	
	ual-adjustable, manual-fold-	away			GTP	S	S	S	
— Power-adjust					GTB	0	0	0	
	nded exterior mirrors (include	s power heated mi	rrors on Cargo/Windowed	Vans)	XZP	P	P	•	
- Power-adjust	table/power-folding, heated	o pontor nourou nin		, runo,	GTR	0	0	_	
ROOF CLEARANCE					LNC	S	S	S	
— Rear					LING	S	S		
- Delete Front	Clearance Lamps				LT8			0	(
	nper extension (not available	with Trailer-Tow G	roup; late availability)		MDM	0	0	_	
	left side (requires left side do				MR3	0	0	_	E
	right side (late availability)				MRZ	0	0	_	
SPLASH GUARDS -					MKN	0	0	-	E
	ROSTER (Cargo Vans require	rear windows)			GFA	0	S	_	
INTERIOR FEAT		,							
	/ POWER — Front				JJJ	S	S	S	
- Rear					JKP	0	0	_	
	— Delete Air Conditioning; h	leater only			HCD	0	0	0	
	trolled, with heat				HAA	S	S	S	t
REAR HEATER A/C I					HDG	0	0	0	
	ER SWITCHES — 2 (late availa	ibility)			LHL	0	0	0	
ARGO AREA LIGHT					LCP	0	0	-	į,
ARGO COMPARTM					CKL	0	_	_	
ARGO LAMPS —					LPE	S	S	-	F
ARGO PARTITION					CTP	S	S	-	F
— With sliding					XJ1	0	_	_	F
- Without wind					CWC	0	—	-	F
ARGO TIE-DOWN I	RINGS — Floor					S	S	-	E
	cluded with Cargo Convenien	ce Group)			CKT	Р	Р	—	F
	L BEZELS — Bright				JBD	0	0	0	(
OWER DOOR LOCK					—	S	S	S	
REAR ASSIST HAND					CSR	0	0	_	F
	ARDS (late availability)				XGC	0	—	-	F
EATING SURFACES	s — Cloth				*A7	S	S	S	
— Cloth/vinyl					*B7	0	0	0	
	nanually adjustable driver an				CDN/CDT	S	S	S	
	adjustable (not available wit				CDL	0	0	0	
	nger 6-way adjustable (N/A w				CDU	0	0	0	
— Driver swivel (nsion (not available with driv (requires cloth seating surfaces				CXX CEA	0	0	0	-
heated seat)						-	-	-	
	r (requires 6-way adjustable (CMB	0	0	0	
	enger (requires 6-way adjusta	ible driver/passeng	ger seats)		CMC	0	0	0	
- Passenger do					CAA	0	-	0	F
— Passenger-se	eat delete	(1. 11.	CD9	0	0	0	
 Passenger sv 	vivel (requires cloth seating s	urfaces and driver	swivel seat; not availab	le with	CHR	0	0	0	
PRAY-ON FLOOR L	on or heated seat)				XMF	0	0		
TEERING COLUMN					SUC	S	S		
	— Leather-wrapped				SUC	0	0	0	
	— Leather-wrapped ncluded with Cargo Convenie	nce Group			CKR	P	P	0	
IRE PRESSURE MO		uup			XGM	S	S	S	-
IPFIT INTERFACE (BC3	0	0	0	
VALL PANELS — F					CTE	0		_	
— Lower-side					CMG	0	0	_	
VINDOWS — Pow	er				JPY	S	S	S	۲
VOOD FLOOR — R					CME	0	0	_	1
	ND MULTIMEDIA				UIIL				
M/FM/MP3					RH3	S	S	S	T
	auires Ilconnect 5.0 system				JLN	0	0	0	
	equires Uconnect 5.0 system P — Includes four speakers	and media input h	ub		RA9	0	0	0	
	IP — Includes four speakers RING PREP (includes upfit inte		uv		RED	0	0	0	H
	ITE RADIO ⁽¹⁷⁾ — Requires Uco				RSD	0	0	0	
JCONNECT WEB ^[22]		moor and system			XG5	0	0	0	
	FM/CD — Includes Bluetooth	and stooring who	al mounted controls		RA2	0	0	0	
CONNELT D.U AM/	rm/oD — Ilicidaes Blaetootu	and steering whe	eer-mounted controls		RAZ	U	0	U	

S = Standard 0 = Optional P = Part of Package — = Not available NOTE: some features and/or applications may be late availability.

5500 CC	PROMASTER	PROMASTER CITY	CITY CONFIGURATIONS PAINT FABRICS					RESOURCES			49		
						SALES CODE	VAN	WINDOWED	CHASSIS CAB	CUTAWAY .			
SAFETY AN	D SECURITY												
AIR BAGS ^[20] -	— Six	CG3, CJ4, CJ1	S	S	S	S							
DOT-CERTIFIE	ACL	0	0	0	0								
PARKSENSE®	REAR PARK ASSIST ^[21]					XAA	0	0	—				
PARKVIEW [®] R	EAR BACK-UP CAMER/	A ^[21] — Requires Ucon	nect® 5.0 system			XAC	0	0	—	—			
REAR BACK-U	P ALARM					XAW	0	0	0	0			
SECURITY ALA	RM					LSA	0	0	0	0			
REAR CAMERA	A WIRING PREP	XA3	S	S	0	0							
REMOTE STAR	REMOTE START — Not available with 3.0L EcoDiesel 14									0			
PACKAGES	/EQUIPMENT GROU	JPS											
CARGO CONVE	CARGO CONVENIENCE GROUP — Side-wall cargo tie-down rings and cargo net												
COLD WEATHE	R FRONT GRILLE COVI	XD6	0	0	0	0							

PREMIUM APPEARANCE GROUP — Front fog lamps with chrome grille ALU 0 0 0 0 SMOKER'S GROUP — Removable ashtray and cigar lighter AWS 0 0 0 0 0 TRAILER-TOW GROUP — Class IV hitch receiver and 4- / 7-pin wiring harness AHT 0 0

INTERIOR CONVENIENCE GROUP — Includes non-locking underseat storage tray, windshield document

holder, shelf above roof trim and locking glove box

2016 RAM PROMASTER[®] 1500/2500/3500 VAN AND 2500/3500 CUTAWAY/CHASSIS CAB TOWING AND PAYLOAD

POWERTRAIN	В	ody Style	Wheelbase (inches)	Vehicle Height	Overall Length	Curb Weight	GVWR (lb)	Payload (lb)	Towing Capacity	GCWF (lb)		
			· · ·	(inches)	(inches)	(lb)	(12)	. ,	(lb)	. ,		
	0	CARGO	118	88.7	195.4	4,560	8,550	3,990	5,100	11,500		
	1500	VAN	136	88.7	213.1	4,667	8,550	3,880	5,100	11,500		
			136	99.4	213.1	4,781	8,550	3,760	5,100	11,500		
	_	CARGO	136	99.4	213.1	4,773	8,900	4,120	5,100	11,500		
	2500	VAN	159	99.4	236	4,883	8,900	4,010	5,100	11,500		
3.6L	5	WINDOWED VAN	159	99.4	236	4969	8,900	3,930	5,100	11,500		
Pentastar® V6/6-speed		CARGO	159	99.4	236	4,922	9,350	4,420	5,100	11,500		
Automatic	3500	VAN	159 Ext.	99.4	250.5	5,009	9,350	4,340	5,100	11,500		
Transmission	36	WINDOWED VAN	159 Ext.	99.4	250.5	5,061	9,350	4,280	5,100	11,500		
	2500	CHASSIS CAB/ CUTAWAY	136	84.8	207	4,211 / 4,150	8,900	4,680 / 4,740	5,100	11,500		
	3500	0	0	CHASSIS	159	84.8	230	4,216 / 4,142	9,350	5,130 / 5,200	5,100	11,500
		CAB/ CUTAWAY	159 Ext.	84.8	244.4	4,242 / 4,197	9,350	5,100 / 5,150	5,100	11,500		
	_		118	88.7	195.4	4,818	8,550	3,730	5,100	12,50		
	500	CARGO VAN	136	88.7	213.1	4,924	8,550	3,620	5,100	12,50		
	-	VAIN	136	99.4	213.1	5,080	8,550	3,460	5,100	12,50		
		CARGO	136	99.4	213.1	5,061	8,900	3,830	5,100	12,500		
	2500	VAN	159	99.4	236	5,201	8,900	3,690	5,100	12,50		
.OL EcoDiesel	26	WINDOWED VAN	159	99.4	236	5,286	8,900	3,610	5,100	12,50		
I4 / 6-speed Dual Active		CARGO	159	99.4	236	5,231	9,350	4,110	5,100	12,500		
Dual Active	3500	500	VAN	159 Ext.	99.4	250.5	5,322	9,350	4,020	5,100	12,500	
Transmission	ŝ	WINDOWED VAN	159 Ext.	99.4	250.5	5,378	9,350	3,970	5,100	12,500		
	2500	CHASSIS CAB/ CUTAWAY	136	84.8	207	4,452 / 4,407	8,900	4,440 / 4,490	5,100	12,500		
	00	CHASSIS	159	84.8	230	4,480 / 4,429	9,350	4,870 / 4,920	5,100	12,500		
	3500	CAB/ CUTAWAY	159 Ext.	84.8	244.4	4,505 / 4,462	9,350	4,840 / 4,880	5,100	12,500		

*When properly equipped.





16-inch Steel Wheel with Optional Cover 16-i Optional for Ram ProMaster Optiv 1500/2500/3500 (W6A) 150



AJV 0 0 0

16-inch Aluminum Wheel Optional for Ram ProMaster I500/2500/3500 (WDN)

16-inch Steel Wheel with Center Cap Standard for Ram ProMaster I500/2500/3500 (WCS and WMN)

RAM PROMASTER CITY



Properly secure all cargo.



16-inch Steel Wheel with Center Cap Standard on Tradesman® Cargo Van/Wagon (WDL)



16-inch Steel Wheel Cover Standard on Tradesman SLT Cargo Van/Wagon SLT Optional on Tradesman Cargo Van/Wagon (WCS)



16-inch Aluminum Wheel Available on Tradesman SLT Cargo Van/Wagon SLT (WDN)



ENGINE TRANSMISSION					
2.4L Tigershark® MultiAir®2 I4 9-speed automatic (DFH)	—	S	S	S	
MECHANICAL FEATURES					
ALTERNATOR — 160-amp	BAB	S	S	S	
BATTERY — 700-amp maintenance-free	BC8	S	S	S	
BRAKES — 4-wheel antilock	BGK	S	S	S	
FRONT AND REAR STABILIZER BARS	SHC	S	S	S	
FUEL TANK — 16-gallon	NFZ	S	S	S	
HEAVY-DUTY SUSPENSION	SDB	S	S	S	
PUNCTURE SEALANT AND PORTABLE AIR COMPRESSOR	XAH	S	S	S	
VEHICLE TRACKING SYSTEM	XDJ	0	0	0	
EXTERIOR FEATURES					
BODYSIDE MOLDING — Black	MJA	S	S	S	Т
BUMPERS — Front and rear, Black	MLM	S	_	S	E
- Body-color	MLA	_	S	_	T
DAYTIME RUNNING LIGHTS	LMK	0	0	0	T
DOORS — Dark-tint glass (not available with side and rear doors with solid panels on Cargo Van models)	GEG	0	P	0	T
— Rear with 180-degree opening	GLE	S	S	S	T
— Side and rear doors with solid panels	GC1	S	S		
— Rear hinged doors with glass	GC2	0	0		
Rear and sliding side doors with vented glass	GC3	0	0		
Rear and sliding side doors with vented glass Rear and sliding side door glass	GC4			S	
FOG LAMPS — Front (requires Lights and Wheels Group)	LNJ	_			۲
HEADLAMPS — Halogen	LIND	S	S	S	۲
MIRRORS — Manual-adjustable	GTZ	S	<u> </u>	S	
— Power-adjustable/folding/heated with body-color caps	GTZ	3	S	3	
	MWM	0	0		
ROOF RACK — 3-bar utility (not available with Roof Rack Side Rails)					
ROOF RACK CROSSBARS	MWF	0	0	0	
ROOF RACK SIDE RAILS	MWE	0	0	0	
SPLASH GUARDS	MKN	0	0	0	
TIRES — 215/55R16XL BSW All-Season	TMC	S	S	S	
WHEEL COVERS — 16-inch steel wheels painted Black with full wheel covers	WCS	0	S	0	
		-			
WHEELS — 16-inch steel wheels painted Silver with center cap	WDL	S	—	S	
WHEELS — 16-inch steel wheels painted Silver with center cap — 16-inch aluminum wheels (requires Lights and Wheels Group)	WDL WDN	S 	— Р	S —	-
		S —	<u>—</u> Р	S 	
- 16-inch aluminum wheels (requires Lights and Wheels Group)		S — S	— Р Ѕ	S S	
16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES	WDN	_			
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING	WDN HAA		S		
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability)	WDN HAA CWM		S 0		-
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability)	WDN HAA CWM		S 0 0	S 	-
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) DOR LOCKS — Power FLOOR MATS — Front carpet	WDN HAA CWM CWN	S 0 0 S	S 0 0 S	S — S	-
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) DOOR LOCKS — Power	WDN HAA CWM CWN — CLC	S 0 0 S	S 0 0 S	S — S —	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CAREO SHELVING — Foldable (late availability) — Fixed (late availability) DOOR LOCKS — Power FLOOR MATS — Front carpet — Front and rear carpet — Front slush	WDN HAA CWM CWN CLC CLC	S 0 0 S 0	S 0 0 S 0	S — S — 0	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) DOOR LOCKS — Power FLOOR MATS — Font carpet — Front and rear carpet — Front slush — Front and rear slush	WDN HAA CWM CWN CLC CLE CLY	S 0 0 S 0 	S 0 0 S 0	S — S — 0	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) DOOR LOCKS — Power FLOOR MATS — Front carpet — Front and rear carpet — Front slush — Front and rear slush LIGHTING — Map/courtesy/cargo lamps	WDN HAA CWM CWN CLC CLC CLE CLY CLF LBC	S 0 0 S 0 	S 0 0 S 0 	S 	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) DOOR LOCKS — Power FLOOR MATS — Front carpet — Front and rear carpet — Front slush — Front and rear slush LIGHTING — Map/courtesy/cargo lamps — Cargo area LED lighting	WDN HAA CWM CWN CLC CLE CLY CLF LBC LCP	S 0 0 S 0 0 0 0 0 S 0 0 0 0	S 0 S 0 	S — S — 0 — 0 S —	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) — Fixed (late availability) DOOR LOCKS — Power FLOOR MATS — Front carpet — Front and rear carpet — Front and rear slush LIGHTING — Map/courtesy/cargo lamps — Cargo area LED lighting SEATS — Cloth low-back bucket seats with manual adjuster	WDN HAA CWM CWN CLC CLE CLY CLF LBC LCP *B7	S 0 0 S 0 0 0 0 S 0 S	S 0 S 0 S 0 0 	S 	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) — Fixed (late availability) DOOR LOCKS — Power FLOOR MATS — Front carpet — Front and rear carpet — Front and rear slush LIGHTING — Map/courtesy/cargo lamps — Cargo area LED lighting SEATS — Cloth low-back bucket seats with manual adjuster — Premium cloth bucket seats with manual adjustable lumbar control and height adjuster	WDN HAA CWM CWN CLC CLC CLE CLY CLF LBC LCP *B7 *C7	S 0 0 S 0 0 S 0 S 0 S 0 S 0 S 0 S 0	S 0 S 0 0 S 0	S 	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) DOOR LOCKS — Power FLOOR MATS — Front carpet — Front and rear carpet — Front slush — Front and rear slush LIGHTING — Map/courtesy/cargo lamps — Cargo area LED lighting SEATS — Cloth low-back bucket seats with manual adjustable lumbar control and height adjuster — Premium cloth bucket seats with manual adjustable lumbar control and height adjuster — G0/40 fold-and-tumble 3-passenger rear bench	WDN HAA CWM CWN CLC CLE CLY CLF LBC LCP *B7 *C7 CFF	S 0 0 S 0	S 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	S 	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) DOOR LOCKS — Power FLOOR MATS — Front carpet — Front and rear carpet — Front slush — Front and rear slush LIGHTING — Map/courtesy/cargo lamps — Cloth low-back bucket seats with manual adjuster — Premium cloth bucket seats with manual adjustable lumbar control and height adjuster — Fo0/40 fold-and-tumble 3-passenger rear bench — Heated front seats (included with Popular Equipment Group)	WDN HAA CWM CWN CLC CLE CLY CLF LBC LCP *B7 *C7 CFF JPM	S 0 0 S 0 0 S 0 S 0 S 0 S 0 S	S 0 0 0 0 0 S 0 0 S 5 7 P	S 	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) DOOR LOCKS — Power FLOOR MATS — Front carpet — Front and rear carpet — Front and rear carpet — Front and rear slush LIGHTING — Map/courtesy/cargo lamps — Cargo area LED lighting SEATS — Cloth low-back bucket seats with manual adjuster — Premium cloth bucket seats with manual adjuster — Gol/40 fold-and-tumble 3-passenger rear bench — Heated front seats (included with Popular Equipment Group) SPEED CONTROL	WDN HAA CWM CWN CLC CLE CLY CLF LBC LCP *B7 *C7 CFF JPM NHM	S 0 S 0 S 0 S 0 S 0 S 0 S 0 S 0 S 0 S 0 S 0 S 0	S 0 0 5 0 0 5 0 0 5 0 0 5 5 9 7 8 5	S S S S S S S S S O	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) DOOR LOCKS — Power FLOOR MATS — Front carpet — Front and rear carpet — Front and rear carpet — Front and rear slush LIGHTING — Map/courtesy/cargo lamps — Cargo area LED lighting SEATS — Cloth low-back bucket seats with manual adjuster — Premium cloth bucket seats with manual adjuster — Premium cloth bucket seats with manual adjuster — Premium cloth bucket seats (included with Popular Equipment Group) SPEED CONTROL STEERING COLUMN — Tit/telescoping	WDN HAA CWM CWN CLC CLF LBC LCP *B7 *C7 CFF JPM NHM SUD	S 0 0 S 0 0 S 0 S 0 S 0 S 0 S 0 S 0 S 0 S 0 S 0 S	S 0 0 5 0 0 5 0 0 5 0 0 5 5 5 5	S 	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) — Fixed (late availability) — Fixed (late availability) — Front and rear carpet — Front and rear carpet — Front and rear slush LIGHTING — Map/courtesy/cargo lamps — Cargo area LED lighting SEATS — Cloth low-back bucket seats with manual adjuster — Premium cloth bucket seats with manual adjuster — Fourit seats (included with Popular Equipment Group) SPEED CONTROL STEERING GULUNN — Tit/telescoping STEERING WHEEL — Luxury	WDN HAA CWM CWM CLC CLE CLY CLF LBC LCP *B7 *C7 CFF JPM NHM SUD SCK	S 0 0 S 0 0 S 0 0 S S 0 0 S S S	S 0 0 S 0 S 0 0 S 0 0 S S S S	S S S S O O S S S S S	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) — Fixed (late availability) — Fixed (late availability) — Front and rear carpet — Front and rear carpet — Front and rear slush LIGHTING — Map/courtesy/cargo lamps — Cargo area LED lighting SEATS — Cloth low-back bucket seats with manual adjuster — Premium cloth bucket seats with manual adjuster — Premium cloth bucket seats with manual adjuster — Foold ford-and-tumble 3-passenger rear bench — Heated front seats (included with Popular Equipment Group) SEEED CONTROL STEERING GULUMN — Tit/telescoping STEERING WHEL — Luxury — Leather-wrapped (included with Uconnect® 5.0 system)	WDN HAA CWM CWM CLC CLC CLE CLY CLF LBC LCP *B7 *C7 CFF JPM NHM SUD SCK SCG	S 0 0 S 0 0 S 0 S S P	S 0 0 S 0 0 S 0 0 S S S S	S S S S S S S S S P	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) DOOR LOCKS — Power FLOOR MATS — Front carpet — Front and rear carpet — Front and rear slush LIGHTING — Map/courtesy/cargo lamps — Cargo area LED lighting SEATS — Cloth low-back bucket seats with manual adjuster — Prenium cloth bucket seats with manual adjuster — Ford fold-and-tumble 3-passenger rear bench — Heated front seats (included with Popular Equipment Group) SPEED CONTROL STEERING WHEEL — Luxury — Leather-wrapped (included with Uconnect® 5.0 system) WINDOWS — Front power with one-touch up/down	WDN HAA CWM CWM CLC CLC CLF LBC LCP *B7 *C7 CFF JPM NHM SUD SCK SCG JP3	S 0 0 S 0 0 S 0 0 S S 0 0 S S S	S 0 0 S 0 0 S 0 0 S S S S	S S S S O O S S S S S	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) DOOR LOCKS — Power FLOOR MATS — Front carpet — Front and rear carpet — Front and rear carpet — Front and rear slush LIGHTING — Map/courtesy/cargo lamps — Cargo area LED lighting SEATS — Cloth low-back bucket seats with manual adjuster — Premium cloth bucket seats with manual adjuster — Ford to seats (included with Popular Equipment Group) SPEED CONTROL STEERING COLUMN — Tilt/telescoping STEERING WHELL — Luxury — Leather-wrapped (included with Vconnect® 5.0 system) WINDOWS — Front power with one-touch up/down — 2nd-row power windows (included with Popular Equipment Group)	WDN HAA CWM CWM CLC CLE CLY CLF LBC LCP *B7 *C7 CFF S7 K SUD SCK SCK SCK SCK SCK SCK	S 0 0 0 0 0 0 0 0 0 0 0 0 0 S 0 S 0 S 0 S P S	S 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	S S S O O S S S S S S S S S S S S S S S	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed availability) — Fixed arear slush [LifetTING — Map/courtesy/cargo lamps — Cargo area LED lighting SEATS — Cloth low-back bucket seats with manual adjuster — Premium cloth bucket seats (late with Popular Equipment Group) SEEE CONTROL SEEERING COLUMN — Tilt/telescoping SEEERING WHEEL — Luxury — Leather-wrapped (included with Uconnect® 5.0 system) WINDOWS — Front power with one-touch up/down — Znd-row power windows (included with Popular Equipment Group) — Tinted (requires rear and side sliding doors with vented glass on Cargo Van models)	WDN HAA CWM CWM CLC CLE CLY CLE CLY CLF LBC LCP *B7 *C7 CFF SPM NHM SUD SCK SCG JPG GAC	S 0 0 S 0	S 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed availability) — Fixed availability — Front carpet — Front and rear carpet — Front and rear carpet — Front and rear sulsh [LIGHTING — Map/courtesy/cargo lamps — Cargo area LED lighting SEATS — Cloth low-back bucket seats with manual adjuster — Premium cloth bucket seats with manual adjustable lumbar control and height adjuster — Premium cloth bucket seats with manual adjustable lumbar control and height adjuster — Premium cloth bucket seats (late with Popular Equipment Group) SEEE CONTROL STEERING COLUMN — Tilt/telescoping STEERING WHEEL — Luxury — Leather-wrapped (included with Uconnect® 5.0 system) WINDOWS — Front power with one-touch up/down — Znd-row power windows (included with Popular Equipment Group) — Tinted (requires rear and side sliding doors with vented glass on Cargo Van models) — Dark tint (not available with side and rear doors with solid panels on Cargo Van models)	WDN HAA CWM CWM CLC CLE CLY CLF LBC LCP *B7 *C7 CFF S7 K SUD SCK SCK SCK SCK SCK SCK	S 0 0 0 0 0 0 0 0 0 0 0 0 0 S 0 S 0 S 0 S P S	S 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	S S S O O S S S S S S S S S S S S S S S	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) — Front and rear carpet — Front and rear carpet — Front and rear slush LIGHTING — Map/courtesy/cargo lamps — Cargo area LED lighting SEATS — Cloth low-back bucket seats with manual adjuster — Premium cloth bucket seats with manual adjustable lumbar control and height adjuster — Heated front seats (included with Popular Equipment Group) SEEED CONTROL STEERING COLUMN — Tilt/telescoping STEERING WHEEL — Luxury — Leather-wrapped (included with Popular Equipment Group) — Znd-row power with one-touch up/down — Znd-row power with one-touch up/down — Tinted (requires rear and side sliding doors with vented glass on Cargo Van models) UCONNECT AND MULTIMEDIA	WDN HAA CWM CWM CLF CLF CLF LBC LCP *B7 *C7 CFF JPM NHM SUD SCK SCG JP3 JPG GAC GEG	S 0 S 0 0 S 0 S 0 S 0 S 0 S S P 0 0 S P 0	S 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 5 S 5 5 5 7 P 7 9 9 9 9 0 0	S S S S S S S S S S S S S S S S S S S O O	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed rear structure) — Cargo area LED lighting SEATS — Cloth low-back bucket seats with manual adjuster — Premium cloth bucket seats with manual adjustable lumbar control and height adjuster — Fourd and-tumble 3-passenger rear bench — Heated front seats (included with Popular Equipment Group) SEEEEN COLUMN — Tit/telescoping SEEERING COLUMN — Tit/telescoping Datk int (not available with Uconnect® 5.0 system) WINDOWS — Front power with one-touch up/down — Leather-wrapped (included with Popular Equipment Group) — Tinted (requires rear and side siding doors with vented glass on Cargo Van models) — Dark tint (not available with side and rear doo	WDN HAA CWM CWM CLC CLE CLY CLE CLY CLF LBC LCP *B7 *C7 CFF SPM NHM SUD SCK SCG JPG GAC	S 0 S 0 0 S 0 S 0 S 0 S 0 S S P 0 O	S 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	S S S S S S S S S S S S S S S S O O S O O O	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed (late availability) DOOR LOCKS — Power FLOOR MATS — Front carpet — Front and rear carpet — Front and rear carpet — Front and rear slush LIGHTING — Map/courtesy/cargo lamps — Cargo area LED lighting SEATS — Cloth low-back bucket seats with manual adjuster — Premium cloth bucket seats with manual adjuster — Ford for a seats (included with Popular Equipment Group) SPEED CONTROL STEERING WHELL — Luxury — Leather-wrapped (included with Uconnect® 5.0 system) WINDOWS — Front power with one-touch up/down — Zard-row power windows (included with Popular Equipment Group) — Tinted (requires rear and side sliding doors with solid panels on Cargo Van models) — Tont kint (not available with side and rear doors with solid panels on Cargo Van models) UCONNECT AND MULTIMEDIA BULFOOTH WIRELESS ¹⁰⁰ — Requires Uconnect 5.0 system RADIOS — 3.0 AM/FM with media hub with USB and auxiliary input	WDN HAA CWM CWM CLF CLF CLF LBC LCP *B7 *C7 CFF JPM NHM SUD SCK SCG JP3 JPG GAC GEG	S 0 S 0 0 S 0 S 0 S 0 S 0 S S P 0 0 S P 0	S 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 5 S 5 5 5 7 P 7 9 9 9 9 0 0	S S S S S S S S S S S S S S S S S S S O O	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed state availability) — Front and rear carpet — Front and rear carpet — Front and rear slush LIGHTING — Map/courtesy/cargo lamps — Cargo area LED lighting SEATS — Cloth low-back bucket seats with manual adjuster — Premium cloth bucket seats with manual adjustable lumbar control and height adjuster — Gol/40 fold-and-tumble 3-passenger rear bench — Heated front seats (included with Popular Equipment Group) SEEED CONTROL STEERING COLUMN — Tilt/telescoping STEERING COLUMN — Tilt/telescoping STEERING WHEEL — Luxury — Leatherwrapped (included with Uconnect® 5.0 system) WINDOWS — Front power with one-touch up/down — 2nd-row power windows (included with Popular Equipment Group) — Tinted (requires rear and side sliding doors with vented glass on Cargo Van models) — Dark tint (not available with side and rear doors with solid panels on Cargo Van models) UCONNECT AND MULTIMEDIA BLUETOOTH® WIRELESU® — Requires Uconnect 5.0 system RADIOS — 3.0 AW/FM with 5-inch touchscreen display, media hub (with USB and auxiliary input), Uconnect with Bluetooth ¹³⁸	WDN HAA CWM CWM CLF CLF CLF LBC LCP *B7 *C7 CFF JPM NHM SUD SCK SCG JP3 JPG GAC GEG RFM	S 0 S 0 0 S 0 S 0 S 0 S 0 S S P 0 O	S 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 5 S 5 5 5 7 P 7 9 9 9 9 0 0	S S S S S S S S S S S S S S S S O O S O O	
— 16-inch aluminum wheels (requires Lights and Wheels Group) INTERIOR FEATURES AIR CONDITIONING CARGO SHELVING — Foldable (late availability) — Fixed late availability) — Fixed late availability — Front carpet — Front and rear slush [LeftTING — Map/courtesy/cargo lamps — Cargo area LED lighting SEEATS — Cloth low-back bucket seats with manual adjuster — Premium cloth bucket seats with manual adjustable lumbar control and height adjuster — Premium cloth bucket seats with manual adjustable lumbar control and height adjuster — Premium cloth bucket seats using laugument Group) SEEED control SEEEEING COLUMN — Tilt/telescoping SEEEEING COLUMN — Tilt/telescoping SEEEEING WHEEL — Luxury — Leather-wrapped (included with Uconnect® 5.0 system) WINDOWS — Front power windows (included with Popular Equipment Group) — Tinted (requires rear and side sliding doors with vented glass on Cargo Van models) — Dark tint (not available with side and rear doors with solid panels on Cargo Van models) UCONNECT AND MULTIMEDIA BLUETOOTH® WIRELESS ^(N) — Requires Uconnect 5.0 system RADIOS — 3.0 AM/FM with 5-inch touchscreen display, media hub (with USB and auxiliary input),	WDN HAA CWM CWM CLF CLF CLF LBC LCP *B7 *C7 CFF JPM NHM SUD SCK SCG JP3 JPG GAC GEG RFM RA1	S 0 S 0 S 0 S 0 S 0 S 0 S S S S S P 0 S P 0 S P 0 S	S 0 0 0 S 0 0 S S S S S S	S S 0 0 S S S S S S S S S S S S O S O S O S O S O S O S O S O S	

2	OVERVIEW	POWERTRAINS	1500	2500	3500	350	O CC		2	500 CC
		PROMAST		9		SALES CODE	TRADESMAN® CARGO VAN	TRADESMAN SLT CARGO VAN	WAGON	WAGON SLT
SAF	ETY AND SECURIT	Y								
AIR E	BAGS ^[20] — Front, driv	ver and passenger				CGT/CGE	S	S	S	S
_	Driver's-side inflata	ble knee bolster				CGY	S	S	S	S
_	Supplemental front-	seat side				CJ1	S	S	S	S
_	Supplemental side-	curtain for 1st and 2r	id row			CJ4	-	_	S	S
_	Supplemental side-	curtain for 1st row				CJ2	S	S	-	
SAF	ETY AND SECURIT	Y (continued)								
DOT-	CERTIFIED ROADSIDE	SAFETY KIT				ACL	0	0	0	0
ELEC Hill S	TRONIC STABILITY CO Start Assist, Trailer S	NTROL (ESC) ^[5] — Incl Sway Damping, ^[5] Brak	udes Brake-Lock Diff e Assist and All-Spee	erential, Electronic R ed Traction Control	oll Mitigation,	BNB	S	S	S	S
PARI 3.0 r		SSIST ^[21] — Included	with Rear Back-Up C	amera Group; not ava	ailable with	XAA	Р	Р	Р	Р
PARI 3.0 r		P CAMERA ^[21] — Inclue	led with Rear Back-L	lp Camera Group; not	available with	XAC	Р	Р	Р	Р
REM	DTE KEYLESS ENTRY					GXM	S	S	S	S
REM	DTE START SYSTEM					JJL	0	0	0	0
TIRE	PRESSURE MONITORI	NG SYSTEM — Warnir	ıg lamp			LAB	S	S	S	S
PAG	CKAGES/EQUIPMEI	NT GROUPS								
CARG	O PARTITION PACKAG	ES — Solid; includes	cargo partition with	no window and rear	wall trim	AS1	0	0		
		rgo partition with wi				AHA	0	0	-	
LIGH	TS AND WHEELS GROU	P — Includes front f	og lamps and 16-inc	h aluminum wheels		AZK	-	0	-	0
		UP — Includes heate side sliding door with		ow power window and go Van models)	six speakers on	AJY	_	0	_	0
	BACK-UP CAMERA GI st ^[21] (not available w		kView Rear Back-Up	Camera ^[21] and ParkS	Sense Rear Park	AMV	0	0	0	0
				efroster and rear win ar doors with solid pa		AMF	0	0	0	0
TRAI	LER-TOW GROUP	ncludes Class III hitc	h receiver and 4- / 7-	pin wiring harness		AHT	0	0	0	0

53

MAXIMUM PAYLOAD AND TOWING CAPACITIES


	TRADESMAN® CARGO VAN	TRADESMAN SLT Cargo Van	WAGON	WAGON SLT
GVWR (lb)	5,395	5,395	5,395	5,395
GCWR (lb)	5,900	5,900	5,900	5,900
CURB WEIGHT (lb)	3,512	3,512	3,695	3,695
MAXIMUM PAYLOAD (Ib)	1,883	1,883	1,700	1,700
MAXIMUM TOWING* (lb)	2,000	2,000	1,800	1,800

*When properly equipped. Trailer Weight Rating and tow vehicle trailer weight are calculated as specified in SAE J2807. Driver and passenger weight = 300 lb. Trailer equipment weight: 50.7 lb for conventional hitch.

 $S = Standard \ 0 = Optional \ P = Part of Package \ --- = Not available NOTE: some features and/or applications may be late availability.$



5500 CC



BLACK FOREST GREEN PEARL - I, 2	GRANITE CRYSTAL METALLIC – 2, 3
MAXIMUM STEEL METALLIC – I, 2	QUARTZ GRAY METALLIC - 4
MINERAL GRAY METALLIC – I	SILVER METALLIC – 4
BLUE NIGHT METALLIC – 4	BRIGHT SILVER METALLIC – 1, 2, 3
BLUE STREAK PEARL – 2	SANDSTONE – 3
BRIGHT WHITE - 1, 2, 3, 4	PEARL WHITE - I, 2
DELMONICO RED PEARL - I, 2	BRIGHT RED – 4
FLAME RED - 1, 2, 3	DEEP RED METALLIC – 4
DEEP CHERRY RED CRYSTAL PEARL – 3	LUXURY BROWN PEARL - 1, 2
COPPERHEAD PEARL – I	

SPECIAL EXTERIOR PAINT COL	.OR3
MIDNIGHT BLUE – I, 2	DARK BROWN - 1, 2, 3, 4
TIMBERLINE GREEN PEARL - 1, 2	TREE GREEN – I, 2
LIGHT GREEN – I, 2	BRIGHT GREEN – I, 2
HOLLAND BLUE – I, 2	HILLS GREEN/GREEN ANGEL - I, 2, 3
POWER TAN - I, 2	ROBIN EGG BLUE – 1, 2
BROOM YELLOW – 3, 4	LIGHT CREAM – I, 2
YELLOW – I, 2	NATIONAL SAFETY YELLOW – I, 2
DETONATOR YELLOW - I, 2	CONSTRUCTION YELLOW – 1, 2
OMAHA ORANGE – I, 2	SCHOOL BUS YELLOW – I, 2
BRIGHT RED – I, 2	AGRICULTURE RED - 1, 2

COLOR AVAILABILITY LEGEND I: RAM 1500 2: RAM 2500/3500 AND CHASSIS CABS 3: RAM PROMASTER® 4: RAM PROMASTER CITY®

SPECIAL EXTERIOR PAINT COLORS'

EXTERIOR PAINT COLORS

BLACK – 2, 3

BLACK METALLIC – 4

56	OVERVIEW POWERTRAINS	1500	2500	3500	3500 CC	4500 CC	5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FABRICS	RESOURCES	5
----	----------------------	------	------	------	---------	---------	---------	-----------	----------------	----------------	-------	---------	-----------	---

BRILLIANT BLACK CRYSTAL PEARL - I, 2

TRUE BLUE PEARL - 1, 2, 3

2500

3500

PROMASTER

59

INTERIOR SEAT FABRICS

Cloth	Vinyl
Black	Black
Ram ProMaster®	Ram ProMaster
Cloth	Premium Cloth
Black	Black
Ram ProMaster City®	Ram ProMaster City SLT
Vinyl	Work Grade Vinyl
Diesel Gray	Diesel Gray
Tradesman [®] Express and Power Wagon [®] Tradesman	Tradesman, HD and Chassis Cab only
Sedoso/Embossed Cloth	Sedoso/Embossed Cloth
Diesel Gray	Canyon Brown
Tradesman, Express, HFE, SLT and Power Wagon	SLT and Power Wagon
Sedoso/Carbide Cloth	Sedoso/Carbide Cloth
Diesel Gray	Canyon Brown
SLT, Big Horn®/Lone Star,* Outdoorsman® and Power Wagon	SLT, Big Horn/Lone Star,* Outdoorsman and Power Wagon
Vinyl/Cloth with Embossed Tread Pattern	Bristol Vinyl/Sport Mesh Cloth
Radar Red/Black	Black
Rebel (1500 only)	Sport (1500 only)
Bristol Leather/Perforated Leather Trim	Bristol Leather/Perforated Leather Trim
Black	Light Frost Beige
Sport, Laramie® and Power Wagon Laramie	Laramie and Power Wagon Laramie
Natura Leather with Laser Etching/Perforated Leather	Natura Leather/Perforated Leather with Dark Saddle
with Dark Saddle Piping and Tan Accent Stitching	Piping and Tan Accent Stitching
Canyon Brown	Canyon Brown
Laramie Longhorn® (not available on Chassis Cab models)	Laramie Longhorn (not available on Chassis Cab models)
Natura Leather/Perforated Leather with Black Piping	Natura Leather/Perforated Leather with Medium Gray
and Black Accent Stitching	Stone Piping and Medium Gray Stone Accent Stitching
Cattle Tan	Black
Laramie Longhorn (not available on Chassis Cab models)	Limited (not available on Chassis Cab models)

THE RIGHT UPFIT FOR YOUR RAM TRUCK.

Because it's the most important and expensive tool in your business toolbox, you can increase your truck's efficiency and customize its capability with an upfit—an aftermarket body modification. Ram Commercial is ready to help.

ΡΔΙΝΤ

Select upfitters who meet our criteria for excellence, and who agree to our guidelines, ensure that your truck performs to spec. Streamline the process by identifying the type of work, operating conditions (worksite, on-/off-road, etc.), type and amount of weight or payload, and type and weight of trailer and contents (if applicable).

You'll find the most recent list of these upfitters and the comprehensive Body Builder's Guides—critical details, technical specs and measurements—at <u>ramtrucks.com/commercial</u>. Log on to <u>rambodybuilder.com</u> or use our toll-free hotline for Body Builder questions or assistance: the number is **866-205-4102**.

THE FINAL WORD: FROM ACCESSORIES TO WARRANTIES.

5-YEAR/100,000-MILE DIESEL POWERTRAIN LIMITED WARRANTY.^[1] Transferable. See your dealer for complete details and a copy of the 5-Year/100,000-Mile Diesel Powertrain Limited Warranty.^[1]

5-YEAR/60,000-MILE GAS POWERTRAIN LIMITED WARRANTY.^[2] Transferable. See your dealer for complete details and a copy of the 5-Year/60,000-Mile Gas Powertrain Limited Warranty.^[2]

3-YEAR/36,000-MILE BASIC LIMITED WARRANTY.^[3] Ram vehicles are covered by an FCA US LLC 3-Year/36,000-Mile Basic Limited Warranty.^[5] See your dealer for a copy of this limited warranty. Excludes normal maintenance and wear items.

BUSINESSLINK. If your business relies on vehicles, BUSINESSLINK can save you time, money and hassles. For more, log on to <u>fcaworkvehiclesus.com</u> or call us toll-free at 877-2THELINK (877-284-3546).

MOPAR VEHICLE PROTECTION.[®] Mopar Vehicle Protection is the only extended protection backed by the manufacturer. FCA US LLC stands behind Mopar Vehicle Protection with certified, factory-trained technicians, genuine Mopar_® parts and service at any dealership within the United States, Canada, Puerto Rico or Mexico. Be sure to ask for a Mopar Vehicle Protection plan at your dealership. For more information, call us toll-free at 800-442-2666 or visit <u>moparvehicleprotection.com</u>

AUTHENTIC ACCESSORIES BY MOPAR are designed for exceptional fit, finish and performance. Visit your dealership or <u>mopar.com</u> UCONNECT[®] With Uconnect, you're always connected—to people, places, music, movies and the Internet.

SIRIUSXM® SATELLITE RADIO^[07] Over I3O channels, including commercial-free music, sports, news, talk, comedy and entertainment. Factory-installed SiriusXM Satellite Radio^[07] includes a one-year subscription. For more, go to siriusxm.com

RAM OUTFITTER is a collection of handpicked items bearing the Ram identity—from apparel to tools for work and play. It's all found at <u>ramtrucks.com/outfitter</u>

[1] Transferable. See your dealer for complete details and a conv of the 5-Year/IOD.000-Mile Diesel Powertrain Limited Warranty. [2] Transferable. See your dealer for complete details and a copy of the 5-Year/60,000-Mile Gas Powertrain Limited Warranty. [3] Ram vehicles are covered by an FCA US LLC 3-Year/36,000-Mile Basic Limited Warranty. See your dealer for a copy of this limited warranty. Excludes normal maintenance and wear items. [4] Based on latest available competitive information. Class based on light-duty pickups [5] No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESC warning lamp flashes, the driver needs to use less throttle and adapt speed and driving behavior to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt. [6] Based on Standard Pickup class. EPA estimated 29 mpg highway based on Ram 1500 EcoDiesel HFE V6 4x2. Actual results may vary. [7] Based on latest available competitive information. Class based on 250/2500 and 350/3500 pickups. [8] Based on Class 3 – 5 pickup-based conventional cab chassis, [9] Based on Class 4 - 5 pickup-based conventional cab chassis, [10] Based on Class 4 pickup-based conventional cab chassis, [11] Based on latest available competitive information. Class is Small Commercial Van segment. [12] Based on latest available competitive information. Class is based on Large Commercial Van segment (Class 2) [13] Based on latest available competitive information and compared to standard engine configurations. Class is Small Commercial Van segment. [14] Based on Standard Pickup class. Fuel economy based on EPA estimated 29 mpg highway on Ram 1500 EcoDiesel HFE V6 4x2. Actual results may vary. Torque comparison based on latest available competitive information. [15] Based on Class 5 pickup-based conventional cab chassis. [16] Uconnect Access is available only on equipped vehicles purchased within the 50 United States. Services can only be used where cellular coverage is available, see coverage map for details. For a complete list of Uconnect Access services, please visit driveuconnect.com/features/uconnect_access/packages. Vehicle must be registered for Uconnect Access and fulfill minimum subscription requirements. [17] SiriusXM subscriptions for audio and data services are sold by SiriusXM to follow your trial subscription. If you decide to continue listening after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply To cancel, you must call SiriusXM at I-866-635-2349. See the SiriusXM Customer Agreement for complete terms and more information at siriusxm.com. All fees and programming subject to change. Your equipment and features for SiriusXM services will vary depending upon the vehicle you select and may be limited in select markets. [18] Requires a mobile phone equipped with the Bluetooth Hands-Free Profile. Visit UconnectPhone.com for system and device compatibility. [19] Voice Text Reply and Voice Texting features require a compatible mobile device enabled with Bluetooth Message Access Profile (MAP). iPhone and some other smartphones do not currently support Bluetooth MAP. Visit UconnectPhone.com for system and device compatibility. Ensure MAP is ON and incoming message notification is enabled. Vehicle must be registered for Uconnect Access and you must fulfill minimum subscription requirements. Also requires the use of a compatible smartphone that supports text messaging and Bluetooth. Visit UconnectPhone.com for system and device compatibility. [20] The Advanced Front Air Bags in this vehicle are certified to the new U.S. Federal regulations for advanced air bags. Children 12 years old and younger should always ride buckled up in a rear seat. Infants in rear-facing child restraints should never ride in the front seat of a vehicle with a passenger front air bag. All occupants should always wear their lap and shoulder belts properly. [21] Always look before proceeding, electronic drive aid is not a substitute for conscientious driving; always be aware of your surroundings. [22] WiFi subscription required. This feature is not intended for use by the driver while the vehicle is in motion. Always drive carefully. [23] ON THE JOB is a retail incentive program; see your dealer for official rules. Inquire about eligibility by calling 877-ONTHEJOB or by logging on to fcaworkvehiclesus.com. The purchaser or lessee must be a qualified commercial customer for more than 30 days prior to the date of the vehicle purchase. An official ON THE JOB Customer Acknowledgment Form must be signed by the customer (provided by the dealer)

©2015 FCA US LLC. All Rights Reserved. Chrysler. Dodge, Jeep, Ram, Mopar, AllSecure, Big; Horn, the BusinessLink logo, the CMB design, HEML, Laramie, Laramie Longhorn, Mega Cab, Mopar Vehicle Protection, the On The Job logo, Outdoorsman, ParkSense, ParkView, Pentastar, Power Wagon, Quad Cab, the Ram's Head logo, Ram ISO0 Express, RamBox, Ram ProMaster, Ram ProMaster City, Sentry Key, Snow Chief, Tigershark, TorqueFile, Tradesman and Uconnect are registered trademarks, and Active-Level, Keyless Enter in Go, Ram Work Grade and Rebel are trademarks of FCA US LLC. Chrysler Capital is a registered trademark of FCA US LLC and licensed to Santander Consumer USA Inc. MultiAir is a registered trademark of CLR. Societ Consumer USA Inc.

Bluetooth is a registered trademark of Bluetooth SIG, Inc. iPhone and iPod are registered trademarks of Apple Inc. Bosch is a registered trademark of Robert Bosch GmbH. Cummins is a registered trademark of Cummins, Inc. AISIN is a registered trademark of Alsin Seiki Co., Ltd. WARN is a registered trademark of Warn Industries, Inc. Mossy Dak is a registered trademark of Man Industries, Inc. Mossy Dak is a registered trademark of Man Industries, Inc. Mossy Dak is a registered trademark of No. Dana is a registered trademark of Dana Holding Corporation. CNH, Case IH and New Holland are registered trademark of SOL Dan is a registered trademark of No. Construit, SUB Section 1997. The section of Construction Construction of CNH America LLC. DensGlass[®] the color GOLD and the Georgia-Pacific Iogo are trademarks owned by or licensed to Georgia-Pacific Gypsum LLC. Bilstein is a registered trademark of August-Bilstein GmbH & Co. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc. Paramount Farms and Iogo are registered trademarks of Paramount Farms International LLC. Katerack is a registered trademark of Paramount Farms International LLC.

About this catalog: Since the time of printing, some of the information you'll find in this catalog may have been updated. Ask your dealer for details. Some of the equipment shown or described throughout this catalog may be available at extra cost. Specifications, descriptions, illustrative materials and all competitive comparisons contained herein are as accurate as known at the time this publication was approved for printing. FCA US LLC reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. Dptions may be required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications contained here, see your Ram dealer.

INCENTIVES AND SUPPORT FOR YOUR BUSINESS NEEDS.



THE DEALER NETWORK FOR YOUR BUSINESS.

Your Business*Link* dealer is committed to providing you, the small business owner, with the vehicle support you need for your business, from servicing all makes and models of your existing vehicle(s) to selling you that right vehicle

needed to perform the work that you do. Your Business*Link* dealer provides available "next-bay-up" service because we know downtime costs you money. Your Business*Link* dealer has sales professionals trained to properly "job-rate" the right vehicle for your work application along with providing commercial finance options. New vehicle sales to qualified small business owners also receive a free alternate transportation contract in the event your vehicle is in for service.

Membership in the Business*Link* program is complimentary. Membership helps us to identify you as a small business owner so we can provide you with both the service you deserve, and update you with offers that can help reduce the cost of doing business. For your free registration, see your Business*Link* dealer today.

BusinessLink has you covered.

• Next-Bay-Up Service (all makes and models)

- A Dedicated BusinessLink Staff
- Commercial Vehicles in Stock
- Free Loaners* for Selected Vehicles
- Extended Service Hours
- Convenient Shuttle Services

For more information, log on to <u>fcaworkvehiclesus.com</u> or call us toll-free at **877-2THELINK (877-284-3546)**.

*Some restrictions apply. See dealer for details.

ONTHE INCENTIVES FOR SMALL BUSINESSES.

Running a business presents plenty of challenges. Like cutting costs, not corners. Like saving time and money and eliminating hassles. The **ONTHE JOB**^[23] commercial incentive program provides assistance in customizing and servicing your business vehicles.

Our most popular On The Job^[23] incentives are:

- COMMERCIAL EQUIPMENT/UPGRADES. \$500/\$1,000 Allowances for Upfits, \$1,000 Box-Off Allowance,
- $500\ RamBox^{\odot}\ Cargo\ Management\ System\ Allowance.$
- COMMERCIAL GRAPHICS ALLOWANCES. \$250/\$500/\$1,000 Commercial Graphics Allowances.
- BOSCH® TOOL OFFER. Select I of 5 Bosch Power Tool Packages.
- 2-YEAR LUBE/OIL/FILTER. For all Chrysler, Jeep, Dodge and Ram vehicles (includes gas and diesel engines).
- MOPAR® SERVICE CONTRACTS. \$500/\$1,000 and Oil Change options available.

See your dealer for specific program rules and details or call us toll-free at 877-0NTHEJOB (877-668-4356).

CHRYSLER A commercial line of credit from Chrysler Capital is ideal for qualified business customers looking for a flexible, easy way to manage growing vehicle needs. Chrysler Capital streamlines the process—and with buy a vehicle when you need it. Ask your Business*Link* dealer for details.





RAM IS A REGISTERED TRADEMARK OF FCA US LLC.